



WILLIAM A. BELL, SR.
MAYOR

CITY OF BIRMINGHAM

FINANCE DEPARTMENT

PURCHASING DIVISION

P-100 CITY HALL
710 NORTH 20TH STREET
BIRMINGHAM, ALABAMA 35203-2227

TELEPHONE (205) 254-2265
FAX (205) 254-2484

J. THOMAS BARNETT, JR.
FINANCE DIRECTOR

RON NICKEL
PURCHASING AGENT

WILLIAM E. CAFFEE
ASSISTANT PURCHASING AGENT

October 22, 2015

INVITATION TO BID #15-81

Sealed bid for fire fighter protective wear items for a period of one (1) year and month to month thereafter upon mutual agreement of both parties, for the City of Birmingham, will be received by the Purchasing Agent, Room P-100 First Floor City Hall, Birmingham, Alabama, until 2:00 p.m., November 18, 2015, at which time and place they will be publicly opened and read.

Bidders wishing to bid can download the complete solicitation including the specifications and bid forms via the internet at www.birminghamal.gov (go to link titled **Bidding Opportunities**), or by visiting the Purchasing Office at the address shown above, or by calling (205) 254-2265, fax (205) 254-2484 and requesting a copy be mailed to you. Any addenda will be available on the internet. Bidder is responsible for checking the website for addenda until bid opening date. Addenda will be mailed to only those vendors who were provided a copy in person or by mail.

Bids are to be submitted on the bid form provided, and all quotations are to be f.o.b. Birmingham, Alabama delivered.

It is required for any contract exceeding \$10,000.00 that the bidder submits with his bid either a certified check, a cashier's check, or a bid bond payable to the City of Birmingham in the amount of \$500.00. In order for any bid award to be considered that exceeds \$10,000.00, it must be accompanied by an acceptable bid bond or check. Bid bond checks will be returned to all unsuccessful bidders after the formal award is made and to the successful bidder after acceptance of award. Should the successful bidder fail to accept the award, the bid bond or check shall be forfeited.

The City follows a policy of nondiscrimination. No contractor with the City should discriminate on the basis of race, sex, religion or national origin. Failure by the Vendor to carry out these requirements is a material breach of its obligations, which may result in its termination or such other remedy as the City deems appropriate.

No bid may be withdrawn for a period of sixty (60) days after the date of the bid opening.

The City reserves the right to reject any or all bids submitted in whole or part, and to waive any informalities.

Bid must be submitted in a sealed envelope marked, "**SEALED BID – FIRE FIGHTER PROTECTIVE WEAR ITEMS - 2:00 P.M., 11/18/15**". Bids may be hand delivered to Room P-100 First Floor City Hall, Birmingham, Alabama, or mailed to City of Birmingham, P.O. Box 11295, Birmingham, Alabama 35202-1295. (**DO NOT MAIL BIDS TO ROOM P-100 FIRST FLOOR CITY HALL**). However, bids sent by any express carrier (i.e. Federal Express, UPS, DHL, etc.), must be mailed to 710 North 20th Street, Birmingham, Alabama 35203 and specify delivery to P-100 First Floor City Hall.

It is the bidder's responsibility to make sure that his bid is in the possession of the Purchasing Agent on or before 2:00 p.m., November 18, 2015. Bids received after this time will not be considered.


W. E. Caffee, Assistant Purchasing Agent

SPECIFICATIONS FOR FIRE FIGHTER PROTECTIVE WEAR ITEMS

GENERAL:

The City of Birmingham is seeking bids for fire fighter protective wear accessories. The basis of the bid shall consist primarily of any and all protective items used by the City. The City intends to award to the lowest priced, responsive, responsible bidder(s) on an individual line item basis. For the purchase of personal property, the City's policy is to apply a local preference option, as allowed by the State of Alabama Code Section 41-16-50, in determining the low bidder.

The proposed contract shall extend for a minimum time frame of one (1) year, with a month-to-month extension thereafter, at the prices originally bid, upon mutual agreement of both parties. This extension phase is not to exceed twenty-four (24) months. Prior to the end of the initial contract year or during any extension phase of this contract, the successful bidder(s) shall give the City an advanced thirty (30) days written notice if they wish to terminate the contract. During the extension phase of the contract should any product bid have a manufacturer's price increase which applies across the board to all sales of the product, the City shall allow the bidder to increase the bid price by the exact dollar amount of the manufacturer's price increase. Bidder must provide to the City printed documentation from the manufacturer of any such price increase at least thirty (30) days prior to implementing any increase in price. No increase in price shall be allowed during the first twelve (12) months of the contract.

Municipalities are not liable for sales tax: reference Code of Alabama Section 40-23-4. Costs normally considered pass through costs (property tax, use tax, delivery charge, etc.) to the customer by the provider must be included in any fee proposed (Code of Alabama Section 40-12-222).

Bidders are required to provide an original and two (2) copies of the bid.

No bid may be withdrawn for a period of sixty (60) days after the date of the bid opening.

Failure to adhere to any or all terms, conditions and specifications as set forth in the contract may result in the immediate termination of the contract. Should termination occur, the holder of the contract may be declared a "non-responsible vendor". This declaration may result in the rejection of any future bids submitted by the vendor for a period of time to be determined by the City.

The City will issue purchase order(s) to the successful bidder for the goods and/or services (bid items) that are the subject of the bid. Unless otherwise agreed in a writing that is signed by both parties, the entire agreement between the City and the successful bidder concerning the bid items is comprised of the terms, conditions, specifications and requirements stated in (a) the contemplated purchase order(s), (b) this Invitation to Bid and Specifications and (c) your bid (collectively, the "Contract Requirements"). These writings supersede all former proposals, offers, negotiations, representations or agreements, either written or oral, concerning the provision of vendor's goods and/or services. By acceptance of the City's purchase order(s), the successful vendor agrees to abide by and perform its responsibilities related to the bid items in compliance with the Contract Requirements.

Each bidder is to extend prices and provide a total for the bid being submitted. In order for any bid award to be considered that exceeds \$10,000.00 your bid must have been accompanied by an acceptable bid bond, certified check or cashier's check in the amount of \$500.00. Bid bond checks will be returned to all unsuccessful bidders after the formal award is made and to the successful bidder after acceptance of award. Should the successful bidder fail to accept the award, the bid bond check shall be forfeited.

Successful bidder shall not assign this contract to any other party without prior written approval of the City of Birmingham. This contract shall not be assigned to an unsuccessful bidder who was rejected because he was not a responsive or responsible bidder.

The contract shall become effective from the date noted in the Notification of Award letter which will be mailed to the successful vendor.

The City reserves the right to cancel the contract, in whole or part, and seek new bids at any time the City determines that the service, item(s) and/or product line(s) being supplied is/are failing to perform satisfactorily.

Bids may be solicited for any product included in this contract where an immediate emergency need exists, including large quantities. The decision of the Purchasing Agent as to what constitutes a biddable situation shall be final and shall not be construed as a breach of contract.

Should other protective items currently not shown on the bid form, be required during the life of the contract, the City reserves the right to seek verbal bids from only the responsive respondents of this Invitation to Bid, and to make an award of these additional items to the lowest responsive, responsible bidder(s) for the remaining life of this contract.

Contract award to purchase the materials covered in this bid document shall be construed under and governed by the laws of the State of Alabama and each party hereto irrevocably agrees to be subject to the jurisdictions of the courts of the State of Alabama.

The City's standard payment term is Net-30 Days from acceptance. Exception may be allowed for discounted early payment, such as 2%-10, Net 30 Days. The reference date for all such discounted early payment terms will be the date the invoice is received or the date the goods are received, whichever is later. In the event of a dispute the City's records shall prevail. **The City will not consider any bids requiring C.O.D. payments.**

Any quantities or amounts used in this bid are estimated annual usage and are for evaluation purposes only. The City does not guarantee any fixed amounts of products to be purchased under this contract. Items will be ordered on an as needed basis throughout the life of the contract.

Any bid that imposes a service fee or any other type of fee on any order not exceeding a minimum order quantity or minimum purchase order dollar amount, will be determined a non-responsive bid and will not be considered for award.

Any bid that stipulates a reversal of freight charges if a minimum quantity or purchase order dollar amount is not ordered, will be determined a non-responsive bid and will not be considered for award.

The City has limited storage space so timely delivery shall be a consideration. The successful bidder(s) shall guarantee full delivery within twenty (20) working days of receipt of order.

The City reserves the right to terminate any line item(s) and seek new bids as described in paragraph 3 on page 3 at any time the City determines that the product(s) being supplied is/are failing to perform satisfactorily.

The City may require samples of any product before an award is made. Any sample(s) requested must be made available to the City within seventy-two (72) hours of request. Failure to provide the sample(s) within this time frame will result in the rejection of the product(s) from award consideration.

Bidder (and its employees, agents and any subcontractors) shall not discriminate on the basis of race, color, national origin or sex in the performance of the services contemplated hereunder. Failure by the bidder to carry out these requirements is a material breach of its obligations, which may result in its termination or such other remedy as the City deems appropriate.

Bidder acknowledges and agrees that, consistent with federal law and City's public policy, it will encourage disadvantaged business enterprise (DBE) participation to the extent permitted by law. A "disadvantaged business enterprise" is a for-profit small business concern (i) at least 51% owned by one or more individuals who are both socially and economically disadvantaged or, in the case of a corporation, in which 51% of the stock is owned by one or more such individuals; and (ii) whose management and daily business operations are controlled by one or more of the socially and economically disadvantaged individuals who own it. In accordance with federal law, a "socially and economically disadvantaged individual" includes African Americans, Hispanic Americans, Native Americans, Asian-Americans, women, and any additional groups designated as socially and economically disadvantaged by the federal Small Business Administration.

Successful bidder acknowledges and agrees that the City has the right to deduct from total amount of consideration to be paid, if any, to the successful bidder under this agreement all unpaid, delinquent, or overdue license fees, taxes, fines, penalties and other amounts due the City from the successful bidder.

The City of Birmingham must have a copy of the successful bidder's current City of Birmingham business license prior to formal award of contract. Each bidder may submit a copy of his/her license along with his/her bid. However, bidder must provide a copy of his/her current business license no later than seven (7) working days of receipt of notice of intent to award. Failure to submit the requested information will result in the notice of intent to award being revoked.

Any successful bidder who is not currently set up as a vendor in the City of Birmingham vendor file will be required to submit a completed W-9 tax form prior to any award. The W-9 tax form may be submitted with your bid or no later than seven (7) working days of receipt of notice of intent to award.

Successful Vendor (located in the State of Alabama or located outside of the State of Alabama, but employs one or more employees within the State of Alabama) represents and warrants that it does not knowingly employ, hire for employment, or continue to employ an "unauthorized alien", as defined by the Beason-Hammon Alabama Taxpayer and Citizen Protection Act, Act No. 2011-535 (H.B.56) of the Alabama Legislature, as amended from time to time (the "Act") and that, during the performance of this contract, Vendor shall participate in the E-Verify program as required under the term of the Act. Vendor agrees to comply with all applicable provisions of the Act. As a condition for the award of any contract, Vendor shall provide documentation establishing that the Vendor is enrolled in the E-Verify program, or a signed, written statement that the Vendor does not have a presence (one or more employees) in the State of Alabama. Vendor may submit applicable documentation with his/her bid or no later than seven (7) working days of receipt of notice of intent to award. Furthermore, a contracting party found to be in violation of this provision shall be deemed in breach of the contract/agreement and shall be responsible for all damages resulting therefrom.

Any questions concerning these specifications should be addressed to the Purchasing Division, phone (205) 254-2265, fax (205) 254-2484- between the hours of 8:00 a.m. & 5:00 p.m. Monday through Friday.

BIDDER COMPLIANCE FORMAT

All participating bidders shall mark conspicuously compliance or non-compliance with an “X” in the appropriate column beside each specified item. These items marked in the “NO” column must be explained in detail on the provided “EXCEPTIONS TO SPECIFICATIONS” page.

BIRMINGHAM FIRE AND RESCUE SERVICE SPECIFICATION FOR FIREFIGHTER PROTECTIVE WEAR	BIDDER COMPLIES	
	YES	NO
The following specifications shall determine the requirements for the Fire Fighter Protective Wear Items used by the Birmingham Fire & Rescue Service. If applicable, all protective wear shall meet or exceed NFPA 1971 – Standard on Protective Ensembles for Structural Fire Fighting.		
Cairns helmets shall be the 664 Invader with 4” faceshield. The helmet will be available in black and red and include one (1) extra faceshield.	_____	_____
The replacement faceshield, mounting hardware, Nomex earlap, headband liner, chin strap and ratchet headband system will all be for the Cairns 664 Invader helmet.	_____	_____
Nomex hood shall be an American Fire Wear HD-FDN, long – full drape, rounded bib & notched shoulder – equivalent or better.	_____	_____
Firefighting gloves shall be Shelby model 5226 without wristlet, size XS through Jumbo – equivalent or better.	_____	_____
Bullard helmets shall be the Firedome FX series with 4” faceshield. The helmet will be available in white, black, and red & include one (1) extra faceshield.	_____	_____
The replacement faceshield, mounting hardware, Nomex ear/neck protection, headband liner, chin strap and ratchet headband system will all be for the Bullard FX series helmet.	_____	_____
14” Structural Firefighting Boot General Requirements:		
<ul style="list-style-type: none"> • NFPA 1971 and NFPA 1992 Compliant: Meets or exceed NFPA 1971, Standard on Protective Ensembles for Structural Firefighting and Proximity Firefighting, 2013 Edition for Structural Fire Fighting and NFPA 1992, Standard on Liquid Splash-Protective Ensembles and Clothing for Hazardous Materials Emergencies, 2012 Edition. • General Design: 14” Pull-On athletic footwear (cement construction) boot, black flame-resistant and water-resistant leather, double-stitched leather joining seams, webbing pull straps, leather collar, padded leather flex joints in the shaft above vamp and heel, liquid and chemical resistant breathable bootie liner, cut-resistant and thermal protective bootie-shield liner, composite safety toe cap, composite shank, composite penetration-resistant insole barrier, molded shin guard, flame-resistant synthetic rubber molded cup outsole and toe bumper, 3D lasting board, molded heel counter, internal heel fit system, and removable molded footbeds including a second thicker pair. • Slip Resistance: Boots must exceed the minimum test values for slip resistance (average of left and right foot) as detailed below to provide superior performance in dry, wet, and frosted ice conditions. Boots that do not exceed these minimums in all conditions shall not be acceptable. Bidders must promptly supply a Technical Services Report from a recognized independent testing laboratory upon request showing the boots bid exceed this requirement. 	_____	_____
Test Method: SATRA TM144:2011 Slip Resistance of Footwear and Floorings Load = 500 N		
Dry Clay Quarry Tile: Forepart = 1.00 Heel = 0.90		
Wet Clay Quarry Tile: Forepart = 0.60 Heel = 0.60	_____	_____
Frosted Ice: Forepart = 0.25 Heel 0.20		

**BIRMINGHAM FIRE AND RESCUE SERVICE SPECIFICATION FOR
FIREFIGHTER PROTECTIVE WEAR**

**BIDDER
COMPLIES**

YES NO

- For maximum slip resistance each outsole shall have Siping lines. Siping lines cut into flat areas open up when flexed to provide additional traction on water and ice. The boot shall also include self-cleaning lugs and an omni-direction tread pattern designed for superior performance in all terrains and when working on ladders.
- **Flexibility:** boots must reach the Maximum Flex Angle of 50° degrees without exceeding the critical bending moment with a resulting stiffness index not to exceed 10.0 as detailed below to provide maximum flexibility. Boots that do not meet this requirement shall not be acceptable. Bidders must promptly supply a Technical Services Report from a recognized independent testing laboratory upon request showing the boots bid meet this requirement.
- Test Method: SATRA TM194:2004 Longitudinal stiffness of footwear
- **FireStorm Leather:** Boots shall be made from heavy-duty, flame-resistant and water-resistant full-grain cattle hide leather measuring 2.0-2.2 mm of thickness for durable tear and puncture resistance. Tumbled full-grain cattle hide leather shall be utilized in the collar and flex areas for mobility. The leather shall be chrome tanned to withstand high temperature with minimal shrinkage, re-tanned to impart water resistance and low water absorption, and finished to retain maximum breathability. Leather shall meet or exceed the following physical tests:

Water Penetration	ASTM D2099	15,000 flex minimum
Dynamic Water Absorption	ASTM D2099	15% maximum
Static Water Absorption	ASTM D6015	30% maximum
Slit Tearing Strength	ASTM D2212	30 pound minimum
Moisture Vapor Transmission	ASTM D5052	350 g,eter2/24 hours minimum
Flame Resistance	NFPA 1971	afterflame no more than 2.0 sec, not melt or drip, no burn through

- **CROSSTECH® Footwear Fabric:** A full-height, full sock, bootie liner made from a package of Omaha lining fabric, 300g felt insulation, and CROSSTECH® moisture barrier shall be provided for a waterproof and breathable moisture barrier as well as thermal protection as defined by the specified NFPA standards.
- **Athletic Footwear (Cement) Construction Outsole:** For optimum flexibility and comfort, boot shall include a VIBRAM® Synthetic Rubber Contoured Cup Outsole cemented to the bottom and sides of the upper using a 2-part cross-linking adhesive that forms a bond stronger than the materials it attaches. The outsole must be made from a flame, abrasion, oil, acid, and slip resistant compound engineered for high-traction, cold-weather resistance, and durability. Goodyear welt or direct attach construction methods shall not be acceptable.
- **Bootie-Shield Liner:** A protective bootie-shield of KEVLAR® fiber blend stitchbonded non-woven batting weighing 4.0 oz/yd² shall be positioned between the leather shell and the CROSSTECH® moisture barrier bootie to provide abrasion and cut resistance and additional thermal protection. Boots that do not have an additional FR protective bootie-shield between the leather shell and the CROSSTECH® moisture barrier bootie shall not be acceptable.

BIRMINGHAM FIRE AND RESCUE SERVICE SPECIFICATION FOR FIREFIGHTER PROTECTIVE WEAR	BIDDER COMPLIES	
	YES	NO
<ul style="list-style-type: none"> • Composite Safety Toe Cap: The safety toe shall consist of a composite material that is lighter than steel, doesn't transmit heat or cold, and will spring back to shape after impact. Must exceed NFPA standards for safety. Metal toe caps shall not be acceptable. 	_____	_____
<ul style="list-style-type: none"> • Composite Penetration Resistant Insole Barrier: Penetration resistance shall be provided by a composite insole to maximize flexibility and insulate from heat and cold transmission. Must exceed NFPA standards for safety. Metal plates shall not be acceptable. 	_____	_____
<ul style="list-style-type: none"> • 3D Composite Lasting Board: Boot uppers shall be lasted to a molded and contoured lasting board with a built-in flex zone in the forefoot with a torsionally stable heel. Flat fiber board lasting boards shall not be acceptable. 	_____	_____
<ul style="list-style-type: none"> • Composite Shank: The shank shall consist of a composite material that is lighter than steel, doesn't transmit heat or cold, and springs back to shape better. Metal shank shall not be acceptable. 	_____	_____
<ul style="list-style-type: none"> • Molded Heel Counter: Boots shall have a molded heel counter of water-resistant composite material individually molded to fit each size perfectly. Leather or fiber board heel counters shall not be acceptable. 	_____	_____
<ul style="list-style-type: none"> • Padded Shin Guard: Boots shall include a padded polymer shin guard to provide extra protection when working on a ladder. Moisture absorbing natural fiber padding shall not be acceptable. 	_____	_____
<ul style="list-style-type: none"> • Synthetic Rubber Toe Bumper: Boots shall include a molded Flame Resistant (FR) synthetic rubber toe bumper to provide abrasion resistance when crawling. The toe bumper shall be cemented and 2-needle stitched to the vamp. 	_____	_____
<ul style="list-style-type: none"> • Webbing Pull-Straps: Boots shall have NOMEX® webbing pull-straps securely attached to the leather uppers by inserting into to collar seam to minimize stitching through the leather. Pull strength must be a minimum of 120lbs when tested with a single handle. 	_____	_____
<ul style="list-style-type: none"> • Internal Fit System: Boots shall have an anatomical foam insert that wraps around the top and sides of the heel with an opening to fit and hold the back of the heel securely while cushioning the ankle. 	_____	_____
<ul style="list-style-type: none"> • 3D Molded Footbed: Boots shall have a removable urethane foam footbed contoured to cradle and cushion the bottom of the foot and to provide arch support. The footbed shall have a moisture-wicking and anti-microbial fabric top layer. 	_____	_____
<ul style="list-style-type: none"> • Custom Fit System: Boots shall include a second pair of 3D Molded Footbeds that are thicker in the forefoot to provide a snugger fit if needed. 	_____	_____
<ul style="list-style-type: none"> • Sizes: Boots must be available in Men's 5-16 (full and half sizes), 17-18 (full sizes only) in Narrow, Medium, Wide, and X-Wide widths. Boots must also be available in A Wide Calf model in the same size range that will provide an additional 3" inches in circumference at the calf to fit those with larger calves. Boots must be available in Women's 5-12 (full and half sizes) in Narrow, Medium, Wide, and X-Wide widths. 	_____	_____

BIRMINGHAM FIRE AND RESCUE SERVICE SPECIFICATION FOR FIREFIGHTER PROTECTIVE WEAR	BIDDER COMPLIES	
	YES	NO
<p>The vendor shall provide onsite sizing of each member of the BFRSD prior to the order being placed. The vendor shall also provide onsite sizing upon request of the BFRSD.</p> <ul style="list-style-type: none"> • Resoling Service: The winning vendor shall have resoling services available at their factory as needed. • Boots shall be Globe Shadow 14" Structural Firefighting Boots or equal. Boots are to be manufactured in North America. 	<p>_____</p> <p>_____</p> <p>_____</p>	<p>_____</p> <p>_____</p> <p>_____</p>

BID FORM

W. E. Caffee
 Assistant Purchasing Agent
 Birmingham, Alabama

Submitted below is my firm bid for fire fighter protective wear items for the City of Birmingham, in accordance with your invitation to bid and specifications dated October 22, 2015. Prices quoted are f.o.b. destination delivered and I am bidding in accordance with specifications except

Approx. Qty.	Description	Brand/Model	Unit Price	Extended Total
60	Helmet: Cairns 664 Invader w/4" face shield, standard liner & Nomex earlap. Each helmet will include one (1) extra 4" faceshield. Helmet to be available in colors black and red.		\$	\$
10	Replacement 4" faceshield for Cairns 664 Invader helmet		\$	\$
10	Carins mounting hardware: S910P		\$	\$
5	Cairns Nomex earlap for 664		\$	\$
5	Headband liner for Cairns 664		\$	\$
5	Chin strap for Cairns 664		\$	\$
5	Ratchet headband system for 664		\$	\$
100	Hood: Nomex, long – full drape, rounded bib, notched shoulder. American Fire Wear HD-FDN equivalent or better.		\$	\$
650	Boots: Globe Shadow 14" Structural Firefighting Boots or equal.		\$	\$
200	Fire Fighting Gloves: Shelby Model 5226 or equal, without wristlet. Size from extra small through jumbo.		\$	\$
70	Helmet: Bullard FX Series w/4" face shield, standard liner & Nomex ear/neck protection. Each helmet will include one (1) extra 4" faceshield. Helmet to be available in colors black, red & white.		\$	\$
10	Replacement 4" faceshield for Bullard FX Series helmet.		\$	\$
10	Bullard mounting hardware: R151		\$	\$
5	Nomex ear/neck protection for Bullard FX series: R721		\$	\$
5	Headband liner for Bullard FX		\$	\$
5	Chin strap for Bullard FX		\$	\$
5	Ratchet headband system for FX		\$	\$
Grand Total				\$

Note: Any bid submitted must be accompanied by catalogs, brochures and/or specification sheets which will adequately demonstrate that the item(s) being bid is (are) equal or better than those specific brands and models specified by the Birmingham Fire & Rescue Service. Failure to provide the stated documentation may result in the rejection of your bid from consideration.

BID FORM-cont'd

I hereby certify that we do not discriminate in employment of our personnel against any persons on account of race, creed, color, sex, or national origins, and acknowledge and agree that the City encourages minority and women-owned business participation to the maximum extent possible. This policy includes Historically Underutilized Business Enterprises such as architectural firms, engineering firms, investment banking firms, other professional service providers, and construction contractors as part of the City's business, economic and community revitalization programs.

EXCEPTIONS TO SPECIFICATIONS:

Bidder acknowledges receipt of _____ addenda. **This page must be returned with bid.**
(addenda numbers)

Date of Bid

Name (Print legibly or Type)

Company

Title

Street Address

Signature

City State Zip

Tax ID Number

Post Office Box (Zip if different from street address)

E-Mail Address

City State Zip

Telephone Number

Terms of Payment

Fax Number

Delivery Date

Website

IF AVAILABLE PLEASE SUBMIT COPY OF CURRENT CITY OF BIRMINGHAM BUSINESS LICENSE WITH THIS BID.

INDICATE THE FOLLOWING ADDRESSES IF DIFFERENT FROM ABOVE:

1. BID AWARD NOTICE ADDRESS
2. PURCHASE ORDER ADDRESS
3. REMITTANCE ADDRESS (and NAME if different than above)
