



WILLIAM A. BELL, SR.
MAYOR

CITY OF BIRMINGHAM

FINANCE DEPARTMENT

PURCHASING DIVISION

P-100 CITY HALL
710 NORTH 20TH STREET
BIRMINGHAM, ALABAMA 35203-2227

TELEPHONE (205) 254-2265
FAX (205) 254-2484

J. THOMAS BARNETT, JR.
FINANCE DIRECTOR

RON NICKEL
PURCHASING AGENT

WILLIAM E. CAFFEE
ASSISTANT PURCHASING AGENT

November 3, 2016

INVITATION TO BID #16-65

Sealed bids for refurbishing (4) door cab fully enclosed pumper and 75 ft. tandem quint fire apparatus for the City of Birmingham for a period of one (1) year and month to month thereafter upon mutual agreement of both parties, will be received by the Purchasing Agent, Room P-100 First Floor City Hall, Birmingham, Alabama, until 2:00 p.m., December 5, 2016 at which time and place they will be publicly opened and read.

Bidders wishing to bid can download the complete solicitation including the specifications and bid forms via the internet at www.birminghamal.gov (go to link titled **Bidding Opportunities**), or by visiting the Purchasing Office at the address shown above, or by calling (205) 254-2265, fax (205) 254-2484 and requesting a copy be mailed to you. Any addenda will be available on the internet. Bidder is responsible for checking the website for addenda until bid opening date. Addenda will be mailed to only those vendors who were provided a copy in person or by mail.

Bids are to be submitted on the bid form provided and all bids are to be f.o.b. Birmingham, Alabama delivered.

It is required that the bidder submits with his bid either a certified check, a cashier's check, or a bid bond payable to the City of Birmingham in the amount of \$10,000.00. In order for any bid award to be considered, it must be accompanied by an acceptable bid bond or check. Bid bond checks will be returned to all unsuccessful bidders after the formal award is made and to the successful bidder after acceptance of award. Should the successful bidder fail to accept the award, the bid bond or check shall be forfeited.

A performance bond and a statutory payment bond, each in the amount of 100% of the value of the contract, will be required from the successful bidder at the time of award and prior to the start of any work. Failure to provide the performance and payment bonds will result in forfeiture of the bid bond.


The City follows a policy of nondiscrimination. No contractor with the City should discriminate on the basis of race, sex, religion, or national origin. Failure by the Vendor to carry out these requirements is a material breach of its obligations, which may result in its termination or such other remedy as the City deems appropriate.

No bid may be withdrawn for a period of sixty (60) days after the date of the bid opening.

The City reserves the right to reject any or all bids submitted in whole or part, and to waive any informalities.

Bids must be submitted in a sealed envelope marked, "**REFURBISH FIRE APPARATUS – 2:00 P.M., 12/05/16**". Bids may be hand delivered to Room P-100 First Floor City Hall, Birmingham, Alabama, or mailed to City of Birmingham, P. O. Box 11295, Birmingham, Alabama 35202-1295. (**DO NOT MAIL TO ROOM P-100 FIRST FLOOR CITY HALL**). However, bids sent by any express carrier (Federal Express, UPS, DHL, etc.) must be mailed to 710 North 20th Street, and specify delivery to P-100 First Floor City Hall.

It is the bidder's responsibility to make sure that his bid is in the possession of the Purchasing Agent on or before 2:00 p.m., December 5, 2016. Bids received after this time will not be considered.


W E Caffee, Assistant Purchasing Agent

a.m.
B.N. 11/16/16

**SPECIFICATIONS TO REBUILD/REFURBISH FULLY ENCLOSED PUMPER
AND 75 FT. TANDEM QUINT FIRE APPARATUS**

GENERAL:

The City of Birmingham plans to purchase the equipment specified in this document in the quantities indicated. The City only has a certain amount of funds available; therefore the exact number of each specific vehicle is subject to change (increase or decrease) for each vehicle.

The City reserves the right to make additional purchases of the vehicles at the bid price for a period of one (1) year and month to month thereafter if mutually agreeable to both the City and the successful bidder.

The award of any item specified with options will be made based on the base bid, alternate bid price, or any combination thereof. Bidder is to provide the unit price of optional features as indicated on the bid form. Failure to provide the unit pricing of optional features, where the features are available from the manufacturer bid, may result in your bid being declared non-responsive and not considered for award. Pricing of optional features, if selected at the time of award, will be used in calculating the low bid, and will be a factor in determining the successful low bidder.

Items will be awarded on an individual line item basis. All items used in refurbishment of the vehicles specified are to be new and unused.

Vehicles may be delivered to the City as each is completed.

The successful bidder shall not expect payment sooner than thirty (30) days after the final acceptance and receipt of invoice.

The City of Birmingham will not consider any bid that requires C.O.D. payments, down payments, progressive payment during construction, or escalator clauses.

Successful bidder shall not assign this contract to any other party without prior written approval of the City of Birmingham. Contract shall not be assigned under any condition to an unsuccessful bidder who was rejected because they were not a responsive/responsible bidder.

Contract award to purchase the materials covered in this bid document shall be construed under and governed by the laws of the State of Alabama and each party hereto irrevocably agrees to be subject to the jurisdictions of the courts of the State of Alabama.

Each bidder is to extend unit prices and provide an extended total for each line item being bid. A bid bond, a cashier's check, or a certified check in the amount of \$10,000.00 is required to accompany your bid. In order for any bid award to be made your bid must have been accompanied by an acceptable bid bond or check. Bid bond checks will be returned to all unsuccessful bidders after the formal award is made and to the successful bidder after acceptance of award. Should the successful bidder fail to accept the award, the bid bond or check shall be forfeited.

A Performance Bond and a Statutory Payment Bond, each in an amount of 100% of the contract value will be required from the successful bidder(s) at the time of award and prior to the start of any work. Failure to provide the performance and payment bonds will result in forfeiture of the bid bond.

Any bid submitted must be accompanied by catalogs, brochures, or specification sheets that will adequately demonstrate the equipment being bid meets or exceeds the stated specifications.

Bidder (and its employees, agents and any subcontractors) shall not discriminate on the basis of race, color, national origin, or sex in the performance of the services contemplated hereunder. Failure by the bidder to carry out these requirements is a material breach of its obligations, which may result in its termination or such other remedy as the City deems appropriate.

Bidder acknowledges and agrees that, consistent with federal law and City's public policy, it will encourage disadvantaged business enterprise (DBE) participation to the extent permitted by law. A "disadvantaged business enterprise" is a for-profit small business concern (i) at least 51% owned by one or more individuals who are both socially and economically disadvantaged or, in the case of a corporation, in which 51% of the stock is owned by one or more such individuals; and (ii) whose management and daily business operations are controlled by one or more of the socially and economically disadvantaged individuals who own it. In accordance with federal law, a "socially and economically disadvantaged individual" includes African-Americans, Hispanic Americans, Native Americans, Asian-Americans, women, and any additional groups designated as socially and economically disadvantaged by the federal Small Business Administration.

Municipalities are not liable for sales tax: reference Code of Alabama Section 40-23-4. Costs normally considered pass through costs (property tax, use tax, delivery charge, etc.) to the customer by the provider must be included in any fee proposed (Code of Alabama Section 40-12-222). For the purchase of personal property, the City's policy is to apply a local preference option, as allowed by State of Alabama Code, Section 41-16-50, in determining the low bidder.

Bidders are required to provide an additional two (2) copies of their original bid with their package.

The City will issue purchase order(s) to the successful bidder for the goods and/or services (bid items) that are the subject of the bid. Unless otherwise agreed in a writing that is signed by both parties, the entire agreement between the City and the successful bidder concerning the bid items is comprised of the terms, conditions, specifications and requirements stated in (a) the contemplated purchase order(s), (b) this Invitation to Bid and Specifications and (c) your bid (collectively, the "Contract Requirements"). These writings supersede all former proposals, offers, negotiations, representations or agreements, either written or oral, concerning the provision of vendor's goods and/or services. By acceptance of the City's purchase order(s), the successful vendor agrees to abide by and perform its responsibilities related to the bid items in compliance with the Contract Requirements.

Successful bidder acknowledges and agrees that the City has the right to deduct from total amount of consideration to be paid, if any, to the successful bidder under this agreement all unpaid, delinquent, or overdue license fees, taxes, fines, penalties and other amounts due the City from the successful bidder.

The City of Birmingham must have a copy of the successful bidder's current City of Birmingham business license prior to formal award of contract. Each bidder may submit a copy of his/her license along with his/her bid. However, bidder must provide a copy of his/her current business license no later than seven (7) working days of receipt of notice of intent to award. Failure to submit the requested information will result in the notice of intent to award being revoked.

Any successful bidder who is not currently set up as a vendor in the City of Birmingham vendor file will be required to submit a completed W-9 tax form prior to any award. The W-9 tax form may be submitted with your bid or no later than seven (7) working days of receipt of notice of intent to award.

Successful Vendor (located in the State of Alabama or located outside of the State of Alabama, but employs one or more employees within the State of Alabama) represents and warrants that it does not knowingly employ, hire for employment, or continue to employ an "unauthorized alien", as defined by the Beason-Hammon Alabama Taxpayer and Citizen Protection Act, Act No. 2011-535 (H.B.56) of the Alabama Legislature, as amended from time to time (the "Act") and that, during the performance of this contract, Vendor shall participate in the E-Verify program as required under the term of the Act. Vendor agrees to comply with all applicable provisions of the Act. As a condition for the award of any contract, Vendor shall provide documentation establishing that the Vendor is enrolled in the E-Verify program, or a signed, written statement that the Vendor does not have a presence (one or more employees) in the State of Alabama. Vendor may submit applicable documentation with his/her bid or no later than seven (7) working days of receipt of notice of intent to award. Furthermore, a contracting party found to be in violation of this provision shall be deemed in breach of the contract/agreement and shall be responsible for all damages resulting therefrom.

It is the intent of this specification to describe all component parts and equipment to be replaced or refurbished inclusive of all labor, equipment and materials for the purpose of purchasing four (4) or more custom four (4) door fully enclosed fire apparatus and one (1) or more custom four (4) door fully enclosed fire apparatus 75 ft. tandem quint. The apparatus to be refurbished are Quality Manufacturing vehicles. Vehicles can be inspected by contacting Caesar Fail, phone: (205) 254-6360 email: caesar.fail@birminghamal.gov, to make an appointment to view the vehicles.

It is the intent of the City of Birmingham, Alabama to purchase the vehicle described in the following specifications immediately. However, the City of Birmingham reserves the right to purchase additional units at the same price for a period of one (1) year from the bid award date and month to month thereafter upon mutual agreement of both parties.

These specifications shall indicate size, type, make and model of all component parts and equipment.

The completed apparatus shall meet the requirement of National Fire Protection Association (NFPA) 1912, standard for Automotive Fire Apparatus. Some items in the specifications exceed NFPA standards and will be considered minimum for compliance. Bidders must meet the minimum requirements for construction and performance of the apparatus.

The purchaser's standards for bidding automotive fire apparatus refurbishment must be strictly adhered to, and all bid forms and bidder compliance specification pages must be complete and submitted with the bid. **Omissions and variations may result in immediate rejection of the bid.**

Any error, omission, or questions concerning the specifications shall be immediately addressed to Artelia Macon, Principal Buyer at 710 North 20th Street, Room P-100, Birmingham, AL 35203, phone: (205) 254-2265 or Fax: (205) 254-2484, between the hours of 9:00 a.m. & 4:00 p.m. Monday thru Friday, for correction.

Equipment recall notices should be mailed directly to Cedric Roberts, Director, Equipment Management, 515 6th Avenue South, Birmingham, AL 35205.

Bidders shall check (X) each and every paragraph in the appropriate column provided on the right hand edge of the page as to compliance or non-compliance with specifications. Exceptions will be allowed to items that are not listed as (No Exception), if they are equal to or superior to that specified and provided they are listed and fully explained on the exceptions page. **Bids taking total exception to the specifications will not be accepted.** The apparatus will be inspected upon delivery for compliance with specifications. Deviations will not be tolerated and will be cause for rejection of the apparatus unless they were originally listed in the bidder's proposal and deemed acceptable. Completed bidder compliance specification pages and exception to specifications pages are to be returned with the bid form.

RELIABILITY OF BIDDER:

The bidder shall furnish satisfactory evidence of his ability to construct the apparatus specified and state the location of the factory where the apparatus is to be built. Bids will only be considered from companies which have an established reputation in the field of rebuilding/refurbishing fire apparatus and have been in business for a minimum of 10 years under the same name. The bidder shall also provide satisfactory evidence of the ability to render prompt service and provide replacement parts. A list of at least 10 current users of the same type of apparatus shall be provided with the bid. Further, the reference listing shall include the names and contact numbers of ALL pumper and quint refurbishments performed by the bidding party for the last twelve (12) months. Full contact information must be provided for reference use.

Responsibility for the apparatus and equipment remains with the successful bidder until the satisfactory completion of inspection tests and formal acceptance by the purchaser.

DELIVERY:

Apparatus, to insure proper break in of all components while still under warranty, SHALL BE DELIVERED UNDER ITS OWN POWER - rail or truck freight is not acceptable. A qualified delivery engineer representing the contractor shall deliver the apparatus and remain for a sufficient length of time to instruct personnel in the proper operation, care and maintenance of the equipment delivered.

The apparatus shall be delivered to the Fire Apparatus Shop located at 515 6th Ave. South, Birmingham, AL, 35205.

The department desires a firm delivery date quoted that will be strictly adhered to. Department desires delivery of all the completed apparatus in 150 calendar days from date of order placement. Coordination of all activities may be finalized at the preconstruction conference. Delivery quotes shall be quoted in calendar days and a firm delivery timeframe.

LATE DELIVERY PENALTY:

Liquidated damages will be assessed starting one day after the bidders quoted delivery date. Damages will be assessed in an amount equal to 1% of the purchase price for each 15-day period the delivery is late.

It shall be the intent of these specifications to cover the furnishing and delivery of a complete refurbished fire apparatus. These detailed specifications cover the requirements as to the type of construction, finish, equipment and tests to which the fire apparatus shall conform. Minor details of construction and materials, which are not otherwise specified, are left to the discretion of the contractor.

These specifications are based upon design and performance criteria which have been developed by the fire department as a result of extensive research and careful analysis. All specifications herein contained are considered as minimum. Therefore, exceptions to the specifications may not be accepted.

Bidders shall indicate in the "yes/no" column of the bidder compliance specification pages if their bid complies on each item (paragraph) specified.

Exceptions shall be allowed if they are equal to or superior to that specified and provided they are listed and fully explained on a separate page entitled "Exception to Specifications". All deviations, no matter how slight, shall be clearly explained entitled "Exception to Specifications", in the bid sequence, citing the page and paragraph number(s) of the specifications, how the proposal deviation is different, how the deviation meets or exceeds the specifications and why it is necessary.

The buyer reserves the right to require a bidder to provide proof in each case that a substituted item is equal to that specified. The buyer shall be the sole judge in determination of acceptable substitutes.

Proposals that are found to have deviations without listing them or bids taking total exceptions to the advertised specifications will be rejected.

Bids not including all exceptions is a material breach and may result in the bid being rejected (no exception).

Bidders shall provide all necessary information requested by these specifications in the space provided in the bid form or by attachment to the bid form.

Any exceptions to these specifications must be clearly pointed out as previously stated. Otherwise, it will be considered that the items offered are in strict compliance with the written specifications and that the successful bidder will be responsible for delivering a vehicle meeting these specifications. Any area where these specifications are not met exactly will be marked with a "no" response and explained on separate page(s) marked "EXCEPTIONS TO EXCEPTIONS". **Bid Proposals not meeting this requirement will be rejected.**

A copy of the purchasers bidder compliance specification pages shall be returned with all sections responded to specifically where there is deviation from these specifications.

Vendor shall defend, indemnify, and hold harmless the City of Birmingham, and its agents, employees and officials (hereinafter the "Indemnitees") from and against all demands, actions, damages, judgments, expenses (including but not limited to attorneys' fees, expert fees, court costs, and other litigation costs), losses, and claims (including those for bodily injury, sickness, disease or death, or to injury to, destruction or loss of use of tangible property) (collectively hereinafter "Claims") by any third parties (including any employee, subcontractor or representative of the Vendor, hereafter a "Vendor Representative") that arises out of, relates to, results from, or is attributable to any of the following: (a) Vendor's performance or failure to perform its obligations hereunder; (b) any conditions in or about the work sites that the Vendor or any Vendor Representative may encounter; or (c) the use or occupancy of the work sites by Vendor and any Vendor Representatives. This indemnification obligation includes Claims that are caused in part by the negligence of an Indemnitee(s); provided nothing herein shall obligate Vendor to indemnify any of the Indemnitees for Claims resulting from the sole negligence or from the willful misconduct of the Indemnitees.

Bidder shall carry automobile liability insurance with limits of not less than \$1,000,000.00 bodily injury per occurrence, \$1,000,000.00 property damage per occurrence, or combined single limit of \$1,000,000.00. Bidder shall carry product liability insurance in a minimum amount of two (2) million dollars (\$2,000,000.00). Bidder shall carry garage liability insurance inclusive of non-owned vehicles (garage keeper's coverage) in the amount of \$1,000,000.00 per each occurrence and bodily injury or property damage (garage operations coverage) in the amount of \$1,000,000.00 for each occurrence or a combined single limit of \$1,000,000.00. Bidder shall carry Workman's Compensation coverage in an amount adequate to comply with the statutory requirements. Such policies shall name the City of Birmingham as an additional insured and shall contain an endorsement providing that the City will be given not less than thirty (30) days notice in writing prior to cancellation or change of coverage provided by said policies. Insurance shall be through companies authorized to do business in the State of Alabama. Certificate of insurance must be presented to the City within ten (10) days of notice of award and prior to commencement of any work. Successful bidder is required to include the bid (#16-65) on the evidence of insurance document. Policies that state the company will endeavor to provide thirty (30) days notice prior to cancellation or change of coverage, but failure to do so shall impose no obligation or liability of any kind upon the insurer, its agents or representatives is not acceptable. Insurance shall be through companies authorized to do business in the State of Alabama with a B+ rating or better according to the most current edition of Best's Insurance Reports. Bidder is to provide written documentation of the company's rating with the bid.

The successful Contractor shall be required, prior to manufacturing, to have a Pre-Construction Conference at the site of his choosing with representatives of this Agency to finalize all the construction details. If the Bidder requires the conference to be held at a location other than that of the Purchaser, the Bidder shall at his expense provide transportation, lodging and meals, etc., for four (4) people designated by the Purchaser. If this meeting is to occur at a location more than 250 miles from the Purchaser's location, the transportation shall be by a commercial air carrier. Private or corporate aircraft cannot be used for conveyance of these personnel at any time.

ANTI-COLLUSION STATEMENT: The warranty which is Attachment A must be signed and included with the bid.

VEHICLE TRANSPORT:

Successful bidder shall be responsible for pickup of the vehicles to be refurbished at the City's site: 515 6th Avenue South, Birmingham, AL 35205 and transport of the vehicles to the bidder's worksite. Bidder shall be responsible for delivery of the completely refurbished vehicles to the Fire Apparatus Shop, 515 6th Avenue South, Birmingham, AL 35205. Coordination of the logistics are to be discussed and finalized at the preconstruction conference

**APPROXIMATELY FOUR (4) OR MORE
 CUSTOM FOUR (4) DOOR CAB FULLY
 ENCLOSED FIRE APPARATUS REFURBISHED PUMPER
 PAGE TWO OF SEVEN**

**BIDDER
 COMPLIANCE
 YES NO**

FRONT SUSPENSION:

Rebuild front suspension to include new springs, pins, shackles and shock absorbers.
 Replace front king pin and bushing.
 Front axle U-bolts and nuts must be replaced.

___ ___
 ___ ___
 ___ ___

REAR SUSPENSION:

Replace rear springs, spring pins, and torque arm bushings.
 Rear axle U-bolts and nuts must be replaced.

___ ___
 ___ ___

FRONT BRAKES:

Replace front rotors, calipers, and brake pads.
 Replace front brake chambers and air supply hose.

___ ___
 ___ ___

REAR BRAKES:

Replace rear brake shoes, drums and brake spring kits.
 Replace rear brake chambers, slack adjusters, and air supply hose.

___ ___
 ___ ___

ENGINE BRAKES:

Remanufacture to include engine brake.

___ ___

STEERING:

Replace steering gear box, drag link and lower steering shaft.

___ ___

CAB:

The cab shall have a two tone paint scheme. The top portion shall be Imron Elite Black code L0001EW and the bottom portion shall be Imron Elite Colorado Red code 907424EW. Cab paint break options shall be discussed at pre-construction conference.

___ ___

INTERIOR:

Reupholster all seats inside cab with black vinyl material comparable to the original OEM Material

___ ___

Reupholster headliner (black).

___ ___

Replace headliner split (red and white map lights) front and rear with LED.

___ ___

Recondition dash, and center console to like new condition with black material.

___ ___

Remove padding off rear wall, and spray with a (black) spatter type paint or a Line-X type material to match interior.

___ ___

Replace front and rear floor padding /cover (black).

___ ___

Replaced all dash panels with new as follows:

- Brake panel – part # 912-NN1
- Switch panel- Part # 815-NN1
- Drivers engine tunnel- part # 0818-NN1
- Gauge panel-part #817-NN-1
- Main rocker panel #813-NN-006
- Officer rocker panel # 0814-NN1-004

___ ___
 ___ ___
 ___ ___
 ___ ___
 ___ ___
 ___ ___

*part numbers from Spartan chassis.

REPLACE ALL DOOR PANELS:

Left front- part # 2269-RR1-003

___ ___

Right front-part #2270-RR1-003

___ ___

Left rear -part # 2271-RR1-003

___ ___

Right rear- part #2272-RR1-003

___ ___

*part numbers from Spartan chassis.

**APPROXIMATELY FOUR (4) OR MORE
CUSTOM FOUR (4) DOOR CAB FULLY
ENCLOSED FIRE APPARATUS REFURBISHED PUMPER
PAGE THREE OF SEVEN**

**BIDDER
COMPLIANCE
YES NO**

CAB STEPS:

Replace lower cab steps.

___ ___

ENGINE HOOD INSULATION:

The engine hood shall be insulated for protection from heat and sound. The noise insulation shall be adequate to keep the DBA level within the limits stated in the current NFPA 1912 standards.

___ ___

COMPARTMENT INTERIOR PAINT:

The interior of compartmentation shall be painted with a gray spatter type paint or a Line-X type material.

___ ___

BODY:

Remove all cab stationary glass in preparation for painting and reinstall with new rubber seals around glass upon completion of painting.

*The City of Birmingham will provide windshield for defect only.

Replace all rubber seals around cab doors.

___ ___

___ ___

DECAL:

Re-letter apparatus complete to original layout.

___ ___

BODY ALUMINUM:

All body aluminum shall be polished to like new condition.

___ ___

CROSSMEMBERS:

Replace all frame crossmember assemblies.

___ ___

COMPARTMENT DOORS:

Replace all rear body compartment doors. The doors must be painted as per job color.

NOTE: All compartment doors removed from the apparatus shall be returned to the City of Birmingham.

___ ___

___ ___

CHEVRON STRIPING REAR:

There shall be alternating chevron striping located on the rear-facing vertical surface of the apparatus. The rear surface, excluding the rear compartment door, shall be covered.

The colors shall be red and fluorescent yellow green diamond grade material.

Each stripe shall be 6.00" in width.

This shall meet the requirements of NFPA 1901, 2009 edition, which states that 50% of the rear surface shall be covered with chevron striping.

___ ___

___ ___

___ ___

___ ___

ELECTRICAL SYSTEM:

Install a bumper mount Q2B with a foot switch activation on driver's side, a momentary foot switch mounted on the console, along with a siren brake switch on the officer side. Location to be determine.

___ ___

EXISTING SIREN:

Existing siren shall remain wired and functional.

___ ___

AIR HORN SWITCH:

Install air horn switch on pump panel, options shall be discussed at pre-construction conference.

___ ___

LIGHTS:

Code 3 lighting is the preferred product for the vehicles to be refurbished. Other products will be considered, but only if they are similar and equivalent in quality, appearance, features and functionality. Amp draw is a primary concern. Bid only industry leaders of low amp draw.

Replace upper existing 72" light bar with 73" LED Code 3 Triumph Bar. Clear lenses with red LED lights.

Part # TRI73NFPA2 (Birmingham configuration)

___ ___

Replace (2) Front LED Turn Arrows with (2) Code 3 4x6 LED Turn Arrows light.

Part# 65STA QTY:2

___ ___

Replace (2) Red Headlamp LED's with (2) Code 3 4x6 Red LEDs.

Part# 65FR QTY:2

___ ___

Replace the (6) 4x6 lower LED perimeter lights with (6) Code 3 4x6 Prizm II LED perimeter lights. Clear lenses and red lights.

Part # 4612CR-75

___ ___

Install (2) Code 3 3x7 Prizm II LED perimeter lights above front wheels. One on each side. Clear lens and red lights.

Part #3712CR-75

___ ___

Replace (2) existing Stop/Tail/Turn/Reverse stacks with Code 3 LED Quad stack.

Part #65PKG4

___ ___

Replace (2) existing halogen beacons with Code 3 Arch Beacon. Clear Lens and Red LEDs. Only half of the beacon populated with LED lights.

Part # A18-CR

___ ___

PUMP PANEL LIGHTS:

Replace pump panel lights with (4) Code 3 Mega thin lights. Steady burn White.

Part #ULT6-W

___ ___

GROUND LIGHTS:

Replace ground lights with Code 3 LED 800 series compartment strip lights.

___ ___

Under Front Officer Door - Install (1) 21.5" Code 3 800 Series compartment light.

Part # CW0801

___ ___

Under Right Rear Crew Cab Door - Install (1) 41.4" Code 3 800 Series compartment light.

Part#CW0803

___ ___

Under R1 compartment Install (1) 41.4" Code 3 800 Series compartment light.

Part#CW0803

___ ___

Under R4 compartment Install (1) 41.4" Code 3 800 Series compartment light.

Part#CW0803

___ ___

Under Rear Center Compartment install (2) 41.4" Code 3 800 Series compartment light.

Part#CW0803

___ ___

**APPROXIMATELY FOUR (4) OR MORE
 CUSTOM FOUR (4) DOOR CAB FULLY
 ENCLOSED FIRE APPARATUS REFURBISHED PUMPER
 PAGE FIVE OF SEVEN**

**BIDDER
 COMPLIANCE
 YES NO**

Under Driver Side Front Door install (1) 21.5" Code 3 800 Series compartment light.
 Part # CW0801

— —

Under Left Crew Cab Door install (1) 41.4" Code 3 800 Series compartment light.
 Part#CW0803

— —

Under L1 Compartment install (1) 41.4" Code 3 800 Series compartment light.
 Part#CW0803

— —

L3 Compartment install (1) 41.4" Code 3 800 Series compartment light.
 Part#CW0803

— —

HOSE BED LIGHT:

Install one (1) single Code 3 12volt LED light on the front side of hose bed, mount on/off switch left side pump panel.
 Part# CW2310

— —

COMPARTMENT LIGHTING

There shall be a total of sixteen (16) light strips located in eight (8) compartment(s) with two LED compartment light strips per compartment. Each light strip shall be centered vertically along the door framing. There shall be two (2) light strips per compartment. Opening the compartment door shall automatically turn the compartment lighting on.

— —

R1 compartment shall have (2) Code 3 51.3" 800 series compartment lights.
 Part# CW0804

— —

R2 compartment shall have (2) Code 3 21.5" 800 series compartment lights
 Part#CW0801

— —

R3 compartment shall have (2) Code 3 21.5" 800 series compartment lights
 Part#CW0801

— —

R4 compartment shall have (2) Code 3 51.3" 800 series compartment lights.
 Part# CW0804

— —

Center Rear compartment shall have (2) Code 3 31.5" 800 series compartment lights.
 Part# CW0802

— —

L1 compartment shall have (2) Code 3 51.3" 800 series compartment lights.
 Part# CW0804

— —

L2 compartment shall have (2) Code 3 21.5" 800 series compartment lights.
 Part# CW0801

— —

L3 compartment shall have (2) Code 3 51.3" 800 series compartment lights.
 Part# CW0804

— —

BACK UP CAMERA:

Provide and install on the apparatus a Safety Vision SV-CLCD-70 camera kit. The system shall consist of one (1) cab mounted model SV-LCD70 7" LCD monitor, one (1) model SV-620 (Color) high resolution 1/3" CCD camera, one (1) SV-LCD70-CBQKIT Control Box, and one (1) SV-523 65' camera cable. The monitor shall be dash mounted in plain view of the driver. The kit is capable of having three (3) additional cameras installed for a total of four (4).

— —

OPTIONAL ITEMS:

TRANSMISSION:

The City of Birmingham will only consider those transmissions rebuilt by an approved Allison repair center and OEM Allison repair parts, whose prime business is the remanufacturing of Allison automatic transmission.

A remanufactured Allison 4000 series to be provided by the bidder **as needed**, with a minimum two-year factory warranty (indicate transmission price at the end of bid sheet).

___ ___

FRONT TIRES:

Front tires shall be Goodyear 315/80R22.5 tubeless type 18 PR radial tires with highway tread rated at 18,740 at 65 MPH (2) each.

___ ___

FRONT WHEELS:

Front wheels shall be Accuride polished aluminum wheels (2) each.

Part# 29730

Chrome plated lug nut covers are to be provided on all lug nuts.

___ ___

___ ___

REAR TIRES:

Rear tires shall be Goodyear 11R/22.5 tubeless radial tires (4) each.

___ ___

REAR WHEELS:

Rear wheels shall be Accuride polished aluminum (4) each.

Part# 41644

Chrome plated lug nut covers are to be provided on all lug nuts.

___ ___

___ ___

NOTE:

All wheels and tires removed from apparatus must be returned to The City of Birmingham.

___ ___

CAB AIR CONDITIONER:

Replace compressor, evaporator, drier, roof condenser and A/C hoses.

___ ___

INTERCOM SYSTEM:

There shall be digital, single radio interface, intercom located in the cab. The front panel shall have master volume, and squelch controls with illuminated indicators, allowing for independent level setting of radio and auxiliary audio devices.

___ ___

There shall be one (1) radio listen only / transmit control with select, monitor, receive, and transmit indicators. There shall be one (1) auxiliary audio input with select, and receive indicators.

___ ___

Headset jacks shall be provided for the driver, officer, three (3) crew positions located rear facing seat, and the pump operator.

___ ___

The following Firecom components shall be provided:

- One (1) 5100D Intercom
- Five (5) HM-10 Interior headset jacks
- One (1) PP-20 Exterior headset jack
- All necessary power and station cabling

___ ___

___ ___

___ ___

___ ___

**APPROXIMATELY FOUR (4) OR MORE
 CUSTOM FOUR (4) DOOR CAB FULLY
 ENCLOSED FIRE APPARATUS REFURBISHED PUMPER
 PAGE SEVEN OF SEVEN**

**BIDDER
 COMPLIANCE
 YES NO**

RADIO / INTERCOM INTERFACE CABLE:

The bidder shall supply and install one (1) radio interface cable before delivery of the vehicle.

___ ___

The radio equipment to be used by the buyer will be:

- Motorola High Power, Model number Motorola, Model APX4500, high power.

___ ___

UNDER THE HELMET HEADSET, RADIO TRANSMIT:

There shall be two (2) Firecom™, Model UH-51, under helmet, radio transmit headset(s) provided driver's seat and officer seat.

___ ___

Each headset shall feature:

- Coiled cord with rugged angled plug
- Noise cancelling electric microphone
- Flex boom rotates for left or right dress
- Adjustable volume control
- Leather ear seals with 24 dB noise reduction
- Radio Push to Transmit button. Mic is always live for intercom communication

___ ___

___ ___

___ ___

___ ___

___ ___

___ ___

UNDER THE HELMET HEADSET, INTERCOM ONLY:

There shall be three (3) Firecom™, Model UH-52, under helmet, intercom only headset(s) rear facing seat. Each headset shall feature:

Coiled cord with rugged angled plug

- Noise cancelling electric microphone
- Flex boom for left or right dress
- Adjustable volume control
- Leather ear seals with 24 dB noise reduction
- Intercom Push to Talk button

___ ___

___ ___

___ ___

___ ___

___ ___

HEADSET HANGERS

There shall be six (6) headset hanger(s) installed: (1) driver's seat, (1) officer's seat, (3) rear facing seats, (1) spare. The hanger(s) shall meet NFPA 1901, Section 14.1.11, and requirement for equipment mounting.

___ ___

DETAILED 75' TANDEM QUINT SPECIFICATIONS

ENGINE:

A completely remanufactured 60 series Detroit engine is to be provided by the bidder. Engine remanufacturer must be a factory authorized rebuilder. Bidder must provide documentation to evidence that fact. The following components shall be provided on the engines:

- Turbo ___ ___
- Intake / Exhaust Manifold ___ ___
- Water Pump ___ ___
- Air compressor ___ ___
- ECM ___ ___
- Fly wheel ___ ___

Engine bid is required to come with all necessary internal and external components, replace all engine belts. ___ ___

Engine must have a minimum of three (3) years or 300 thousand mile's factory warranty. Bidder to provide warranty statement with their bid. ___ ___

RADIATOR:

Replace with new- part # 1472-FF1-001
 *part number from Spartan chassis. ___ ___

COOLANT LINES:

Gates or Goodyear, rubber hose shall be used for all engine coolant lines installed by the bidder. ___ ___

PUMP OVERHAUL:

Rebuild Waterous 1500 GPM pump – rebuilder must be factory certified:

- Replace impeller shaft assembly and bearings. ___ ___
- Replace front and rear mechanical seals. ___ ___
- Replace all gaskets and “O” rings. ___ ___

PUMP TEST:

The rated water pump shall be tested, approved, and certified by an ISO certified independent third party testing agency at the bidder expense. The test results, along with the pump manufacturer's certification of hydrostatic test, and the manufacturer's record of pump construction details shall be forwarded to Department of Equipment Management 515 6th Avenue South. ___ ___

DRIVE LINES:

Replace all drivelines U-joints with Spicer. ___ ___

FRONT AXLE:

Rebuild front axle to include new:

- Meritor hubs. ___ ___
- Wheel studs and nuts. ___ ___
- Hub bearings. ___ ___
- Hub seals. ___ ___
- Replace front hub oil cap and gasket. ___ ___

**APPROXIMATELY ONE (1) OR MORE
CUSTOM FOUR (4) DOOR CAB FULLY
ENCLOSED FIRE APPARATUS REFURBISHED 75' TANDEM QUINT
PAGE TWO OF EIGHT**

**BIDDER
COMPLIANCE
YES NO**

FRONT SUSPENSION:

Rebuild front suspension to include new springs, pins, shackles and shock absorbers.
Replace front king pin and bushing.
Front axle U-bolts and nuts must be replaced.

___ ___
___ ___
___ ___

REAR SUSPENSION:

Rebuild complete rear suspension to include:

- New main springs
- New auxiliary springs
- New Torque beam assembly (forward and rear)
- Compensator bushing kit assembly (all)
- Axle retainer bushings kit assembly (all)
- New shock absorbers
- New torque rods
- All required fasteners

___ ___
___ ___
___ ___
___ ___
___ ___
___ ___
___ ___

Complete 3 axle alignment to manufacture's specifications.
All replacement parts must be original Ridewell or equal.

___ ___
___ ___

FRONT BRAKES:

Replace front rotors, calipers, and brake pads.
Replace front brake chambers and air supply hose.

___ ___
___ ___

REAR BRAKES:

Replace rear brake shoes, drums and brake spring kits.
Replace rear brake chambers, slack adjusters, and air supply hose.

___ ___
___ ___

ENGINE BRAKES:

Remanufacture to include engine brake.

___ ___

STEERING:

Replace steering gear box, drag link and lower steering shaft.

___ ___

CAB:

The cab shall have a two tone paint scheme. The top portion shall be imron Elite Black code L0001EW and the bottom portion shall be Imron Elite Colorado Red code 907424EW. Cab paint break options shall be discussed at pre-construction conference.

___ ___

INTERIOR:

Reupholster all seats inside cab with black vinyl material.
Reupholster headliner (black).
Replace headliner split (red and white map lights) front and rear with LED.
Recondition dash, and center console to like new condition with black material.
Remove padding off rear wall, and spray with a (black) spatter type paint or a Line-X type material to match interior.
Replace front and rear floor padding /cover (black).

___ ___
___ ___
___ ___
___ ___
___ ___
___ ___

DOOR PANELS:

Repair door panels as needed, and refinish/repaint to match interior. Door panel shall be In like new conditions.

___ ___

CAB STEPS:

Replace lower cab steps.

___ ___

**APPROXIMATELY ONE (1) OR MORE
 CUSTOM FOUR (4) DOOR CAB FULLY
 ENCLOSED FIRE APPARATUS REFURBISHED 75' TANDEM QUINT
 PAGE THREE OF EIGHT**

**BIDDER
 COMPLIANCE
 YES NO**

ENGINE HOOD INSULATION:

The engine hood shall be insulated for protection from heat and sound. The noise insulation shall be adequate to keep the DBA level within the limits stated in the current NFPA 1912 standards.

___ ___

COMPARTMENT INTERIOR PAINT:

The interior of compartmentation shall be painted with a gray spatter type paint or a Line-X type material.

___ ___

BODY:

Remove all cab stationary glass in preparation for painting and reinstall with new rubber seals around glass upon completion of painting.

*The City of Birmingham will provide windshield for defect only.

Replace all rubber seals around cab doors.

___ ___

___ ___

DECAL:

Re-letter apparatus complete to original layout.

___ ___

BODY ALUMINUM:

All body aluminum shall be polished to like new condition.

___ ___

CROSSMEMBERS:

Replace all frame crossmember assemblies.

___ ___

COMPARTMENT DOORS:

Replace all rear body compartment doors. The doors must be painted as per job color.

NOTE: All compartment doors removed from the apparatus shall be returned to the City of Birmingham.

___ ___

___ ___

CHEVRON STRIPING REAR:

There shall be alternating chevron striping located on the rear-facing vertical surface of the apparatus. The rear surface, excluding the rear compartment door, shall be covered.

The colors shall be red and fluorescent yellow green diamond grade.

Each stripe shall be 6.00" in width.

This shall meet the requirements of NFPA 1901, 2009 edition, which states that 50% of the rear surface shall be covered with chevron striping.

___ ___

___ ___

___ ___

___ ___

ELECTRICAL SYSTEM:

Install a bumper mount Q2B with a foot switch activation on driver's side, a momentary foot switch mounted on the console, along with a siren brake switch on the officer side. Location to be determine.

___ ___

EXISTING SIREN:

Existing siren shall remain wired and functional.

___ ___

AIR HORN SWITCH:

Install air horn switch on pump panel, options shall be discussed at pre-construction conference.

___ ___

**APPROXIMATELY ONE (1) OR MORE
CUSTOM FOUR (4) DOOR CAB FULLY
ENCLOSED FIRE APPARATUS REFURBISHED 75' TANDEM QUINT
PAGE FOUR OF EIGHT**

**BIDDER
COMPLIANCE
YES NO**

LIGHTS

Code 3 lighting is the preferred product for the vehicles to be refurbished. Other products will be considered, but only if they are similar and equivalent in quality, appearance, features and functionality. Amp draw is a primary concern. Bid only industry leaders of low amp draw.

Replace upper existing 72" light bar with 73" LED Code 3 Triumph Bar. Clear lenses with red LED lights.

Part # DF23ANFPA1 (pair) QTY:1

___ ___

Replace the (6) 4x6 lower LED perimeter lights with (6) Code 3 4x6 Prizm II LED perimeter Lights. Clear lenses and red lights

Part # 4612CR-75 (pair) QTY:6

___ ___

Replace (2) Front LED Turn Arrows with (2) Code 3 4x6 LED Turn Arrows light.

Part# 65STA QTY:2

___ ___

Replace (2) Red Headlamp LED's with (2) Code 3 4x6 Red LEDs.

Part# 65FR QTY:2

___ ___

Replace (2) existing Stop/Tail/Turn/Reverse stacks with Code 3 LED Quad stack.

Part #65PKG4 QTY:2

___ ___

Replace (2) existing halogen beacons with Code 3 Arch Beacon. Clear Lens and Red LEDs. Only half of the beacon populated with LED lights.

Part # A18-CR

___ ___

Replace (2) existing scene lights on rear with Code 3 7x9 LED Scene Lights.

Part #79SCENE QTY:2

___ ___

PUMP PANEL LIGHTS:

Replace pump panel lights with (4) Code 3 Mega thin lights. Steady burn White.

Part #ULT6-W

___ ___

GROUND LIGHTS:

Replace ground lights with Code 3 LED 800 series compartment strip lights.

Under Front Officer Door - Install (1) 21.5" Code 3 800 Series compartment light.

Part # CW0801

___ ___

___ ___

Under Right Rear Crew Cab Door - Install (1) 51.3" Code 3 800 Series compartment light.

Part#CW0804

___ ___

Under R1 compartment Install (1) 41.4" Code 3 800 Series compartment light.

Part#CW0803

___ ___

Under R4 compartment Install (1) 51.3" Code 3 800 Series compartment light.

Part#CW0804

___ ___

Under Rear Center Compartment install (2) 61.2" Code 3 800 Series compartment light.

Part#CW0805

___ ___

**APPROXIMATELY ONE (1) OR MORE
 CUSTOM FOUR (4) DOOR CAB FULLY
 ENCLOSED FIRE APPARATUS REFURBISHED 75' TANDEM QUINT
 PAGE FIVE OF EIGHT**

**BIDDER
 COMPLIANCE
 YES NO**

Under Left Crew Cab Door install (1) 51.3" Code 3 800 Series compartment light.
 Part#CW0801

___ ___

Under L1 Compartment install (1) 41.4" Code 3 800 Series compartment light.
 Part#CW0803

___ ___

Under L3 Compartment install (1) 31.5" Code 3 800 Series compartment light.
 Part#CW0802

___ ___

HOSE BED LIGHT:

Install one (1) single Code 3 12volt LED light on the front side of hose bed, mount on/off switch left side pump panel.
 Part# CW2310

___ ___

COMPARTMENT LIGHTING

There shall be a total of sixteen (16) light strips located in eight (8) compartment(s) with two LED compartment light strips per compartment. Each light strip shall be centered vertically along the door framing. Opening the compartment door shall automatically turn the compartment lighting on.

___ ___

R1 compartment shall have (2) Code 3 51.3" 800 series compartment lights.
 Part# CW0804

___ ___

R2 compartment shall have (2) Code 3 11.6" 800 series compartment lights
 Part#CW0800

___ ___

Center Rear compartment shall have (2) Code 3 21.5" 800 series compartment lights.
 Part# CW0801

___ ___

L1 compartment shall have (2) Code 3 51.3" 800 series compartment lights.
 Part# CW0804

___ ___

L2 compartment shall have (2) Code 3 21.5" 800 series compartment lights.
 Part# CW0801

___ ___

L3 compartment shall have (2) Code 3 11.6" 800 series compartment lights.
 Part# CW0800

___ ___

L4 compartment shall have (2) Code 3 11.6" 800 series compartment lights.
 Part# CW0800

___ ___

L5 compartment shall have (2) Code 3 21.5" 800 series compartment lights.
 Part# CW0800

___ ___

BACK UP CAMERA:

Provide and install on the apparatus a Safety Vision SV-CLCD-70 camera kit. The system shall consist of one (1) cab mounted model SV-LCD70 7" LCD monitor, one (1) model SV-620 (Color) high resolution 1/3" CCD camera, one (1) SV-LCD70-CBQKIT Control Box, and one (1) SV-523 65' camera cable. The monitor shall be dash mounted in plain view of the driver. The kit is capable of having three (3) additional cameras installed for a total of four (4).

___ ___

**APPROXIMATELY ONE (1) OR MORE
 CUSTOM FOUR (4) DOOR CAB FULLY
 ENCLOSED FIRE APPARATUS REFURBISHED 75' TANDEM QUINT
 PAGE SIX OF EIGHT**

**BIDDER
 COMPLIANCE
 YES NO**

LADDER SCENE LIGHTSL:

Replace (2) point tip lights with 12V LED Scene Lights

- The lamp head needs no less than sixty (60) ultra-bright white LEDs
- 48 LEDs for flood lighting
- 12 LEDs to provide a spot light beam pattern
- It operates at 12/24 volts DC, draws 13/6.5 amps, and generates 15,000 lumens of light
- The lamp head is no more than 5 3/8" high by 3 3/4" deep

___ ___
 ___ ___
 ___ ___
 ___ ___
 ___ ___

Replace 110V fly section scene lights with Code 3 12V LED
 Part# CW2451

___ ___

LADDER PAINT:

Ladder shall be sanded, prepped and painted as per job color (black). Reinstall BIRMINGHAM Decal on both sides of ladder.

___ ___

OUTRIGGERS:

Each outrigger will have one Code 3 Chase light mounted on the surface. (Red/White)
 Part# CD3766RW

___ ___

Each outrigger shall be sanded, prepped and painted as per job color black.

___ ___

OPTIONAL ITEMS:

TRANSMISSION:

The City of Birmingham will only consider those transmissions rebuilt by an approved Allison repair center and OEM Allison repair parts, whose prime business is the remanufacturing of Allison automatic transmission. A remanufactured Allison 4000 series to be provided by the bidder **as needed**, with a minimum two-year factory warranty.

___ ___

FRONT TIRES:

Front tires shall be Goodyear 425/65R22.5 tubeless type 18 PR radial tires with highway tread rated at 18,740 at 65 MPH

___ ___

FRONT WHEELS:

Front wheels shall be Accuride polished aluminum wheels (2) each.
 Part# 29734

___ ___

Chrome plated lug nut covers are to be provided on all lug nuts.

___ ___

REAR TIRES:

Rear tires shall be Goodyear 11R/22.5 tubeless type 18PR radial tires with highway tread (8) each.

___ ___

REAR WHEELS:

Rear wheels shall be Accuride polished aluminum (8) each.
 Part# 41644

___ ___

Chrome plated lug nut covers are to be provided on all lug nuts.

___ ___

NOTE:

All wheels and tires removed from apparatus must be returned to The City of Birmingham.

___ ___

CAB AIR CONDITIONER:

Replace compressor, evaporator, drier, roof condenser and A/C hoses.

___ ___

**APPROXIMATELY ONE (1) OR MORE
CUSTOM FOUR (4) DOOR CAB FULLY
ENCLOSED FIRE APPARATUS REFURBISHED 75' TANDEM QUINT
PAGE SEVEN OF EIGHT**

**BIDDER
COMPLIANCE
YES NO**

GENERATOR:

Harrison 6.0KW Hydraulic Generator to be provided by bidder. Generator shall be installed In existing location of present generator.

___ ___

CORD REEL:

Install an electric rewind cord reel in compartment best location. ERWC-16-6-103B600-EJBX 150' cord reel with 10/3 black cable and junction box.

___ ___

INTERCOM SYSTEM:

There shall be digital, single radio interface, intercom located in the cab. The front panel shall have master volume, and squelch controls with illuminated indicators, allowing for independent level setting of radio and auxiliary audio devices.

___ ___

There shall be one (1) radio listen only / transmit control with select, monitor, receive, and transmit indicators. There shall be one (1) auxiliary audio input with select, and receive indicators.

___ ___

Headset jacks shall be provided for the driver, officer, three (3) crew positions located rear facing seat, and the pump operator.

___ ___

The following Firecom components shall be provided:

- One (1) 5100D Intercom
- Five (5) HM-10 Interior headset jacks
- One (1) PP-20 Exterior headset jack
- All necessary power and station cabling

___ ___
___ ___
___ ___
___ ___

RADIO / INTERCOM INTERFACE CABLE:

The bidder shall supply and install one (1) radio interface cable before delivery of the vehicle.

___ ___

The radio equipment to be used by the buyer will be:

- Motorola High Power, Model number Motorola, Model APX4500, high power.

___ ___

UNDER THE HELMET HEADSET, RADIO TRANSMIT:

There shall be two (2) Firecom™, Model UH-51, under helmet, radio transmit headset(s)

- provided driver's seat and officer seat.

___ ___

Each headset shall feature:

- Coiled cord with rugged angled plug
- Noise cancelling electric microphone
- Flex boom rotates for left or right dress
- Adjustable volume control
- Leather ear seals with 24 dB noise reduction
- Radio Push to Transmit button. Mic is always live for intercom communication

___ ___
___ ___
___ ___
___ ___
___ ___
___ ___

UNDER THE HELMET HEADSET, INTERCOM ONLY

There shall be three (3) Firecom™, Model UH-52, under helmet, intercom only headset(s) rear facing seat. Each headset shall feature:

Coiled cord with rugged angled plug

- Noise cancelling electric microphone
- Flex boom for left or right dress
- Adjustable volume control
- Leather ear seals with 24 dB noise reduction
- Intercom Push to Talk button

___ ___
___ ___
___ ___
___ ___
___ ___

**APPROXIMATELY ONE (1) OR MORE
CUSTOM FOUR (4) DOOR CAB FULLY
ENCLOSED FIRE APPARATUS REFURBISHED 75' TANDEM QUINT
PAGE EIGHT OF EIGHT**

**BIDDER
COMPLIANCE
YES NO**

HEADSET HANGERS

There shall be six (6) headset hanger(s) installed: (1) driver's seat, (1) officer's seat, (3) rear facing seats, (1) spare. The hanger(s) shall meet NFPA 1901, Section 14.1.11, and requirement for equipment mounting.

— —

ATTACHMENT A

ANTI-COLLUSION AFFIDAVIT AND WARRANTY:

The bidder warrants that the bid submitted is not made in collusion with any other bidders, or in the interest of or on behalf of an undisclosed party; that the bidder has not, directly or indirectly, induced any other bidder to put in a sham bid or to refrain from making a bid; and that bidder has not paid or agreed to pay to any party, either directly or indirectly, any money or other thing of value for assistance or aid rendered to or to be rendered in attempting to procure the bid for the privileges provided in this invitation. All the information contained in the bid may be relied upon by the City of Birmingham in awarding the bid for remounting and refurbishing ambulances, and everything contained herein is warranted by the bidder to be true.

NAME OF BIDDER: _____

BY: _____

ITS: _____

DATE: _____

WITNESS

PROFILE

Service/Parts Facility Location(s)

Address _____

Address _____

Phone (____) _____

Phone (____) _____

Fax (____) _____

Fax (____) _____

Contact Name _____

Contact Name _____

Approximate Miles from Birmingham, AL _____

Approximate Miles from Birmingham, AL _____

Years of Experience in Fire Apparatus Repair Business _____

Years of Experience in Fire Apparatus Repair Business _____

I hereby certify that we do not discriminate in employment of our personnel against any persons on account of race, creed, color, sex, or national origins, and acknowledge, and agree, that the City encourages minority – and women – owned business participation to the maximum extent possible. This policy includes Historically Underutilized Business Enterprises such as architectural firms, engineering firms, investment banking firms, other professional service providers, and construction contractors as part of the City's business, economic and community revitalization programs.

EXCEPTIONS TO SPECIFICATIONS:

_____ Date of Bid

_____ Company

_____ Street Address

_____ Post Office Box (Zip if different the street address)

_____ Tax ID Number

_____ City State Zip

_____ Name (Print or Type)

_____ Terms of Payment

_____ Signature

_____ Delivery Date

_____ Title

_____ Telephone Number

_____ E-mail address

_____ Fax Number

Bidder acknowledges receipt of _____ addenda to the bid.

(Number(s))