



WILLIAM A. BELL, SR.  
MAYOR

# CITY OF BIRMINGHAM

FINANCE DEPARTMENT

## PURCHASING DIVISION

P-100 CITY HALL  
710 NORTH 20TH STREET  
BIRMINGHAM, ALABAMA 35203-2227

TELEPHONE (205) 254-2265  
FAX (205) 254-2484

J. THOMAS BARNETT, JR.  
FINANCE DIRECTOR

RON NICKEL  
PURCHASING AGENT

WILLIAM E. CAFFEE  
ASSISTANT PURCHASING AGENT

January 21, 2016

### INVITATION TO BID #16-08

Sealed bids for the rehabilitation of houses under the critical repair grant program (CRGP), will be received by the Purchasing Agent, Room P-100 First Floor City Hall, Birmingham, Alabama, until 2:00 p.m., February 24, 2016, at which time and place they will be publicly opened and read.

Bidders wishing to bid can download the complete solicitation including the specifications and bid forms via the internet at [www.birminghamal.gov](http://www.birminghamal.gov) (go to the link titled **Bidding Opportunities**), or by visiting the Purchasing Office at the address shown above, or by calling (205) 254-2265, fax (205) 254-2484 and requesting a copy be mailed to you. Each potential bidder may obtain one copy of the bid package free of charge. Additional copies are available at a cost of \$0.15/page – non-refundable. Any addenda will be available on the internet. Bidder is responsible for checking the website for addenda until end of the day of scheduled bid opening. Addenda will be mailed to only those vendors who were provided a copy in person or by mail.

A certified check, cashier's check, money order or acceptable bid bond, in the name of the bidder and made payable to the City of Birmingham in the amount of \$1,000.00 must accompany your bid. Bid bond checks will be returned to all unsuccessful bidders after formal award is made and to the successful bidder after acceptance of award. Should the successful bidder fail to accept the award, the bid bond or check shall be forfeited.

The City follows a policy of nondiscrimination. No contractor with the City should discriminate on the basis of race, sex, religion or national origin. Failure by the Vendor to carry out these requirements is a material breach of its obligations, which may result in its termination or such other remedy as the City deems appropriate.


No bid may be withdrawn for a period of sixty (60) days after the date of the bid opening.

The City reserves the right to reject any or all bids submitted, parts of bids, and to waive any informalities.

Bids must be submitted in a sealed envelope marked, "**SEALED BID – CRGP House Rehabilitation - 2:00 p.m. - "2/24/16"**". Bids may be hand delivered to Room P-100 First Floor City Hall, Birmingham, Alabama or mailed to City of Birmingham, P.O. Box 11295, Birmingham, Alabama 35202-1295. (**DO NOT MAIL BIDS TO ROOM P-100 FIRST FLOOR CITY HALL.**) However, bids sent by any express carrier, (Federal Express, UPS, Airborne, etc.), must be mailed to 710 North 20th Street, and specify delivery to Room P-100 First Floor City Hall.

The City is not responsible for delays occasioned by the U.S. Postal Service, the internal mail delivery system of the City, or any other means of delivery employed by the bidder. Similarly, the City is not responsible for, and will not open, any bid/proposal responses, which are received later than 2:00 p.m.

It is the bidder's responsibility to make sure that his bid is in the possession of the Purchasing Agent on or before 2:00 p.m., February 24, 2016. Bids received after this time will not be considered.

  
W. E. Caffee, Assistant Purchasing Agent

yc  
B.N. 1/31/16

## SPECIFICATIONS FOR RESIDENTIAL REHABILITATION PROJECT(S)

### **GENERAL:**

The City of Birmingham is seeking bids for the rehabilitation of houses under the critical repair grant program (CRGP) funded by the Federal Government. Each project (address) is funded in an amount not to exceed \$7,500.00 total. Work write-ups have been structured based on reasonable estimates to ensure the allowable grant amount is not exceeded. **NO AWARD WILL BE MADE FOR AN AMOUNT GREATER THAN \$7,500.00/PROJECT (address).** Award will be made to the lowest priced responsive, responsible bidder for each individual project (address).

By definition the repairs are critical to maintain the safety and stability of the structures. Bidders may bid on one or all projects (addresses); however bidder must be able to complete all work awarded to him/her in no more than 90 calendar days (all time is to be considered calendar days unless otherwise stated) from receipt of purchase order (s) or 94 calendar days from date purchase order was printed, whichever is the longer period of time. Each bidder shall state on the bid form the number of days he will require to complete the rehabilitation of each specific house bid. Based on this information, the City will not award any one contractor more houses than can be completed within a cumulative total of 90 calendar days. **EX:** Low bidder states 30 days/house (address) completion time for all houses bid. Since the maximum allowable total time for completion for the houses awarded to one contractor is 90 days, this contractor will be awarded three (3) houses (30 days X 3 = 90 days). The remaining houses will be awarded to the next low bidder (s) in the same manner as the given example. Failure to comply with the completion time as stated will result in assessment of late charges at a rate of \$50.00 for each calendar day (for a maximum of 10 calendar days) over the stated completion time. Late charges will be deducted from vendor's (bidder's) invoice.

Anytime there is a completion time frame overlap of a prior bid award with a current bid opening and award process, the City reserves the right to take into consideration the existing work not yet completed on the prior award in determining the number of houses a contractor is eligible to be awarded under the newly opened bid based on the 90 day completion time requirement. **EX:** Contractor has 45 days worth of work not yet completed under a prior award. The contractor is therefore eligible to receive award of the number of houses he can complete in 45 days based on his current bid. Contractor states he can complete each house in 15 days; therefore, he can be awarded 3 houses under the new bid (45 days worth of work not yet completed + 3 houses X 15 days/houses = 90 day maximum allowable time frame for completion of work).

Three (3) failures by a vendor in a twelve (12) month period to complete awarded projects within the stated completion time frame will force the City to determine the vendor to be a non-responsible vendor, and that vendor will not have future bids considered for a period of twelve (12) months.

## **SPECIFICATIONS FOR RESIDENTIAL REHABILITATION PROJECT(S)**

Contractors/Subcontractors on the U.S. Department of Housing and Urban Development's List of Debarred Contractors will not be considered eligible for consideration of award for any contract.

Time extensions will not be given except in extreme situations (i.e. significant rainfall for a lengthy period of time, etc.). Extensions will not be considered for things such as short periods of inclement weather, equipment problems, personal problems, labor problems, etc. In the event the vendor feels he/she has an extreme situation, the vendor must contact the Purchasing Division when the extreme situation occurs, or as soon as possible after the extreme situation occurs if during non-City work hours and prior to the scheduled completion date and provide a justification for the requested extension. If necessary, the Purchasing Division shall contact Community Development Department.

Assuming the delay is justified as an extreme situation, then a revised completion date will be determined by a signed modification to the Purchase Order(s). Unless an extension has been granted in writing by the Purchasing Division, the work is to be completed by the original due date.

For any project award valued at an amount equal to or greater than \$10,000.00, the contractor (bidder) must be licensed as a home builder by the Home Builders Association or have a General Contractor's license with the license number being lower than 18908. License number must appear on the bid form provided, and copy of the current license must be submitted with your bid.

The City will issue purchase order(s) to the successful bidder for the goods and/or services (bid items) that are the subject of the bid. Unless otherwise agreed in a writing that is signed by both parties, the entire agreement between the City and the successful bidder concerning the bid items is comprised of the terms, conditions, specifications and requirements stated in (a) the contemplated purchase order(s), (b) this Invitation to Bid and Specifications and (c) your bid (collectively, the "Contract Requirements"). These writings supersede all former proposals, offers, negotiations, representations or agreements, either written or oral, concerning the provision of vendor's goods and/or services. By acceptance of the City's purchase order(s), the successful vendor agrees to abide by and perform its responsibilities related to the bid items in compliance with the Contract Requirements.

Vendor must have a purchase order from the City of Birmingham stating the specific address for each structure to be rehabilitated before starting any work under this contract. Any work started by the vendor prior to receipt of a purchase order is at the vendor's own risk and expense. The City will not pay for any work unless a purchase order was issued before the work was initiated.

## **SPECIFICATIONS FOR RESIDENTIAL REHABILITATION PROJECT(S)**

Successful bidder(s) shall not assign this contract to any other party without prior written approval of the City of Birmingham. Contract shall not be assigned to an unsuccessful bidder who was rejected because he was not a responsible bidder, or contractor on the U.S. Department of Housing and Urban Development's List of Debarred Contractors.

The contract shall become effective from the date in the Notification of Award letter which will be mailed to the successful vendor.

The City's standard payment terms are net 30 days from acceptance. Exceptions may be allowed for discounted early payments, such as 2% 10 net 30 days. The City will not consider any bids requiring C.O.D. payments.

Any questions concerning these specifications should be addressed to the Purchasing Division, attn: Yolanda Cox, at (205) 254-2878 - Fax (205) 254-2484, between the hours of 8:00 a.m. and 4:00 p.m. Monday through Friday.

Failure to adhere to any or all terms and conditions as set forth in the contract may result in the immediate termination of the contract. Should termination occur, the holder of the contract may be declared a "non-responsible vendor". This declaration may result in the rejection of any future bids submitted by the vendor for a period of time to be determined by the City.

The bidder's attention is directed to the fact that all applicable state laws, municipal ordinances and rules and regulations of the authorities having jurisdiction over the work to be performed shall apply to the Contract throughout, and they will be deemed to be included in the Contract as though written out in full in the Contract.

Bidder (and its employees, agents and any subcontractors) shall not discriminate on the basis of race, color, national origin, or sex, in the performance of the services contemplated hereunder. Failure by the Vendor to carry out these requirements is a material breach of its obligations, which may result in its termination or such other remedy as the City deems appropriate.

Contract award to purchase the service covered in this bid document shall be construed under and governed by the law of the State of Alabama and each party thereto irrevocably agrees to be subject to the jurisdictions of the courts of the State of Alabama.

## **SPECIFICATIONS FOR RESIDENTIAL REHABILITATION PROJECT(S)**

Bidder acknowledges and agrees that, consistent with federal law and City's public policy, it will encourage disadvantaged business enterprise (DBE) participation to the extent permitted by law. A "disadvantaged business enterprise" is a for-profit small business concern (i) at least 51% owned by one or more individuals who are both socially and economically disadvantaged or, in the case of a corporation, in which 51% of the stock is owned by one or more such individuals; and (ii) whose management and daily business operations are controlled by one or more of the socially and economically disadvantaged individuals who own it. In accordance with federal law, a "socially and economically disadvantaged individual" includes African-Americans, Hispanic Americans, Native Americans, Asian-Americans, women, and any additional groups designated as socially and economically disadvantaged by the federal Small Business Administration.

**Successful bidder acknowledges and agrees that the City has the right to deduct from total amount of consideration to be paid, if any, to the successful bidder under this agreement all unpaid, delinquent, or overdue license fees, taxes, fines, penalties and other amounts due the City from the successful bidder.**

**Any potential bidder who is not currently set up as a vendor in the City of Birmingham vendor file, will be required to submit a completed W-9 tax form prior to any bid award. W-9 tax form may be submitted with your bid or no later than seven (7) working days of receipt of notice of intent to award.**

**The City of Birmingham must have a copy of the successful bidder's current City of Birmingham business license prior to formal award of contract. Each bidder may submit a copy of his/her license along with his/her bid. However, bidder must provide a copy of his/her current business license no later than seven (7) working days of receipt of notice of intent to award. Failure to submit the requested information will result in the notice of intent to award being revoked.**

**Successful Vendor (located in the State of Alabama or located outside of the State of Alabama, but employs one or more employees within the State of Alabama) represents and warrants that it does not knowingly employ, hire for employment, or continue to employ an "unauthorized alien", as defined by the Beason-Hammon Alabama Taxpayer and Citizen Protection Act, Act No. 2011-535 (H.B.56) of the Alabama Legislature, as amended from time to time (the "Act") and that, during the performance of this contract, Vendor shall participate in the E-Verify program as required under the term of the Act. Vendor agrees to comply with all applicable provisions of the Act. As a condition for the award of any contract, Vendor shall provide documentation establishing that the Vendor is enrolled in the E-Verify program, or a signed, written statement that the Vendor does not have a presence (one or more employees) in the State of Alabama.**

**Vendor may submit applicable documentation with his/her bid or no later than seven (7) working days of receipt of notice of intent to award. Furthermore, a contracting party found to be in violation of this provision shall be deemed in breach of the contract/agreement and shall be responsible for all damages resulting therefrom.**

### **Section A**

1. SCOPE of the work shall include all labor, materials, equipment, permits, drawings, (if any) and services necessary for the proper completion of the rehabilitation of the property identified in the WORK WRITE-UP.
2. THE WORK WRITE-UP shall take precedence over this Standard Specification and when in conflict, the material, equipment and workmanship called for in the work write-up will be required.
3. SPECIFICATIONS:  
Please see the attached specifications and pricing section for each project. Bidder may elect to submit bids for one or all projects.

Use of specific brand names and numbers is not intended to restrict the bidding of any seller and/or manufacturer, but is solely for the purpose of indicating the type, size and quality of materials, products, service, or other equipment considered best adapted to the City's intended use. All materials are to be new: no used, remanufactured or refurbished materials will be considered acceptable.

Proprietary specifications may be waived for functional equivalents offered. Functional equivalents are subject to the approval of the Community Development Department.

4. CHANGES IN THE WORK including substitutions of materials, change in the scope or workmanship required by these specifications, which may be proposed by the Contractor, or found necessary or desirable as the work progresses, shall be in writing with price change given, and shall be approved by the Contractor, Owner, and the Housing Division of the Department of Community Development, City of Birmingham, Alabama, before any work incidental thereto is started.
5. WORKMANSHIP shall be done in accordance with the standards of the several trades known as a "workmanlike manner".
6. MATERIALS shall be new, in good condition, and of standard grade unless otherwise agreed to in writing before their delivery to the job.

7. REPAIRS shall be made to all surfaces damaged by the Contractor resulting from this work under this contract at no additional cost to the Owner.

Where “repair of existing work” is called for by the contract, the feature is to be placed in “equal to new condition” either by repair or replacement; all damaged or loose, or rotted parts shall be removed and replaced and the finished work shall match adjacent work in design and dimension.

8. INSPECTION OF THE WORK during normal working hours by authorized inspectors shall be facilitated by the Contractor, and the work shall be subject to the inspectors’ approval and acceptance.
9. SUB CONTACTORS shall be bound by the terms and conditions of this contract insofar as it applies to their work, but this shall not relieve the General Contractor, (or bidder acting as General Contractor) if such a one is awarded the contract, from the full responsibility of the Owner for the proper completion of all work to be executed under this agreement, and shall not be released from this responsibility by any sub-contractual agreement he may make with others.
10. BIDS OR PROPOSALS will be submitted at the Bidder’s risk, and the City reserves the right to reject any or all bids, part of the bid, rebid and to waive any informalities.
11. PERMITS, CODES & REGULATIONS:  
All equipment, construction, and installation will comply with City, County, State and Federal codes, regulations and standards. This includes, but is not limited to, all Building, Electrical, Gas Plumbing, Mechanical, Southern Building Codes, CABO, ANSI A117 revised, RRP and Lead Reduction Safe Work Practices, and FHA Minimum Property Standards. In the event of conflict or ambiguity, the most stringent of all the aforementioned shall govern. Successful bidder will obtain and pay for all permits and impact fees necessary, notify proper authorities for inspections and furnish any certificates required for the work.
12. ADJACENT PROPERTY  
When adjacent property is affected or endangered by any work done under this contract, it shall be the responsibility of the Contractor to take whatever steps are necessary for the protection of the adjacent property and to notify the owner thereof of such hazards.
13. DELIVERY:  
Delivery will be to various locations in the City of Birmingham as per specifications attached.

Failure to deliver as specified and in accordance with the bid submitted, including promised delivery will constitute sufficient grounds for cancellation of the order at the option of the City.

14. PRICES:  
Include all labor, materials, equipment, overhead and profit to complete projects as specified. Bidder shall be responsible for payment of all sales, use, lease, ad valorem and any other tax that may be levied or assessed by reason of this transaction. All such costs are to be included in the price bid for each project. City will not pay any additional items of cost listed separately.

15. INVOICING:  
All invoices must agree with the purchase order in description and price and include the following information:

- 1.) Purchase Order Number
- 2.) Ship to Department Name and Address
- 3.) In order to ensure prompt payment, **ALL ORIGINAL INVOICES\* MUST BE SENT TO:**

City of Birmingham  
Community Development Department, Housing Division  
10<sup>th</sup> Floor, City Hall  
710 North 20<sup>th</sup> Street  
Birmingham, AL 35203

\* If invoice does not agree with purchase order, credits or a corrected invoice will be required in order for the City to process payment. **Invoices that do not reference an authorized Purchase Order will be returned to the vendor.**

16. THIRD PARTY "REMIT -TO":  
If bidder has a third-party "remit-to" company, that information must appear on the Bidder's response. The City of Birmingham will send payment to the company designated by Bidder on its response, but will not be responsible for resolving payment issues, should the Bidder change payment processing companies after a payment has been mailed or without forty-five (45) days written notification to the Purchasing and General Accounting divisions of the City of Birmingham.

17. INDEMNIFICATION: Vendor(s) shall defend, indemnify, and hold harmless the City of Birmingham, and its agents, employees and officials (hereinafter the "Indemnitees") from and against all demands, actions, damages, judgments, expenses (including but not limited to attorneys' fees, expert fees, court costs and other litigation costs), losses, and claims (including those for bodily injury, sickness, disease or death, or to injury to, destruction or loss of use of tangible property) (collectively hereinafter "Claims") by any third parties (including any employee, subcontractor or representative of the Vendor, hereafter a "Vendor Representative") that arises out of, relates to, results from, or is attributable to any of the following: (a) Vendor's performance or failure to perform its obligations hereunder; (b) any conditions in or about the work sites that the Vendor or any Vendor Representative may encounter; or (c) the use or occupancy of the work sites by Vendor or any Vendor Representatives. This indemnification obligation includes Claims that are caused in part by the negligence of an Indemnitee(s); provided nothing herein shall obligate Vendor to indemnify any of the Indemnitee(s) for Claims resulting from the sole negligence or from the willful misconduct of the Indemnitee(s).
18. SAFETY: The successful vendor(s) ("Vendor") warrants that it has inspected or will inspect the work sites before performing the services and work contemplated hereunder ("services"). Vendor(s) further warrants that it has not identified any condition or hazard that will prevent it from performing the services in a manner that does not endanger persons or property. Vendor(s) is exclusively responsible for performing the services in a safe manner that does not put at risk the safety of persons (including its own employees or representatives) or endanger property. Vendor(s) shall take all reasonable precautions for the safety of, and shall provide all reasonable protection to prevent damage, injury or loss to: (i) all its employees and all other persons who may be affected by the services; (ii) all the services and all materials and equipment to be incorporated therein, whether in storage on or off the work sites, or under the care, custody or control of the Vendor(s) or any of its subcontractors; and (iii) other property at the work sites or adjacent thereto. Vendor further agrees to comply with all provisions and requirements set forth in applicable laws, ordinances, rules, regulations and orders of any public authority having jurisdiction over safety of persons or property or to protect them from damage, injury or loss.
19. PROTECTION DAMAGE: Contractor will be responsible for any damage to property of the City or others caused by him, his employees or subcontractors, and will replace and make good such damage. The contractor will maintain adequate protection to prevent damage to his work and property of others, and take all necessary precautions for the safety of his employees and others. The contractors will comply with all safety laws and regulations in effect in the locality.

20. INSURANCE:

The successful party shall carry general liability insurance (either primary or a combination of primary and umbrella coverage) with limits of not less than \$100,000.00 for each occurrence and shall include, but not limited to, personal injury, property damage, vandalism, property loss and theft.

The successful party shall also carry automobile liability insurance with limits of not less than \$100,000.00 bodily injury per occurrence, \$100,000.00 property damage or combined single limit of \$100,000.00. Party shall carry Workman's Compensation coverage in an amount adequate to comply with statutory requirements.

Such policies shall name the City of Birmingham as an additional insured and shall contain an endorsement providing that the City will be given not less than thirty (30) day notice in writing prior to cancellation or change of coverage provided by said policies. Insurance shall be through companies authorized to do business in the State of Alabama. Certificate of insurance must be presented to the City within ten (10) days of notice of award and prior to commencement of any work. Successful party is required to include the bid proposal number on the evidence of insurance document.

Policies that state the company will endeavor to provide thirty (30) day notice prior to cancellation or change of coverage, but failure to do so shall impose no obligation or liability of any kind upon the insurer, its agents or representatives are not acceptable. Insurance shall be through companies authorized to do business in the State of Alabama with a B+ rating or better according to the most current edition of Best's Insurance Reports. Party is to provide written documentation of the company's rating with the proposal.

21. PUBLIC DISCLOSURE:

Subject to applicable law or regulations, the content of each Bidder's Proposal shall become public information upon the effective date of any resulting contract.

22. GUARANTEE:

Bidder certifies by bidding that he is fully aware of the conditions of service and purpose for which equipment, material, installation, and/or construction included in this bid are to be purchased, and that his offering will meet these requirements of service and purpose to the satisfaction of the City of Birmingham and its agent. All work will be guaranteed one (1) year from date of final acceptance, or the manufacturer's standard warranty for equipment or materials, whichever is longer.

23. EXAMINATION OF SITE:

All bidders are expected to visit the site of the work to ascertain existing conditions. Failure to do so will in no way relieve the successful bidder from the necessity of furnishing all materials and equipment, and performing all work required for completion of the contract.

24. INSTALLATION/QUALITY ASSURANCE:

Use adequate numbers of skilled workmen, under proper supervision, who are thoroughly trained and experienced in the necessary crafts and who are completely familiar with the specified requirements and the methods needed for proper performance of the work in these specifications.

25. CLEANING AND SAFETY:

Throughout the construction period, maintain the buildings and site in a standard of cleanliness as described throughout this document. At no time shall construction interfere with daily work within the building or cause a safety or code violation around public and private entrances.

All precautions shall be taken to promote the safety of the public and employees. The successful bidder must have verifiable, active, safety policies. Contractor is responsible for all damage to existing City or public property, including but not limited to the building, grounds, and equipment, caused by him, his employees, or sub-contractors, and will replace and make good such damage. Contractor will maintain adequate protection to prevent damage to his work and property of others, and take all necessary precautions for the safety of his employees and others. The contractor will comply with all safety laws and regulations in effect in the locality.

26. PROGRESS CLEANING:

Retain all stored items in an orderly arrangement allowing maximum access, not impeding traffic and providing the required protection of materials.

Do not allow the accumulation of scrap, debris, waste material, and other items not required for construction.

As necessary, completely remove all scrap, debris and waste material from job site.

Provide adequate storage for all items awaiting removal from the job site, observing all requirements for fire protection and protection of the ecology.

All areas must be cleaned of dust and debris after each day's work.

27. PRE EXISTING CONDITIONS:

All pre-existing conditions must be clearly documented (including but not limited to, photographs) to establish a clear definition of the work environment prior to commencing with any activities associated with this project. Vendor is responsible for correcting any defacement, damage or aesthetic appearance changes that occur beyond the point from the documentation of pre-existing conditions and any occurrences of damages during their contract.

28. THE WARRANTY:

The warranty which is Attachment A must be signed and included with the bid.

29. **TIME IS OF THE ESSENCE.** Successful bidders shall have up to 90 calendar days based on the cumulative total days bid for all houses awarded from notice to proceed (purchase order) to complete the rehabilitation of the houses covered in the given notice to proceed. Failure to comply with the completion time as stated in the Notice to Proceed (purchase order) will result in assessment of late charges at the rate of \$50.00 for each calendar day over the cumulative total of days for the houses awarded plus any granted extension, for a maximum of 10 calendar days. This amount shall be subtracted from any amount due the contractor by the City for completion of the job. Failure to complete any contract work within the cumulative total of completion days plus any granted extension days, plus up to a maximum of 10 days late penalty time will result in termination of contract, forfeiture of the performance bond and the bidder will be declared a non-responsible bidder and will not be given consideration to receive any future bid awards for a period of twelve (12) months.

It is the City's intent not to award more rehabilitation work to a single contractor than the contractor can complete within a 90 calendar day time frame. However, should the situation arise that there is an insufficient number of responsive, responsible bids received to accomplish this goal, the City reserves the right to award more work to a single contractor than the 90 day completion time would allow. The extended completion time for any such award would be based on the actual completion time stated on the contractors bid form for the additional houses. This action must be mutually acceptable to the City and the contractor.

## Section B

### 1. Demolition:

All parts to be removed shall be done in a safe, orderly fashion, taking care to avoid damage to parts which are to be left in place. All debris shall be removed from the premises as it is generated.

### 2. Carpentry:

- a. Framing lumber shall be no less than new #2 yellow pine material unless otherwise specified.
- b. Finish lumber shall be of a species and grade suitable for its intended use, kiln dried, free from tool marks and other objectionable defects.

### 3. Electrical, Plumbing and Heating:

All equipment and materials shall comply with and be installed in accordance with Birmingham City Codes.

## INSTRUCTIONS:

Bidder is to provide a complete price breakdown as shown on the work write up for each project/address included in this bid package. Bidder must bid all the different categories listed for each project/address (plumbing, kitchen, bath, HVAC, roof, electrical, etc.): no partial bids will be considered. Bidder is to total the individual prices provided for each project/address and include that amount as the Grand Total for each work write up. The Grand Total amount is to be transferred to the Bid Form that follows the work write up. Bidder must complete and return the fully executed Bid Form Signature Page along with the work write up page(s), Bid Form Page(s) and Attachment A.

**SPECIFICATIONS FOR RESIDENTIAL  
REHABILITATION PROJECT(S)  
Work Write Up**

Property Owner: Frankie Gulley  
Address: 925 6<sup>th</sup> Pl SW  
City and State: Birmingham, AL 35211  
Phone: (205) 781-7827/332/2061  
Case No: FY15-52  
Inspector: A.B.

**Roof**

\_\_\_ **All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code © Section 1501 for roof materials, application, installation, etc. and Section 309 for roof and ceiling framing, and all other codes that govern. Proper permitting shall be obtained for all applicable repairs to roof.**

\_\_\_ Areas that are found to be spaced decked shall be covered with ½” exterior grade sheathing material after removing the existing decking. It is the contractors responsibility to ensure the framing and structure will support the additional load.

\_\_\_ Remove existing roofing materials down to bare decking.

\_\_\_ Check all roof trusses/rafters and repair/replace to ensure that new roof structure is flat and smooth without rises or depressions in roof system.

\_\_\_ Replace all rotten, broken, un-even, weak, or deteriorated decking and framing.

\_\_\_ Replaced/repared decking shall be level and ready to accept felt and shingles.

\_\_\_ Check all roof trusses for strength and stability before re-shingling house.

\_\_\_ Remove all unused elements, vents, etc., that are not operational and close them below roof level.

\_\_\_ Re-flash all valleys, vents, roof openings, and chimneys.

\_\_\_ Install new boots around all roof penetrations.

\_\_\_ Haul away debris immediately.

\_\_\_ Use a magnetic sweep around the perimeter of house and rake away any other debris.

\_\_\_ Cover with 30# asphalt impregnated felt.

\_\_\_ Prepare roof decking to accept a ridge vent.

\_\_\_ Re-roof with a 30 year, class A fiberglass asphalt shingle. (Owners choice of color)

\_\_\_ Shingles must be 1<sup>st</sup> quality still in the wrapper. Seconds will not be accepted.

\_\_\_ Install drip rail around perimeter of house. Shingles shall have ½” to 1 ½” overhang.

\_\_\_ Install ridge vent or wind turbines, (minimum of two) as appropriate.

\_\_\_ New roof shall be structurally sound and leak free.

\_\_\_ Contractor shall warrant the roof to be completely leak free for one year.

\_\_\_ Repair all collateral damage caused by this modification.

Roof Total \$ \_\_\_\_\_

**Kitchen Repair**

- \_\_\_\_\_ Replace fluorescent light fixture above sink
- \_\_\_ Repair all collateral damage caused by this modification.

**Kitchen Repair Total \$ \_\_\_\_\_**

**Bathroom and Plumbing Modifications**

**ALL WORK IS TO BE DONE TO ANSI SPECIFICATIONS WHERE ACHIEVABLE**

\_\_\_ **Contractor is to perform all plumbing work per local code, Pay for all permits And impact fees. All materials used shall be (PEX) or non ferrous metals and insulated properly. No plastics or CPVC accepted.**

- \_\_\_\_\_ Remove showerhead, faucet, shower valves, sink faucet and supply lines for both the sink and shower/tub.
- \_\_\_\_\_ Install ADA approved slide bar shower massage unit and tub faucet.
- \_\_\_\_\_ Install a good quality, chrome plated brass, lever style anti-scald shower valve and tub filler. (Moen, Delta, or equivalent)
- \_\_\_\_\_ Install a new good quality chrome plated brass faucet. (Moen, Delta, or equivalent)
- \_\_\_\_\_ New lavatory faucet will have lever style handles or lever style operation.
- \_\_\_\_\_ Install new cutoffs, supplies and drains to lavatory sink and shower.
- \_\_\_\_\_ Install a good quality shower curtain and rod. Shower rod must be wall mounted. Homeowners choice of mid-range shower curtain color and pattern.
- \_\_\_\_\_ Repair all collateral damage caused by this modification.

**Bathroom and Plumbing Total \$ \_\_\_\_\_**

**Electrical**

\_\_\_ **Perform all electrical work per the local code and pay for all permits and fees.**

- \_\_\_\_\_ Install a hard-wired carbon monoxide detector in a central location.  
( A plug in detector that can be removed or unplugged is not acceptable.)
- \_\_\_\_\_ Install AC/DC tandem wired smoke detectors in a central location, one (1) in each sleeping room, on each additional story of the dwelling, including basements, but not including crawl spaces and uninhabitable attics.
- \_\_\_\_\_ Replace the exterior porch lights and replace light fixture in **Bedroom 3**
- \_\_\_ Repair all collateral damage caused by this modification to finish quality.

**Electrical Total \$ \_\_\_\_\_**

**GRAND TOTAL \$ \_\_\_\_\_**

**BID FORM**

**W.E. Caffee  
Assistant Purchasing Agent  
Birmingham, Alabama**

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the above specifications REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization/approval could result in a loss of payment for work performed outside the bid specifications.

Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.

Submitted below is my firm bid for the rehabilitation of a residence, located at

925 6<sup>th</sup> PI SW and in accordance with your invitation to bid dated

\_\_\_\_\_.

I the undersigned contractor, having inspected the property and familiarized myself with the requirements of the work write-up, specifications and plans, do understand the extent and character of the work to be done at:

**925 6<sup>th</sup> PI SW**

do propose to furnish all labor, material and equipment necessary to accomplish all of the work called for that is required by the work write-up, specifications and drawings (if any) for the rehabilitation of the property, for the sum of:

\_\_\_\_\_ Dollars (\$\_\_\_\_\_)

I will complete the work within \_\_\_\_\_ calendar days after receipt of purchase order and notice to proceed.

**SPECIFICATIONS FOR RESIDENTIAL  
REHABILITATION PROJECT(S)  
Work Write Up**

Property Owner: Jeanie Mae Robinson  
Address: 1309 Fulton Ave SW  
City and State: Birmingham, AL 35211  
Phone: (205) 520-0433/567-9864  
Case No: FY15-56  
Inspector: A.B.

**Roof**

**\_\_\_ All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code © Section 1501 for roof materials, application, installation, etc. and Section 309 for roof and ceiling framing, and all other codes that govern. Proper permitting shall be obtained for all applicable repairs to roof.**

- \_\_\_ Areas that are found to be spaced decked shall be covered with ½” exterior grade sheathing material after removing the existing decking. It is the contractors responsibility to ensure the framing and structure will support the additional load.
- \_\_\_ Remove existing roofing materials down to bare decking.
- \_\_\_ Check all roof trusses/rafters and repair/replace to ensure that new roof structure is flat and smooth without rises or depressions in roof system.
- \_\_\_ Replace all rotten, broken, un-even, weak, or deteriorated decking and framing.
- \_\_\_ Replaced/repared decking shall be level and ready to accept felt and shingles.
- \_\_\_ Check all roof trusses for strength and stability before re-shingling house.
- \_\_\_ Remove all unused elements, vents, etc., that are not operational and close them below roof level.
- \_\_\_ Re-flash all valleys, vents, roof openings, and chimneys.
- \_\_\_ Install new boots around all roof penetrations.
- \_\_\_ Haul away debris immediately.
- \_\_\_ Use a magnetic sweep around the perimeter of house and rake away any other debris.
- \_\_\_ Cover with 30# asphalt impregnated felt.
- \_\_\_ Prepare roof decking to accept a ridge vent.
- \_\_\_ Re-roof with a 30 year, class A fiberglass asphalt shingle. (Owners choice of color)
- \_\_\_ Shingles must be 1<sup>st</sup> quality still in the wrapper. Seconds will not be accepted.
- \_\_\_ Install drip rail around perimeter of house. Shingles shall have ½” to 1 ½” overhang.
- \_\_\_ Install ridge vent or wind turbines, (minimum of two) as appropriate.
- \_\_\_ New roof shall be structurally sound and leak free.
- \_\_\_ Contractor shall warrant the roof to be completely leak free for one year.
- \_\_\_ Repair all collateral damage caused by this modification.

Roof Total \$ \_\_\_\_\_

**Bathroom and Plumbing Modifications**

**ALL WORK IS TO BE DONE TO ANSI SPECIFICATIONS WHERE ACHIEVABLE**

**\_\_\_ Contractor is to perform all plumbing work per local code, Pay for all permits And impact fees. All materials used shall be (PEX) or non ferrous metals and Insulated properly. No plastics or CPVC accepted.**

- \_\_\_ Remove finish floor from bathroom.
- \_\_\_ Replace all rotten, damaged or otherwise substandard flooring, subflooring, sills, floor framing, and floor supports.
- \_\_\_ New floor must be level.
- \_\_\_ Cover bathroom floor with appropriate underlayment and adhesive per Manufacturers specifications.
- \_\_\_ Install new sheet vinyl floor covering. **The installed vinyl shall be equivalent to Mannington Commercial Resilient and have a minimum of a ten year warranty.** No torn or patched vinyl will be accepted. Owners choice of color and pattern.
- \_\_\_ Repair all collateral damage caused by this modification.

**Bathroom and Plumbing Total \$ \_\_\_\_\_**

**Electrical**

**\_\_\_ Perform all electrical work per the local code and pay for all permits and fees.**

- \_\_\_ Install a hard-wired carbon monoxide detector in a central location.  
( A plug in detector that can be removed or unplugged is not acceptable.)
- \_\_\_ Install AC/DC tandem wired smoke detectors in a central location, one (1) in each sleeping room, on each additional story of the dwelling, including basements, but not including crawl spaces and uninhabitable attics.
- \_\_\_ Repair all collateral damage caused by this modification to finish quality.

**Electrical Total \$ \_\_\_\_\_**

**GRAND TOTAL \$ \_\_\_\_\_**

**BID FORM**

**W.E. Caffee**  
**Assistant Purchasing Agent**  
**Birmingham, Alabama**

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the above specifications REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization/approval could result in a loss of payment for work performed outside the bid specifications.

Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.

Submitted below is my firm bid for the rehabilitation of a residence, located at

**1309 Fulton Ave SW** and in accordance with your invitation to bid dated

\_\_\_\_\_.

I the undersigned contractor, having inspected the property and familiarized myself with the requirements of the work write-up, specifications and plans, do understand the extent and character of the work to be done at:

**1309 Fulton Ave SW**

do propose to furnish all labor, material and equipment necessary to accomplish all of the work called for that is required by the work write-up, specifications and drawings (if any) for the rehabilitation of the property, for the sum of:

\_\_\_\_\_ Dollars (\$\_\_\_\_\_)

I will complete the work within \_\_\_\_\_ calendar days after receipt of purchase order and notice to proceed.

**SPECIFICATIONS FOR RESIDENTIAL  
REHABILITATION PROJECT(S)  
Work Write Up**

Property Owner: Pearlle Fields  
Address: 113 Miles Ave  
City and State: Birmingham, AL. 35214  
Phone: (205)798-1554  
Case No: FY15-64  
Inspector RC

**Heating and Air Conditioning**

Replacement furnace and add air

- \_\_\_\_\_ Remove existing GAS FURNACE
- \_\_\_\_\_ Install a new heating and air conditioning system. (Goodman, Nutone, or equivalent) gas split system..
- \_\_\_ The new unit shall be sufficient to properly heat and cool the entire house.
- \_\_\_ It shall be the contractors responsibility to ensure that the new unit is properly sized.
- \_\_\_\_\_ New unit shall be high efficiency. Minimum of 13 seer.
- \_\_\_\_\_ Modify existing duct work to ensure proper operation of new unit.(WRAP DUCT TO MEET CODE)
- \_\_\_\_\_ Repair any damaged duct work.
- \_\_\_\_\_ Add any duct work necessary to ensure proper heating and cooling in all areas of house.
- \_\_\_\_\_ Upon completion of this scope of work all ductwork shall be insulated metal duct. Short runs of flexible duct may be used for connecting to supply registers and boots.
- \_\_\_\_\_ Ensure that all ductwork is well supported and properly strapped in place.
- \_\_\_\_\_ Ensure that return grille is working properly and of adequate size.
- \_\_\_\_\_ Replace all supply registers and return grill.
- \_\_\_\_\_ Clean any existing ductwork that will be re-used.
- \_\_\_\_\_ Homeowner shall be-supplied with 12 additional filters and-informed on the Changing of filters and the frequency that they should be changed.
- \_\_\_\_\_ Install a new properly matched thermostat from a recognizable manufacturer.
- \_\_\_\_\_ A properly sized manufactured condensing unit pad must be used.
- \_\_\_ Pad must be level.
- \_\_\_ Contractor must educate Homeowner on proper operation and maintenance of new unit.

\_\_\_ Manufacturers consumer literature on the unit must be left with the Homeowner along with warranty information on the unit.

\_\_\_ The contractor shall include all items necessary to ensure the proper operation of this unit.

This includes all connections to the gas service, the electrical disconnect, and electrical service to the unit.

**Heating and Air Conditioning Total \$ \_\_\_\_\_**

**Electrical**

\_\_\_ **Perform all electrical work per the local code and pay for all permits and fees.**

\_\_\_ Install a new 200-amp service. This includes the rigid service mast, entrance head, and breaker-box with breakers. All are to be new, unused material.

\_\_\_ Electrical panel is to be located inside of house.

\_\_\_ Install a hard-wired carbon monoxide detector in a central location.

( A plug in detector that can be removed or unplugged is not acceptable.)

\_\_\_ Install AC/DC tandem wired smoke detectors in a central location, one (1) in each sleeping room, on each additional story of the dwelling, including basements, but not including crawl spaces and uninhabitable attics.

\_\_\_ Repair all collateral damage caused by this modification to finish quality.

**Electrical Total \$ \_\_\_\_\_**

**GRAND TOTAL \$ \_\_\_\_\_**

**BID FORM**

**W.E. Caffee**  
**Assistant Purchasing Agent**  
**Birmingham, Alabama**

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the above specifications REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization/approval could result in a loss of payment for work performed outside the bid specifications.

Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.

Submitted below is my firm bid for the rehabilitation of a residence, located at

**113 Miles Ave** and in accordance with your invitation to bid dated

\_\_\_\_\_.

I the undersigned contractor, having inspected the property and familiarized myself with the requirements of the work write-up, specifications and plans, do understand the extent and character of the work to be done at:

**113 Miles Ave**

do propose to furnish all labor, material and equipment necessary to accomplish all of the work called for that is required by the work write-up, specifications and drawings (if any) for the rehabilitation of the property, for the sum of:

\_\_\_\_\_ Dollars (\$\_\_\_\_\_)

I will complete the work within \_\_\_\_\_ calendar days after receipt of purchase order and notice to proceed.

**SPECIFICATIONS FOR RESIDENTIAL  
REHABILITATION PROJECT(S)  
Work Write Up**

Property Owner: Abyot Dereje  
Address: 1120 4<sup>th</sup> Way North  
City and State: Birmingham, AL 35204  
Phone: (205) 835-8808  
Case No: FY15-101  
Inspector: A.B.

**Heating and Air Conditioning**

- \_\_\_\_\_ Remove existing HVAC unit.
- \_\_\_\_\_ Install a new heating and air conditioning system. (Gas), packaged unit.
- \_\_\_\_\_ The new unit shall be sufficient to properly heat and cool the entire house.
- \_\_\_\_\_ It shall be the contractors responsibility to ensure that the new unit is properly sized.
- \_\_\_\_\_ New unit shall be high efficiency. Minimum of 14 SEER.
- \_\_\_\_\_ Modify existing duct work to ensure proper operation of new unit.
- \_\_\_\_\_ Repair any damaged duct work.
- \_\_\_\_\_ Add any duct work necessary to ensure proper heating and cooling in all areas of house.
- \_\_\_\_\_ Upon completion of this scope of work all ductwork shall be insulated metal duct. Short runs of flexible duct may be used for connecting to supply registers and boots.
- \_\_\_\_\_ Ensure that all ductwork is well supported and properly strapped in place.
- \_\_\_\_\_ Ensure that return grille is working properly and of adequate size.
- \_\_\_\_\_ Replace all supply registers.
- \_\_\_\_\_ Clean any existing ductwork that will be re-used.
- \_\_\_\_\_ Homeowner shall be-supplied with 12 additional filters and-informed on the Changing of filters and the frequency that they should be changed.
- \_\_\_\_\_ Install a new properly matched thermostat from a recognizable manufacturer.
- \_\_\_\_\_ A properly sized manufactured condensing unit pad must be used.
- \_\_\_\_\_ Existing pad may be re-used if it is not damaged and of adequate size.
- \_\_\_\_\_ Pad must be level.
- \_\_\_\_\_ Contractor must educate Homeowner on proper operation and maintenance of new unit.
- \_\_\_\_\_ Manufacturers consumer literature on the unit must be left with the Homeowner Along with warranty information on the unit.

- \_\_\_\_\_ The contractor shall include all items necessary to ensure the proper operation of this unit. This includes all connections to the gas service, the electrical disconnect, and electrical service to the unit.
- \_\_\_\_\_ Repair all collateral damage caused by this modification.

**Heating and Air Conditioning Total \$ \_\_\_\_\_**

**Kitchen Repair**

- \_\_\_\_\_ Remove existing floor covering.
- \_\_\_\_\_ Replace all rotten, damaged or otherwise substandard flooring, subflooring, sills, floor framing, and floor supports.
- \_\_\_\_\_ New floor must be level.
- \_\_\_\_\_ Install additional support piers and beams if necessary to stabilize and level floor system.  
Piers must be on a masonry footing and of concrete masonry units or 4” steel column. All wooden components used in conjunction with the support piers and beams must be pressure treated lumber.
- \_\_\_\_\_ Cover floor with appropriate underlayment and adhesive per manufacturers specifications.
- \_\_\_\_\_ Install new sheet vinyl floor covering. The installed vinyl shall be equivalent to Mannington Commercial Resilient and have a minimum of a ten year warranty. No torn or patched vinyl will be accepted. Owners choice of color and pattern.
- \_\_\_\_\_ Install and finish new shoe mold around entire room. Shoe mold must be painted Or stained to match finish.
- \_\_\_\_\_ Repair all collateral damage caused by this modification.

**Kitchen Repair Total \$ \_\_\_\_\_**

**GRAND TOTAL \$ \_\_\_\_\_**

**BID FORM**

**W.E. Caffee**  
**Assistant Purchasing Agent**  
**Birmingham, Alabama**

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the above specifications REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization/approval could result in a loss of payment for work performed outside the bid specifications.

Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.

Submitted below is my firm bid for the rehabilitation of a residence, located at

**1120 4<sup>th</sup> Way North** and in accordance with your invitation to bid dated

\_\_\_\_\_.

I the undersigned contractor, having inspected the property and familiarized myself with the requirements of the work write-up, specifications and plans, do understand the extent and character of the work to be done at:

**1120 4<sup>th</sup> Way North**

do propose to furnish all labor, material and equipment necessary to accomplish all of the work called for that is required by the work write-up, specifications and drawings (if any) for the rehabilitation of the property, for the sum of:

\_\_\_\_\_ Dollars (\$ \_\_\_\_\_)

I will complete the work within \_\_\_\_\_ calendar days after receipt of purchase order and notice to proceed.

**SPECIFICATIONS FOR RESIDENTIAL  
REHABILITATION PROJECT(S)  
Work Write Up**

Property Owner: Chris Goldsmith  
Address: 1020 Graymont Ave W  
City and State: Birmingham, AL 35204  
Phone: (205) 445-4492  
Case No: FY15-109  
Inspector: A.B.

**Electrical**

- Perform all electrical work per the local code and pay for all permits and fees.**
- Install a new 200-amp service. This includes the rigid service mast, entrance head, and breaker-box with breakers. All are to be new, unused material.
- Electrical panel is to be located inside of house.
- Replace all faulty switches, plugs, and plates with new ones.
- All connections are to be in electrical boxes.
- All exposed wires shall be in conduit.
- Replacement fixtures shall be 14" dome 2 bulb fixture minimum.
- Check all existing wiring, repair as needed, tighten connections and fixtures that are loose and replace those that are faulty.
- All new receptacles must be grounded.
- Install GFIs in kitchen and bathroom.
- Each room shall have a minimum of four receptacles except bathroom.
- Install a hard-wired carbon monoxide detector in a central location.  
( A plug in detector that can be removed or unplugged is not acceptable.)
- Install AC/DC tandem wired smoke detectors in a central location, one (1) in each sleeping room, on each additional story of the dwelling, including basements, but not including crawl spaces and uninhabitable attics.
- Replace the exterior porch lights.
- Install a GFI receptacle at front and rear entrance of house.
- Repair all collateral damage caused by this modification to finish quality.

**Electrical Total \$ \_\_\_\_\_**

**GRAND TOTAL \$ \_\_\_\_\_**

**BID FORM**

**W.E. Caffee  
Assistant Purchasing Agent  
Birmingham, Alabama**

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the above specifications REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization/approval could result in a loss of payment for work performed outside the bid specifications.

Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.

Submitted below is my firm bid for the rehabilitation of a residence, located at

**1020 Graymont Ave W** and in accordance with your invitation to bid dated

\_\_\_\_\_.

I the undersigned contractor, having inspected the property and familiarized myself with the requirements of the work write-up, specifications and plans, do understand the extent and character of the work to be done at:

**1020 Graymont Ave W**

do propose to furnish all labor, material and equipment necessary to accomplish all of the work called for that is required by the work write-up, specifications and drawings (if any) for the rehabilitation of the property, for the sum of:

\_\_\_\_\_ Dollars (\$\_\_\_\_\_)

I will complete the work within \_\_\_\_\_ calendar days after receipt of purchase order and notice to proceed.

**SPECIFICATIONS FOR RESIDENTIAL  
REHABILITATION PROJECT(S)  
Work Write Up**

Property Owner: Michael Lewis  
Address: 1247 Pineview Rd  
City and State: Birmingham, AL. 35228  
Phone: (205) 925-5887  
Case No: FY15-135  
Inspector RC

**Roof**

**All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code © Section 1501 for roof materials, application, installation, etc. and Section 309 for roof and ceiling framing, and all other codes that govern. A building permit is required if there is any wood to be replaced.**

- \_\_\_\_\_ Areas that are found to be spaced decked shall be covered with ½” exterior grade sheathing material after removing the existing decking. It is the contractors responsibility to ensure the framing and structure will support the additional load.
- \_\_\_\_\_ Remove existing roofing materials down to bare decking.
- \_\_\_\_\_ Check all roof trusses/rafters and repair/replace to ensure that new roof structure is flat and smooth without rises or depressions in roof system.
- \_\_\_\_\_ Replace all rotten, broken, un-even, weak, or deteriorated decking and framing.
- \_\_\_\_\_ Replaced/repared decking shall be level and ready to accept felt and shingles.
- \_\_\_\_\_ Check all roof trusses for strength and stability before re-shingling house.
- \_\_\_\_\_ Remove all unused elements, vents, etc., that are not operational and close them below roof level.
- \_\_\_\_\_ Re-flash all valleys, vents, roof openings, and chimneys.
- \_\_\_\_\_ Install new boots around all roof penetrations.
- \_\_\_\_\_ Haul away debris immediately.
- \_\_\_\_\_ Use a magnetic sweep around the perimeter of house and rake away any other debris.
- \_\_\_\_\_ Cover with 30# asphalt impregnated felt.
- \_\_\_\_\_ Prepare roof decking to accept a ridge vent.
- \_\_\_\_\_ Re-roof with a 30 year dimensional class A fiberglass asphalt shingle. (Owners choice of color)
- \_\_\_\_\_ Shingles must be 1<sup>st</sup> quality still in the wrapper. Seconds will not be accepted.
- \_\_\_\_\_ Install drip rail around perimeter of house. Shingles shall have ½” to 1 ½” overhang.
- \_\_\_\_\_ Install ridge vent or wind turbines, (minimum of two) as appropriate.
- \_\_\_\_\_ New roof shall be structurally sound and leak free.
- \_\_\_\_\_ Contractor shall warrant the roof to be completely leak free for one year.

Roof Total \$ \_\_\_\_\_

**Bathroom and Plumbing Modifications**

**ALL WORK IS TO BE DONE TO ANSI SPECIFICATIONS WHERE  
ACHIEVABLE**

\_\_\_\_\_ Install (2) grab bars for tub access.

**Bathroom and Plumbing Total    \$ \_\_\_\_\_**

**Electrical**

\_\_\_\_\_ **Perform all electrical work per the local code and pay for all permits and fees.**

\_\_\_\_\_ Replace all switches, plugs, and plates with new ones.

\_\_\_\_\_ Replace flood light on rear with 2bulb flood light.

\_\_\_\_\_ Install a hard-wired carbon monoxide detector in a central location.

( A plug in detector that can be removed or unplugged is not acceptable.)

\_\_\_\_\_ Install AC/DC tandem wired smoke detectors in a central location, one (1) in each sleeping room, on each additional story of the dwelling, including basements, but not including crawl spaces and uninhabitable attics.

\_\_\_\_\_ Repair all collateral damage caused by this modification to finish quality.

**Electrical Total \$ \_\_\_\_\_**

**GRAND TOTAL \$ \_\_\_\_\_**

**BID FORM**

**W.E. Caffee  
Assistant Purchasing Agent  
Birmingham, Alabama**

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the above specifications REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization/approval could result in a loss of payment for work performed outside the bid specifications.

Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.

Submitted below is my firm bid for the rehabilitation of a residence, located at

**1247 Pineview Rd** and in accordance with your invitation to bid dated

\_\_\_\_\_.

I the undersigned contractor, having inspected the property and familiarized myself with the requirements of the work write-up, specifications and plans, do understand the extent and character of the work to be done at:

**1247 Pineview Rd**

do propose to furnish all labor, material and equipment necessary to accomplish all of the work called for that is required by the work write-up, specifications and drawings (if any) for the rehabilitation of the property, for the sum of:

\_\_\_\_\_ Dollars (\$\_\_\_\_\_)

I will complete the work within \_\_\_\_\_ calendar days after receipt of purchase order and notice to proceed.

**SPECIFICATIONS FOR RESIDENTIAL  
REHABILITATION PROJECT(S)  
Work Write Up**

Property Owner: Juanita Robinson  
Address: 312 4<sup>th</sup> Ct W  
City and State: Birmingham, AL. 35204  
Phone: (205)325-3080  
Case No: FY15-136  
Inspector RC

**Plumbing Repair**

\_\_\_\_\_ **Contractor is to perform all plumbing work per local code, Pay for all permits and impact fees. All materials used shall be (PEX) or non ferrous metals and insulated properly. No plastics or CPVC accepted.**

\_\_\_\_\_ Replace sewer lateral from the house to the county main. All permits, tap fees, road and yard repairs, raking, seeding, and hay shall be the responsibility of the contractor.

\_\_\_\_\_ Replace all the drain pipes (that have not already been replaced)

\_\_\_\_\_ Ensure that all drain lines are leak free and in proper working order.

**Plumbing Repair Total \$ \_\_\_\_\_**

**GRAND TOTAL \$ \_\_\_\_\_**

**BID FORM**

**W.E. Caffee**  
**Assistant Purchasing Agent**  
**Birmingham, Alabama**

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the above specifications REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization/approval could result in a loss of payment for work performed outside the bid specifications.

Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.

Submitted below is my firm bid for the rehabilitation of a residence, located at

312 4<sup>th</sup> Ct W and in accordance with your invitation to bid dated

\_\_\_\_\_.

I the undersigned contractor, having inspected the property and familiarized myself with the requirements of the work write-up, specifications and plans, do understand the extent and character of the work to be done at:

**312 4<sup>th</sup> Ct W**

do propose to furnish all labor, material and equipment necessary to accomplish all of the work called for that is required by the work write-up, specifications and drawings (if any) for the rehabilitation of the property, for the sum of:

\_\_\_\_\_ Dollars (\$\_\_\_\_\_)

I will complete the work within \_\_\_\_\_ calendar days after receipt of purchase order and notice to proceed.

**SPECIFICATIONS FOR RESIDENTIAL  
REHABILITATION PROJECT(S)  
Work Write Up**

Property Owner: Clara Dansby  
Address: 2600 Slayton Ave SW  
City and State: Birmingham, AL. 35211  
Phone: (205)249-0241 400-0582  
Case No: FY15-137  
Inspector RC

**Heating and Air Conditioning**

- \_\_\_\_\_ Remove existing HVAC unit.
- \_\_\_\_\_ Install a new heating and air conditioning system. (Goodman, Nutone, or equivalent) gas split system.
- \_\_\_ The new unit shall be sufficient to properly heat and cool the entire house.
- \_\_\_ It shall be the contractors responsibility to ensure that the new unit is properly sized.
- \_\_\_\_\_ New unit shall be high efficiency. Minimum of 14 seer.
- \_\_\_\_\_ Modify existing duct work to ensure proper operation of new unit.
- \_\_\_\_\_ Repair any damaged duct work.
- \_\_\_\_\_ Add any duct work necessary to ensure proper heating and cooling in all areas of house.
- \_\_\_\_\_ Upon completion of this scope of work all ductwork shall be insulated metal duct. Short runs of flexible duct may be used for connecting to supply registers and boots.
- \_\_\_\_\_ Ensure that all ductwork is well supported and properly strapped in place.
- \_\_\_\_\_ Ensure that return grille is working properly and of adequate size.
- \_\_\_\_\_ Replace all supply registers and return grill.
- \_\_\_\_\_ Clean any existing ductwork that will be re-used.
- \_\_\_\_\_ Homeowner shall be-supplied with 12 additional filters and-informed on the Changing of filters and the frequency that they should be changed.
- \_\_\_\_\_ Install a new properly matched thermostat from a recognizable manufacturer.
- \_\_\_\_\_ A properly sized manufactured condensing unit pad must be used.
- \_\_\_\_\_ Existing pad may be re-used if it is not damaged and of adequate size.
- \_\_\_ Pad must be level.
- \_\_\_ Contractor must educate Homeowner on proper operation and maintenance of new unit.
- \_\_\_ Manufacturers consumer literature on the unit must be left with the Homeowner along with warranty information on the unit.

\_\_\_\_\_ The contractor shall include all items necessary to ensure the proper operation of this unit.  
This includes all connections to the gas service, the electrical disconnect, and electrical service to the unit.

**Heating and Air Conditioning Total \$ \_\_\_\_\_**

**Electrical**

- \_\_\_\_\_ **Perform all electrical work per the local code and pay for all permits and fees.**
- \_\_\_\_\_ Replace all switches, plugs, and plates with new ones.
- \_\_\_\_\_ Check all existing wiring, repair as needed, tighten connections and fixtures that are loose and replace those that are faulty.
- \_\_\_\_\_ Install a hard-wired carbon monoxide detector in a central location.  
( A plug in detector that can be removed or unplugged is not acceptable.)
- \_\_\_\_\_ Install AC/DC tandem wired smoke detectors in a central location, one (1) in each sleeping room, on each additional story of the dwelling, including basements, but not including crawl spaces and uninhabitable attics.
- \_\_\_\_\_ Repair all collateral damage caused by this modification to finish quality.

**Electrical Total \$ \_\_\_\_\_**

**GRAND TOTAL \$ \_\_\_\_\_**

**BID FORM**

**W.E. Caffee  
Assistant Purchasing Agent  
Birmingham, Alabama**

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the above specifications REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization/approval could result in a loss of payment for work performed outside the bid specifications.

Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.

Submitted below is my firm bid for the rehabilitation of a residence, located at  
**2600 Slayton Ave SW** and in accordance with your invitation to bid dated

\_\_\_\_\_.

I the undersigned contractor, having inspected the property and familiarized myself with the requirements of the work write-up, specifications and plans, do understand the extent and character of the work to be done at:

**2600 Slayton Ave SW**

do propose to furnish all labor, material and equipment necessary to accomplish all of the work called for that is required by the work write-up, specifications and drawings (if any) for the rehabilitation of the property, for the sum of:

\_\_\_\_\_ Dollars (\$\_\_\_\_\_)

I will complete the work within \_\_\_\_\_ calendar days after receipt of purchase order and notice to proceed.

**SPECIFICATIONS FOR RESIDENTIAL  
REHABILITATION PROJECT(S)  
Work Write Up**

Property Owner: Lillie Mae Breeding  
Address: 4644 Ave U  
City and State: Birmingham, AL. 35208  
Phone: (205)923-7596 746-7946  
Case No: FY15-138  
Inspector RC

**Plumbing Repair**

- \_\_\_\_\_ **Contractor is to perform all plumbing work per local code, Pay for all permits and impact fees. All materials used shall be (PEX) or non ferrous metals and insulated properly. No plastics or CPVC accepted.**
- \_\_\_\_\_ Replace all the supply lines in the house from where water meter to all fixtures. (This includes water heater.)
- \_\_\_\_\_ Install a new pressure regulator.
- \_\_\_\_\_ All new supply lines shall be PEX or non-ferrous metals.
- \_\_\_\_\_ Remove all old service lines.
- \_\_\_\_\_ Repair drain on kitchen sink. (leaking)

**Plumbing Repair Total \$ \_\_\_\_\_**

**Electrical**

- \_\_\_\_\_ **Perform all electrical work per the local code and pay for all permits and fees.**
- \_\_\_\_\_ Install a new 200-amp OUTSIDE service. This includes the rigid service mast, entrance head, and breaker-box with breakers. All are to be new, unused material. (house has a breaker panel inside may need sub feed cable)
- \_\_\_\_\_ Check all existing wiring, repair as needed, tighten connections and fixtures that are loose and replace those that are faulty.
- \_\_\_\_\_ Install a hard-wired carbon monoxide detector in a central location.  
( A plug in detector that can be removed or unplugged is not acceptable.)
- \_\_\_\_\_ Install AC/DC tandem wired smoke detectors in a central location, one (1) in each sleeping room, on each additional story of the dwelling, including basements, but not including crawl spaces and uninhabitable attics.
- \_\_\_\_\_ Repair all collateral damage caused by this modification to finish quality.

**Electrical Total \$ \_\_\_\_\_**

**GRAND TOTAL \$ \_\_\_\_\_**

**BID FORM**

**W.E. Caffee**  
**Assistant Purchasing Agent**  
**Birmingham, Alabama**

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the above specifications REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization/approval could result in a loss of payment for work performed outside the bid specifications.

Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.

Submitted below is my firm bid for the rehabilitation of a residence, located at

**4644 Ave U** and in accordance with your invitation to bid dated

\_\_\_\_\_.

I the undersigned contractor, having inspected the property and familiarized myself with the requirements of the work write-up, specifications and plans, do understand the extent and character of the work to be done at:

**4644 Ave U**

do propose to furnish all labor, material and equipment necessary to accomplish all of the work called for that is required by the work write-up, specifications and drawings (if any) for the rehabilitation of the property, for the sum of:

\_\_\_\_\_ Dollars (\$ \_\_\_\_\_)

I will complete the work within \_\_\_\_\_ calendar days after receipt of purchase order and notice to proceed.

**SPECIFICATIONS FOR RESIDENTIAL  
REHABILITATION PROJECT(S)  
Work Write Up**

Property Owner: Callie Clark  
Address: 5523 Ave H  
City and State: Birmingham, AL. 35064  
Phone: (205)923-6706  
Case No: FY15-139  
Inspector RC

**Plumbing Repair**

- \_\_\_\_\_ **Contractor is to perform all plumbing work per local code, Pay for all permits and impact fees. All materials used shall be (PEX) or non ferrous metals and insulated properly. No plastics or CPVC accepted.**
- \_\_\_\_\_ Ensure that all drain lines are leak free and in proper working order. Replace any lines necessary to ensure proper operation and venting.

**Plumbing Repair Total \$ \_\_\_\_\_**

**Kitchen Repair**

- \_\_\_\_\_ Remove existing appliances from the kitchen.
- \_\_\_\_\_ Remove existing floor covering.
- \_\_\_\_\_ Replace all rotten, damaged or otherwise substandard flooring, subflooring, sills, floor framing, and floor supports.
- \_\_\_\_\_ New floor must be level as possible.
- \_\_\_\_\_ Install additional support piers and beams if necessary to stabilize and level floor system.  
Piers must be on a masonry footing and of concrete masonry units or 4” steel column. All wooden components used in conjunction with the support piers and beams must be pressure treated lumber.
- \_\_\_\_\_ Cover floor with appropriate underlayment and adhesive per manufacturers specifications.
- \_\_\_\_\_ Install new sheet vinyl floor covering. The installed vinyl shall be equivalent to Mannington Commercial Resilient and have a minimum of a ten year warranty. No torn or patched vinyl will be accepted. Owners choice of color and pattern.
- \_\_\_\_\_ Install and finish new shoe mold around entire room. Shoe mold must be painted Or stained to match finish.

**Kitchen Repair Total \$ \_\_\_\_\_**

**Electrical**

- \_\_\_\_\_ **Perform all electrical work per the local code and pay for all permits and fees.**
- \_\_\_\_\_ Replace all switches, plugs, and plates with new ones.
- \_\_\_\_\_ Add (2) 2 bulb flood lights 1 on front and 1 on rear on separate switches
- \_\_\_\_\_ Add (10) 120volt plugs (1) in Hall (2) in Master Bedroom (2) in BR #2 (2) in Living room (1) in Dining room (1) in Kitchen (1) on front outside (GFCI)
- \_\_\_\_\_ Install a hard-wired carbon monoxide detector in a central location.  
( A plug in detector that can be removed or unplugged is not acceptable.)
- \_\_\_\_\_ Install AC/DC tandem wired smoke detectors in a central location, one (1) in each sleeping room, on each additional story of the dwelling, including basements, but not including crawl spaces and uninhabitable attics.
- \_\_\_\_\_ Repair all collateral damage caused by this modification to finish quality.

**Electrical Total \$ \_\_\_\_\_**

**GRAND TOTAL \$ \_\_\_\_\_**

**BID FORM**

**W.E. Caffee  
Assistant Purchasing Agent  
Birmingham, Alabama**

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the specifications listed above will REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization it could result in a loss of payment for work performed outside the bid specifications.

Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.

Submitted below is my firm bid for the rehabilitation of a residence, located at

**5523 Ave H** and in accordance with your invitation to bid dated

\_\_\_\_\_.

I the undersigned contractor, having inspected the property and familiarized myself with the requirements of the work write-up, specifications and plans, do understand the extent and character of the work to be done at:

**5523 Ave H**

do propose to furnish all labor, material and equipment necessary to accomplish all of the work called for that is required by the work write-up, specifications and drawings (if any) for the rehabilitation of the property, for the sum of:

\_\_\_\_\_ Dollars (\$\_\_\_\_\_)

I will complete the work within \_\_\_\_\_ calendar days after receipt of purchase order and notice to proceed.

**SPECIFICATIONS FOR RESIDENTIAL  
REHABILITATION PROJECT(S)  
Work Write Up**

Property Owner: Dorothy Bevelle  
Address: 371 3<sup>rd</sup> St Thomas  
City and State: Birmingham, AL 35214  
Phone: (205) 796-4049  
Case No: FY15-144  
Inspector: A.B.

**Heating and Air Conditioning**

- \_\_\_\_\_ Remove existing HVAC gas packaged unit.
- \_\_\_\_\_ Install a new heating and air conditioning system. (Gas), packaged system.
- \_\_\_\_\_ The new unit shall be sufficient to properly heat and cool the entire house.
- \_\_\_\_\_ It shall be the contractors responsibility to ensure that the new unit is properly sized.
- \_\_\_\_\_ New unit shall be high efficiency. Minimum of 14 SEER.
- \_\_\_\_\_ Modify existing duct work to ensure proper operation of new unit.
- \_\_\_\_\_ Repair any damaged duct work.
- \_\_\_\_\_ Add any duct work necessary to ensure proper heating and cooling in all areas of house.
- \_\_\_\_\_ Upon completion of this scope of work all ductwork shall be insulated metal duct. Short runs of flexible duct may be used for connecting to supply registers and boots.
- \_\_\_\_\_ Ensure that all ductwork is well supported and properly strapped in place.
- \_\_\_\_\_ Ensure that return grille is working properly and of adequate size.
- \_\_\_\_\_ Replace all supply registers.
- \_\_\_\_\_ Clean any existing ductwork that will be re-used.
- \_\_\_\_\_ Homeowner shall be-supplied with 12 additional filters and-informed on the changing of filters and the frequency that they should be changed.
- \_\_\_\_\_ Install a new properly matched thermostat from a recognizable manufacturer.
- \_\_\_\_\_ A properly sized manufactured condensing unit pad must be used.
- \_\_\_\_\_ Existing pad may be re-used if it is not damaged and of adequate size.
- \_\_\_\_\_ Pad must be level.
- \_\_\_\_\_ Contractor must educate Homeowner on proper operation and maintenance of new unit.
- \_\_\_\_\_ Manufacturers consumer literature on the unit must be left with the Homeowner Along with warranty information on the unit.

- \_\_\_\_\_ The contractor shall include all items necessary to ensure the proper operation of this unit. This includes all connections to the gas service, the electrical disconnect, and electrical service to the unit.
- \_\_\_\_\_ Repair all collateral damage caused by this modification.

**Heating and Air Conditioning Total \$ \_\_\_\_\_**

**Bathroom and Plumbing Modifications**

**ALL WORK IS TO BE DONE TO ANSI SPECIFICATIONS WHERE ACHIEVABLE**

\_\_\_ **Contractor is to perform all plumbing work per local code, Pay for all permits and impact fees. All materials used shall be (PEX) or non ferrous metals and insulated properly. No plastics or CPVC accepted.**

\_\_\_\_\_ Replace drain laterals from sink, tub, washer, and toilet which lead to main drain lateral.

\_\_\_\_\_ Repair all collateral damage caused by this modification.

\_\_\_\_\_ Repair / replace all water leaks and drains. All fixtures shall be in proper working order and all drains should be free from leaks and draining properly.

**Bathroom and Plumbing Total \$ \_\_\_\_\_**

**GRAND TOTAL \$ \_\_\_\_\_**

BID FORM

W.E. Caffee  
Assistant Purchasing Agent  
Birmingham, Alabama

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the specifications listed above will REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization it could result in a loss of payment for work performed outside the bid specifications.

Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.

Submitted below is my firm bid for the rehabilitation of a residence, located at

**371 3<sup>rd</sup> St Thomas** and in accordance with your invitation to bid dated

\_\_\_\_\_.

I the undersigned contractor, having inspected the property and familiarized myself with the requirements of the work write-up, specifications and plans, do understand the extent and character of the work to be done at:

**371 3<sup>rd</sup> St Thomas**

do propose to furnish all labor, material and equipment necessary to accomplish all of the work called for that is required by the work write-up, specifications and drawings (if any) for the rehabilitation of the property, for the sum of:

\_\_\_\_\_ Dollars (\$ \_\_\_\_\_)

I will complete the work within \_\_\_\_\_ calendar days after receipt of purchase order and notice to proceed.

**SPECIFICATIONS FOR RESIDENTIAL  
REHABILITATION PROJECT(S)  
Work Write Up**

Property Owner: Rosa House  
Address: 516 5<sup>th</sup> St Thomas  
City and State: Birmingham, AL 35214  
Phone: (205) 324-9151/223-8229  
Case No: FY15-145  
Inspector: A.B.

**Bathroom and Plumbing Modifications**

**ALL WORK IS TO BE DONE TO ANSI SPECIFICATIONS WHERE  
ACHIEVABLE**

**\_\_\_ Contractor is to perform all plumbing work per local code, Pay for all permits and impact fees. All materials used shall be (PEX) or non ferrous metals and insulated properly. No plastics or CPVC accepted.**

- \_\_\_ Remove tub and floor from bathroom.
- \_\_\_ Replace all rotten, damaged or otherwise substandard flooring, subflooring, sills, floor framing, and floor supports.
- \_\_\_ New floor must be level.
- \_\_\_ Cover bathroom floor with appropriate underlayment and adhesive per Manufacturers specifications.
- \_\_\_ Install new sheet vinyl floor covering. **The installed vinyl shall be equivalent to Mannington Commercial Resilient and have a minimum of a ten year warranty.** No torn or patched vinyl will be accepted. Owners choice of color and pattern.
- \_\_\_ Install walk-in shower unit equipped with seat and towel bar. ( Owner's choice of Door inclusion or wall mounted shower rod w/curtain.)
- \_\_\_ Install grab bars for tub access. (Minimum of two)
- \_\_\_ Install ADA approved slide bar shower massage unit.
- \_\_\_ Install a good quality, chrome plated brass, lever style anti-scald shower valve and Tub filler. (Moen, Delta, or equivalent)
- \_\_\_ Bath shall have a vanity light, ceiling mounted light with fan (sealed globe), and GFI receptacle. Ceiling light and vanity light shall be switched separately.
- \_\_\_ Repair all collateral damage caused by this modification.
- \_\_\_ Repair / replace all water leaks and drains. All fixtures shall be in proper working order and all drains should be free from leaks and draining properly.

**Bathroom and Plumbing Total    \$ \_\_\_\_\_**

**Electrical**

**\_\_\_ Perform all electrical work per the local code and pay for all permits and fees.**

- \_\_\_ Install a new 200-amp service. This includes the rigid service mast, entrance head, and breaker-box with breakers. All are to be new, unused material.
- \_\_\_ Electrical panel is to be located inside of house.
- \_\_\_ Rewire house as needed for code and safety requirements.
- \_\_\_ Replace all faulty switches, plugs, and plates with new ones.
- \_\_\_ All connections are to be in electrical boxes.
- \_\_\_ All exposed wires shall be in conduit.
- \_\_\_ Replacement fixtures shall be 14" dome 2 bulb fixture minimum.
- \_\_\_ Check all existing wiring, repair as needed, tighten connections and fixtures that are loose and replace those that are faulty.
- \_\_\_ All new receptacles must be grounded.
- \_\_\_ Install GFIs in kitchen and bathroom.
- \_\_\_ Each room shall have a minimum of four receptacles except bathroom.
- \_\_\_ Install a hard-wired carbon monoxide detector in a central location.  
( A plug in detector that can be removed or unplugged is not acceptable.)
- \_\_\_ Install AC/DC tandem wired smoke detectors in a central location, one (1) in each sleeping room, on each additional story of the dwelling, including basements, but not including crawl spaces and uninhabitable attics.
- \_\_\_ Install a GFI receptacle at front and rear entrance of house.
- \_\_\_ Repair all collateral damage caused by this modification to finish quality.

**Electrical Total \$ \_\_\_\_\_**

**GRAND TOTAL \$ \_\_\_\_\_**

**BID FORM**

**W.E. Caffee  
Assistant Purchasing Agent  
Birmingham, Alabama**

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the specifications listed above will REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization it could result in a loss of payment for work performed outside the bid specifications.

Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.

Submitted below is my firm bid for the rehabilitation of a residence, located at

**516 5<sup>th</sup> St Thomas** and in accordance with your invitation to bid dated

\_\_\_\_\_.

I the undersigned contractor, having inspected the property and familiarized myself with the requirements of the work write-up, specifications and plans, do understand the extent and character of the work to be done at:

**516 5<sup>th</sup> St Thomas**

do propose to furnish all labor, material and equipment necessary to accomplish all of the work called for that is required by the work write-up, specifications and drawings (if any) for the rehabilitation of the property, for the sum of:

\_\_\_\_\_ Dollars (\$ \_\_\_\_\_)

I will complete the work within \_\_\_\_\_ calendar days after receipt of purchase order and notice to proceed.

**SPECIFICATIONS FOR RESIDENTIAL  
REHABILITATION PROJECT(S)  
Work Write Up**

Property Owner: Daisy Bishop  
Address: 601 24<sup>th</sup> Ave W  
City and State: Birmingham, AL. 35204  
Phone: (205)323-2372  
Case No: FY15-146  
Inspector RC

**Kitchen Repair**

- \_\_\_\_\_ Remove existing appliances from the kitchen.
- \_\_\_\_\_ Remove existing floor covering.
- \_\_\_\_\_ Replace all rotten, damaged or otherwise substandard flooring, subflooring, sills, floor framing, and floor supports.
- \_\_\_\_\_ New floor must be level as possible.
- \_\_\_\_\_ Install additional support piers and beams if necessary to stabilize and level floor system.  
Piers must be on a masonry footing and of concrete masonry units or 4" steel column.  
All wooden components used in conjunction with the support piers and beams must be pressure treated lumber.
- \_\_\_\_\_ Cover floor with appropriate underlayment and adhesive per manufacturers specifications.
- \_\_\_\_\_ Install new sheet vinyl floor covering. The installed vinyl shall be equivalent to Mannington Commercial Resilient and have a minimum of a ten year warranty. No torn or patched vinyl will be accepted. Owners choice of color and pattern.
- \_\_\_\_\_ Install and finish new shoe mold around entire room. Shoe mold must be painted Or stained to match finish.

**Kitchen Repair Total \$ \_\_\_\_\_**

**Electrical**

- \_\_\_\_\_ **Perform all electrical work per the local code and pay for all permits and fees.**
- \_\_\_\_\_ Install a new 200-amp service. This includes the rigid service mast, entrance head, and breaker-box with breakers. All are to be new, unused material.
- \_\_\_\_\_ Electrical panel is to be located inside of house.
- \_\_\_\_\_ Add (4) 120volt plugs in these rooms (2) in kitchen (1) in master bedroom (1) in living room.
- \_\_\_\_\_ Repair or replace front porch light..
- \_\_\_\_\_ Add (2) 2bulb flood lights on switch on right side of house.
- \_\_\_\_\_ Install a hard-wired carbon monoxide detector in a central location.  
( A plug in detector that can be removed or unplugged is not acceptable.)

- \_\_\_\_\_ Install AC/DC tandem wired smoke detectors in a central location, one (1) in each Sleeping room, on each additional story of the dwelling, including basements, but not including crawl spaces and uninhabitable attics.
- \_\_\_\_\_ Repair all collateral damage caused by this modification to finish quality.

**Electrical Total \$** \_\_\_\_\_

**GRAND TOTAL \$** \_\_\_\_\_

**BID FORM**

**W.E. Caffee  
Assistant Purchasing Agent  
Birmingham, Alabama**

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the specifications listed above will REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization it could result in a loss of payment for work performed outside the bid specifications.

Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.

Submitted below is my firm bid for the rehabilitation of a residence, located at

**601 24<sup>th</sup> Ave W** and in accordance with your invitation to bid dated

\_\_\_\_\_.

I the undersigned contractor, having inspected the property and familiarized myself with the requirements of the work write-up, specifications and plans, do understand the extent and character of the work to be done at:

**601 24<sup>th</sup> Ave W**

do propose to furnish all labor, material and equipment necessary to accomplish all of the work called for that is required by the work write-up, specifications and drawings (if any) for the rehabilitation of the property, for the sum of:

\_\_\_\_\_ Dollars (\$ \_\_\_\_\_)

I will complete the work within \_\_\_\_\_ calendar days after receipt of purchase order and notice to proceed.

**SPECIFICATIONS FOR RESIDENTIAL  
REHABILITATION PROJECT(S)  
Work Write Up**

Property Owner: Carl Ford  
Address: 474 4<sup>th</sup> St Thomas  
City and State: Birmingham, AL. 35214  
Phone: (205)834-7915  
Case No: FY15-147  
Inspector RC

**Heating and Air Conditioning**

- \_\_\_\_\_ Remove existing HVAC unit.
- \_\_\_\_\_ Install a new heating and air conditioning system. (Goodman, Nutone, or equivalent) electric heat pump system with cage..
- \_\_\_ The new unit shall be sufficient to properly heat and cool the entire house.
- \_\_\_ It shall be the contractors responsibility to ensure that the new unit is properly sized.
- \_\_\_\_\_ New unit shall be high efficiency. Minimum of 14 seer.
- \_\_\_\_\_ Modify existing duct work to ensure proper operation of new unit.
- \_\_\_\_\_ Repair any damaged duct work.
- \_\_\_\_\_ Add any duct work necessary to ensure proper heating and cooling in all areas of house.
- \_\_\_\_\_ Upon completion of this scope of work all ductwork shall be insulated metal duct. Short runs of flexible duct may be used for connecting to supply registers and boots.
- \_\_\_\_\_ Ensure that all ductwork is well supported and properly strapped in place.
- \_\_\_\_\_ Ensure that return grille is working properly and of adequate size.
- \_\_\_\_\_ Replace all supply registers and return grill.
- \_\_\_\_\_ Clean any existing ductwork that will be re-used.
- \_\_\_\_\_ Homeowner shall be-supplied with 12 additional filters and-informed on the Changing of filters and the frequency that they should be changed.
- \_\_\_\_\_ Install a new properly matched thermostat from a recognizable manufacturer.
- \_\_\_\_\_ A properly sized manufactured condensing unit pad must be used.
- \_\_\_\_\_ Existing pad may be re-used if it is not damaged and of adequate size.
- \_\_\_ Pad must be level.
- \_\_\_ Contractor must educate Homeowner on proper operation and maintenance of new unit.
- \_\_\_ Manufacturers consumer literature on the unit must be left with the Homeowner along with warranty information on the unit.

\_\_\_\_\_ The contractor shall include all items necessary to ensure the proper operation of this unit.  
This includes all connections to the gas service, the electrical disconnect, and electrical service to the unit.

**Heating and Air Conditioning Total\_ \$ \_\_\_\_\_**

**Electrical**

- \_\_\_\_\_ **Perform all electrical work per the local code and pay for all permits and fees.**
- \_\_\_\_\_ Install a new bathroom vanity light with switch.
- \_\_\_\_\_ Install a new hall light with switch.
- \_\_\_\_\_ Install a hard-wired carbon monoxide detector in a central location.  
( A plug in detector that can be removed or unplugged is not acceptable.)
- \_\_\_\_\_ Install AC/DC tandem wired smoke detectors in a central location, one (1) in each Sleeping room, on each additional story of the dwelling, including basements, but not including crawl spaces and uninhabitable attics.
- \_\_\_\_\_ Repair all collateral damage caused by this modification to finish quality.

**Electrical Total \$ \_\_\_\_\_**

**GRAND TOTAL \$ \_\_\_\_\_**

**BID FORM**

**W.E. Caffee  
Assistant Purchasing Agent  
Birmingham, Alabama**

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the specifications listed above will REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization it could result in a loss of payment for work performed outside the bid specifications.

Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.

Submitted below is my firm bid for the rehabilitation of a residence, located at

**474 4<sup>th</sup> St Thomas** and in accordance with your invitation to bid dated

\_\_\_\_\_.

I the undersigned contractor, having inspected the property and familiarized myself with the requirements of the work write-up, specifications and plans, do understand the extent and character of the work to be done at:

**474 4<sup>th</sup> St Thomas**

do propose to furnish all labor, material and equipment necessary to accomplish all of the work called for that is required by the work write-up, specifications and drawings (if any) for the rehabilitation of the property, for the sum of:

\_\_\_\_\_ Dollars (\$ \_\_\_\_\_)

I will complete the work within \_\_\_\_\_ calendar days after receipt of purchase order and notice to proceed.

**SPECIFICATIONS FOR RESIDENTIAL  
REHABILITATION PROJECT(S)  
Work Write Up**

Property Owner: Addiestine Hogan  
Address: 3126 Norwood Blvd  
City and State: Birmingham, AL. 35234  
Phone: (205)213-0039  
Case No: FY15-148  
Inspector: RC

**Plumbing Repair**

- \_\_\_\_\_ Contractor is to perform all plumbing work per local code, Pay for all permits and impact fees. All materials used shall be (PEX) or non ferrous metals and insulated properly. No plastics or CPVC accepted.
- \_\_\_\_\_ Replace washing machine drain to main drain.

**Plumbing Repair Total \$ \_\_\_\_\_**

**Bathroom and Plumbing Modifications**

**ALL WORK IS TO BE DONE TO ANSI SPECIFICATIONS WHERE ACHIEVABLE**

- \_\_\_\_\_ Contractor is to perform all plumbing work per local code, Pay for all permits and impact fees. All materials used shall be (PEX) or non ferrous metals and insulated properly. No plastics or CPVC accepted.
- \_\_\_\_\_ Repair shower pan in upstairs bath (leaking) (CERAMIC TILE)
- \_\_\_\_\_ Replace tub surround in down stairs bath.
- \_\_\_\_\_ Install a semi-rigid fiberglass composite tub surround wall kit IN DOWN STAIRS BATH. Surround shall be installed according to manufacturers specifications and shall include all caulking and trim to provide a quality finished product.
- \_\_\_\_\_ Surround shall not have any molded features that would interfere with the proper installation and location of grab bars.
- \_\_\_\_\_ Install grab bars for tub access. ( minimum of two)
- \_\_\_\_\_ Repair all collateral damage caused by this modification.

**Bathroom and Plumbing Total \$ \_\_\_\_\_**

**Electrical**

- \_\_\_\_\_ **Perform all electrical work per the local code and pay for all permits and fees.**
- \_\_\_\_\_ Install a new 200-amp (outside service only) house has a new inside breaker box( MAY NEED 4WIRE SUB FEED CABLE). This includes the rigid service mast, entrance head, and breaker-box with breakers. All are to be new, unused material.
- \_\_\_\_\_ Check all existing wiring, repair as needed, tighten connections and fixtures that are loose and replace those that are faulty.
- \_\_\_\_\_ Install a hard-wired carbon monoxide detector in a central location.  
( A plug in detector that can be removed or unplugged is not acceptable.)
- \_\_\_\_\_ Install AC/DC tandem wired smoke detectors in a central location, one (1) in each sleeping room, on each additional story of the dwelling, including basements, but not including crawl spaces and uninhabitable attics.(COULD NOT FIND ATTIC ACCESS MAY HAVE TO USE WIRE MOLD)
- \_\_\_\_\_ Repair all collateral damage caused by this modification to finish quality.

**Electrical Total \$ \_\_\_\_\_**

**GRAND TOTAL \$ \_\_\_\_\_**

BID FORM

W.E. Caffee  
Assistant Purchasing Agent  
Birmingham, Alabama

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the specifications listed above will REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization it could result in a loss of payment for work performed outside the bid specifications.

Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.

Submitted below is my firm bid for the rehabilitation of a residence, located at

**3126 Norwood Blvd** and in accordance with your invitation to bid dated

\_\_\_\_\_.

I the undersigned contractor, having inspected the property and familiarized myself with the requirements of the work write-up, specifications and plans, do understand the extent and character of the work to be done at:

**3126 Norwood Blvd**

do propose to furnish all labor, material and equipment necessary to accomplish all of the work called for that is required by the work write-up, specifications and drawings (if any) for the rehabilitation of the property, for the sum of:

\_\_\_\_\_ Dollars (\$\_\_\_\_\_)

I will complete the work within \_\_\_\_\_ calendar days after receipt of purchase order and notice to proceed.

**SPECIFICATIONS FOR RESIDENTIAL  
REHABILITATION PROJECT(S)  
Work Write Up**

Property Owner: Toni Murray  
Address: 504 5<sup>th</sup> St Thomas  
City and State: Birmingham, AL. 35214  
Phone: (205) 475-1917  
Case No: FY15-149  
Inspector RC

**Heating and Air Conditioning**

- \_\_\_\_\_ Install a new air conditioning system. (Goodman, Nutone, or equivalent) TO NEW EXISTING FURNACE
  - \_\_\_ The new unit shall be sufficient to properly cool the entire house.
  - \_\_\_ It shall be the contractors responsibility to ensure that the new unit is properly sized.
  - \_\_\_\_\_ New unit shall be high efficiency. Minimum of 14 seer.
  - \_\_\_\_\_ Modify existing duct work to ensure proper operation of new unit.
  - \_\_\_\_\_ Repair any damaged duct work.
  - \_\_\_\_\_ Add any duct work necessary to ensure proper heating and cooling in all areas of house.
  - \_\_\_\_\_ Upon completion of this scope of work all ductwork shall be insulated metal duct. Short runs of flexible duct may be used for connecting to supply registers and boots.
  - \_\_\_\_\_ Ensure that all ductwork is well supported and properly strapped in place.
  - \_\_\_\_\_ Ensure that return grille is working properly and of adequate size.
  - \_\_\_\_\_ Clean any existing ductwork that will be re-used.
  - \_\_\_\_\_ Homeowner shall be-supplied with 12 additional filters and-informed on the Changing of filters and the frequency that they should be changed.
  - \_\_\_\_\_ Install a new properly matched thermostat from a recognizable manufacturer.
  - \_\_\_\_\_ A properly sized manufactured condensing unit pad must be used.
  - \_\_\_ Pad must be level.
  - \_\_\_ Contractor must educate Homeowner on proper operation and maintenance of new unit.
  - \_\_\_ Manufacturers consumer literature on the unit must be left with the Homeowner along with warranty information on the unit.
  - \_\_\_\_\_ The contractor shall include all items necessary to ensure the proper operation of this unit.
- This includes all connections to the gas service, the electrical disconnect, and electrical service to the unit.

**Heating and Air Conditioning Total\_ \$ \_\_\_\_\_**

**Electrical**

- \_\_\_\_\_ **Perform all electrical work per the local code and pay for all permits and fees.**
- \_\_\_\_\_ Install a new 200-amp service. This includes the rigid service mast, entrance head, and breaker-box with breakers. All are to be new, unused material.
- \_\_\_\_\_ Electrical panel is to be located inside of house.
- \_\_\_\_\_ Install a hard-wired carbon monoxide detector in a central location.  
( A plug in detector that can be removed or unplugged is not acceptable.)
- \_\_\_\_\_ Install AC/DC tandem wired smoke detectors in a central location, one (1) in each Sleeping room, on each additional story of the dwelling, including basements, but not including crawl spaces and uninhabitable attics.
- \_\_\_\_\_ Repair all collateral damage caused by this modification to finish quality.

**Electrical Total \$** \_\_\_\_\_

**GRAND TOTAL \$** \_\_\_\_\_

**BID FORM**

**W.E. Caffee  
Assistant Purchasing Agent  
Birmingham, Alabama**

*All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©*

*Any and all additions or alterations to the above specifications REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization/approval could result in a loss of payment for work performed outside the bid specifications.*

*Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.*

Submitted below is my firm bid for the rehabilitation of a residence, located at

**504 5<sup>th</sup> St Thomas** and in accordance with your invitation to bid dated

\_\_\_\_\_.

I the undersigned contractor, having inspected the property and familiarized myself with the requirements of the work write-up, specifications and plans, do understand the extent and character of the work to be done at:

**504 5<sup>th</sup> St Thomas**

do propose to furnish all labor, material and equipment necessary to accomplish all of the work called for that is required by the work write-up, specifications and drawings (if any) for the rehabilitation of the property, for the sum of:

\_\_\_\_\_ Dollars (\$\_\_\_\_\_)

I will complete the work within \_\_\_\_\_ calendar days after receipt of purchase order and notice to proceed.

**SPECIFICATIONS FOR RESIDENTIAL  
REHABILITATION PROJECT(S)  
Work Write Up**

Property Owner: Linda Ellington  
Address: 1532 2<sup>nd</sup> Ave W  
City and State: Birmingham, AL. 35208  
Phone: (205)602-0161  
Case No: FY15-151  
Inspector RC

**Heating and Air Conditioning**

- \_\_\_\_\_ Remove existing FURNACE. (has no air)
- \_\_\_\_\_ Install a new heating and air conditioning system. (Goodman, Nutone, or equivalent) electric heat pump.(no cage)
- \_\_\_ The new unit shall be sufficient to properly heat and cool the entire house.
- \_\_\_ It shall be the contractors responsibility to ensure that the new unit is properly sized.
- \_\_\_\_\_ New unit shall be high efficiency. Minimum of 14 seer.
- \_\_\_\_\_ Modify existing duct work to ensure proper operation of new unit.
- \_\_\_\_\_ Repair any damaged duct work.
- \_\_\_\_\_ Add any duct work necessary to ensure proper heating and cooling in all areas of house.
- \_\_\_\_\_ Upon completion of this scope of work all ductwork shall be insulated metal duct. Short runs of flexible duct may be used for connecting to supply registers and boots.
- \_\_\_\_\_ Ensure that all ductwork is well supported and properly strapped in place.
- \_\_\_\_\_ Ensure that return grille is working properly and of adequate size.
- \_\_\_\_\_ Replace all supply registers and return grill.
- \_\_\_\_\_ Clean any existing ductwork that will be re-used.
- \_\_\_\_\_ Homeowner shall be-supplied with 12 additional filters and-informed on the Changing of filters and the frequency that they should be changed.
- \_\_\_\_\_ Install a new properly matched thermostat from a recognizable manufacturer.
- \_\_\_\_\_ A properly sized manufactured condensing unit pad must be used.
- \_\_\_ Contractor must educate Homeowner on proper operation and maintenance of new unit.
- \_\_\_ Manufacturers consumer literature on the unit must be left with the Homeowner along with warranty information on the unit.
- \_\_\_\_\_ The contractor shall include all items necessary to ensure the proper operation of this unit.  
This includes all connections to the electrical disconnect, and electrical service to the unit.

**Heating and Air Conditioning Total \$ \_\_\_\_\_**

**Electrical**

- \_\_\_\_\_ **Perform all electrical work per the local code and pay for all permits and fees.**
- \_\_\_\_\_ Install a new 200-amp outside (only) service.(has inside breaker box may need 4wire sub feed cable) This includes the rigid service mast, entrance head, and breaker-box with breakers. All are to be new, unused material.
- \_\_\_\_\_ Install AC/DC tandem wired smoke detectors in a central location, one (1) in each sleeping room, on each additional story of the dwelling, including basements, but not including crawl spaces and uninhabitable attics.
- \_\_\_\_\_ Repair all collateral damage caused by this modification to finish quality.

**Electrical Total \$ \_\_\_\_\_**

**GRAND TOTAL \$ \_\_\_\_\_**

**BID FORM**

**W.E. Caffee  
Assistant Purchasing Agent  
Birmingham, Alabama**

*All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©*

*Any and all additions or alterations to the specifications listed above will REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization it could result in a loss of payment for work performed outside the bid specifications.*

*Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.*

Submitted below is my firm bid for the rehabilitation of a residence, located at  
**1532 2<sup>nd</sup> Ave W** and in accordance with your invitation to bid dated

\_\_\_\_\_.

I the undersigned contractor, having inspected the property and familiarized myself with the requirements of the work write-up, specifications and plans, do understand the extent and character of the work to be done at:

**1532 2<sup>nd</sup> Ave W**

do propose to furnish all labor, material and equipment necessary to accomplish all of the work called for that is required by the work write-up, specifications and drawings (if any) for the rehabilitation of the property, for the sum of:

\_\_\_\_\_ Dollars (\$\_\_\_\_\_)

I will complete the work within \_\_\_\_\_ calendar days after receipt of purchase order and notice to proceed.

**SPECIFICATIONS FOR RESIDENTIAL  
REHABILITATION PROJECT(S)  
Work Write Up**

Property Owner: Gwendolyn Williams  
Address: 1609 5<sup>th</sup> Ave W  
City and State: Birmingham, AL. 35208  
Phone: (205)788-9468 602-4018  
Case No: FY15-153  
Inspector RC

**Roof**

**All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code © Section 1501 for roof materials, application, installation, etc. and Section 309 for roof and ceiling framing, and all other codes that govern. A building permit is required if there is any wood to be replaced.**

- \_\_\_\_\_ Areas that are found to be spaced decked shall be covered with ½” exterior grade sheathing material after removing the existing decking. It is the contractors responsibility to ensure the framing and structure will support the additional load.
- \_\_\_\_\_ Remove existing roofing materials down to bare decking.
- \_\_\_\_\_ Check all roof trusses/rafters and repair/replace to ensure that new roof structure is flat and smooth without rises or depressions in roof system.
- \_\_\_\_\_ Replace all rotten, broken, un-even, weak, or deteriorated decking and framing.
- \_\_\_\_\_ Replaced/repared decking shall be level and ready to accept felt and shingles.
- \_\_\_\_\_ Check all roof trusses for strength and stability before re-shingling house.
- \_\_\_\_\_ Remove all unused elements, vents, etc., that are not operational and close them below roof level.
- \_\_\_\_\_ Re-flash all valleys, vents, roof openings, and chimneys.
- \_\_\_\_\_ Install new boots around all roof penetrations.
- \_\_\_\_\_ Haul away debris immediately.
- \_\_\_\_\_ Use a magnetic sweep around the perimeter of house and rake away any other debris.
- \_\_\_\_\_ Cover with 30# asphalt impregnated felt.
- \_\_\_\_\_ Prepare roof decking to accept a ridge vent.
- \_\_\_\_\_ Re-roof with a 30 year dimensional class A fiberglass asphalt shingle. (Owners choice of color)
- \_\_\_\_\_ Shingles must be 1<sup>st</sup> quality still in the wrapper. Seconds will not be accepted.
- \_\_\_\_\_ Install drip rail around perimeter of house. Shingles shall have ½” to 1 ½” overhang.
- \_\_\_\_\_ Install ridge vent or wind turbines, (minimum of two) as appropriate.
- \_\_\_\_\_ New roof shall be structurally sound and leak free.
- \_\_\_\_\_ Contractor shall warrant the roof to be completely leak free for one year.

Roof Total \$ \_\_\_\_\_

**GRAND TOTAL \$ \_\_\_\_\_**

**BID FORM**

**W.E. Caffee**  
**Assistant Purchasing Agent**  
**Birmingham, Alabama**

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the specifications listed above will REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization it could result in a loss of payment for work performed outside the bid specifications.

Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.

Submitted below is my firm bid for the rehabilitation of a residence, located at

**1609 5<sup>th</sup> Ave W** and in accordance with your invitation to bid dated

\_\_\_\_\_.

I the undersigned contractor, having inspected the property and familiarized myself with the requirements of the work write-up, specifications and plans, do understand the extent and character of the work to be done at:

**1609 5<sup>th</sup> Ave W**

do propose to furnish all labor, material and equipment necessary to accomplish all of the work called for that is required by the work write-up, specifications and drawings (if any) for the rehabilitation of the property, for the sum of:

\_\_\_\_\_ Dollars (\$\_\_\_\_\_)

I will complete the work within \_\_\_\_\_ calendar days after receipt of purchase order and notice to proceed.

**SPECIFICATIONS FOR RESIDENTIAL  
REHABILITATION PROJECT(S)  
Work Write Up**

Property Owner: Earl Fennoy  
Address: 908 Center St No  
City and State: Birmingham, AL 35204  
Phone: (205) 207-6610  
Case No: FY15-154  
Inspector: A.B.

**Heating and Air Conditioning**

- \_\_\_\_\_ Remove existing HVAC unit.
- \_\_\_\_\_ Install a new heating and air conditioning system. Gas, split system.
- \_\_\_\_\_ The new unit shall be sufficient to properly heat and cool the entire house.
- \_\_\_\_\_ It shall be the contractors responsibility to ensure that the new unit is properly sized.
- \_\_\_\_\_ New unit shall be high efficiency. Minimum of 14 SEER.
- \_\_\_\_\_ Modify existing duct work to ensure proper operation of new unit.
- \_\_\_\_\_ Repair any damaged duct work.
- \_\_\_\_\_ Add any duct work necessary to ensure proper heating and cooling in all areas of house.
- \_\_\_\_\_ Upon completion of this scope of work all ductwork shall be insulated metal duct. Short runs of flexible duct may be used for connecting to supply registers and boots.
- \_\_\_\_\_ Ensure that all ductwork is well supported and properly strapped in place.
- \_\_\_\_\_ Ensure that return grille is working properly and of adequate size.
- \_\_\_\_\_ Replace all supply registers.
- \_\_\_\_\_ Clean any existing ductwork that will be re-used.
- \_\_\_\_\_ Homeowner shall be-supplied with 12 additional filters and-informed on the Changing of filters and the frequency that they should be changed.
- \_\_\_\_\_ Install a new properly matched thermostat from a recognizable manufacturer.
- \_\_\_\_\_ A properly sized manufactured condensing unit pad must be used.
- \_\_\_\_\_ Existing pad may be re-used if it is not damaged and of adequate size.
- \_\_\_\_\_ Pad must be level.
- \_\_\_\_\_ Contractor must educate Homeowner on proper operation and maintenance of new unit.

- \_\_\_\_\_ Manufacturers consumer literature on the unit must be left with the Homeowner  
Along with warranty information on the unit.
- \_\_\_\_\_ The contractor shall include all items necessary to ensure the proper operation of  
this unit. This includes all connections to the gas service, the electrical disconnect,  
and electrical service to the unit.
- \_\_\_\_\_ Repair all collateral damage caused by this modification.

**Heating and Air Conditioning Total \$ \_\_\_\_\_**

**Electrical**

- \_\_\_ **Perform all electrical work per the local code and pay for all permits and fees.**
- \_\_\_\_\_ Install a new 200-amp service. This includes the rigid service mast, entrance head,  
and breaker-box with breakers. All are to be new, unused material.
- \_\_\_\_\_ Electrical panel is to be located inside of house.
- \_\_\_\_\_ Replace all faulty switches, plugs, and plates with new ones.
- \_\_\_\_\_ All connections are to be in electrical boxes.
- \_\_\_\_\_ All exposed wires shall be in conduit.
- \_\_\_\_\_ Install a hard-wired carbon monoxide detector in a central location.  
( A plug in detector that can be removed or unplugged is not acceptable.)
- \_\_\_\_\_ Install AC/DC tandem wired smoke detectors in a central location, one (1) in each  
sleeping room, on each additional story of the dwelling, including basements, but  
not including crawl spaces and uninhabitable attics.
- \_\_\_ Repair all collateral damage caused by this modification to finish quality.

**Electrical Total \$ \_\_\_\_\_**

**GRAND TOTAL \$ \_\_\_\_\_**

**BID FORM**

**W.E. Caffee  
Assistant Purchasing Agent  
Birmingham, Alabama**

*All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©*

*Any and all additions or alterations to the specifications listed above will REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization it could result in a loss of payment for work performed outside the bid specifications.*

*Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.*

Submitted below is my firm bid for the rehabilitation of a residence, located at  
**908 Center St No** and in accordance with your invitation to bid dated

\_\_\_\_\_.

I the undersigned contractor, having inspected the property and familiarized myself with the requirements of the work write-up, specifications and plans, do understand the extent and character of the work to be done at:

**908 Center St No**

do propose to furnish all labor, material and equipment necessary to accomplish all of the work called for that is required by the work write-up, specifications and drawings (if any) for the rehabilitation of the property, for the sum of:

\_\_\_\_\_ Dollars (\$\_\_\_\_\_)

I will complete the work within \_\_\_\_\_ calendar days after receipt of purchase order and notice to proceed.

**SPECIFICATIONS FOR RESIDENTIAL  
REHABILITATION PROJECT(S)  
Work Write Up**

Property Owner: LaVerne Johnson  
Address: 2505 15<sup>th</sup> St W  
City and State: Birmingham, AL. 35208  
Phone: (205)422-3903 480-3381  
Case No: FY15-155  
Inspector RC

**Roof (SMALL)**

**All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code © Section 1501 for roof materials, application, installation, etc. and Section 309 for roof and ceiling framing, and all other codes that govern. A building permit is required if there is any wood to be replaced.**

- \_\_\_\_\_ Areas that are found to be spaced decked shall be covered with ½” exterior grade sheathing material after removing the existing decking. It is the contractors responsibility to ensure the framing and structure will support the additional load.
- \_\_\_\_\_ Remove existing roofing materials down to bare decking.
- \_\_\_\_\_ Check all roof trusses/rafters and repair/replace to ensure that new roof structure is flat and smooth without rises or depressions in roof system.
- \_\_\_\_\_ Replace all rotten, broken, un-even, weak, or deteriorated decking and framing.
- \_\_\_\_\_ Replaced/repared decking shall be level and ready to accept felt and shingles.
- \_\_\_\_\_ Check all roof trusses for strength and stability before re-shingling house.
- \_\_\_\_\_ Remove all unused elements, vents, etc., that are not operational and close them below roof level.
- \_\_\_\_\_ Re-flash all valleys, vents, roof openings, and chimneys.
- \_\_\_\_\_ Install new boots around all roof penetrations.
- \_\_\_\_\_ Haul away debris immediately.
- \_\_\_\_\_ Use a magnetic sweep around the perimeter of house and rake away any other debris.
- \_\_\_\_\_ Cover with 30# asphalt impregnated felt.
- \_\_\_\_\_ Prepare roof decking to accept a ridge vent.
- \_\_\_\_\_ Re-roof with a 30 year dimensional class A fiberglass asphalt shingle. (Owners choice of color)
- \_\_\_\_\_ Shingles must be 1<sup>st</sup> quality still in the wrapper. Seconds will not be accepted.
- \_\_\_\_\_ Install drip rail around perimeter of house. Shingles shall have ½” to 1 ½” overhang.
- \_\_\_\_\_ Install ridge vent or wind turbines, (minimum of two) as appropriate.
- \_\_\_\_\_ New roof shall be structurally sound and leak free.
- \_\_\_\_\_ Contractor shall warrant the roof to be completely leak free for one year.

Roof Total \$ \_\_\_\_\_

**Electrical**

- \_\_\_\_\_ **Perform all electrical work per the local code and pay for all permits and fees.**
- \_\_\_\_\_ Install a new 200-amp service. This includes the rigid service mast, entrance head, and breaker-box with breakers. All are to be new, unused material.
- \_\_\_\_\_ Electrical panel is to be located inside of house.
- \_\_\_\_\_ Check all existing wiring, repair as needed, tighten connections and fixtures that are loose and replace those that are faulty.
- \_\_\_\_\_ Install a hard-wired carbon monoxide detector in a central location.  
( A plug in detector that can be removed or unplugged is not acceptable.)
- \_\_\_\_\_ Install AC/DC tandem wired smoke detectors in a central location, one (1) in each sleeping room, on each additional story of the dwelling, including basements, but not including crawl spaces and uninhabitable attics.
- \_\_\_\_\_ Repair all collateral damage caused by this modification to finish quality.

**Electrical Total \$ \_\_\_\_\_**

**GRAND TOTAL \$ \_\_\_\_\_**

**BID FORM**

**W.E. Caffee**  
**Assistant Purchasing Agent**  
**Birmingham, Alabama**

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the specifications listed above will REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization it could result in a loss of payment for work performed outside the bid specifications.

Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.

Submitted below is my firm bid for the rehabilitation of a residence, located at  
**2505 15<sup>th</sup> St W** and in accordance with your invitation to bid dated

\_\_\_\_\_.

I the undersigned contractor, having inspected the property and familiarized myself with the requirements of the work write-up, specifications and plans, do understand the extent and character of the work to be done at:

**2505 15<sup>th</sup> St W**

do propose to furnish all labor, material and equipment necessary to accomplish all of the work called for that is required by the work write-up, specifications and drawings (if any) for the rehabilitation of the property, for the sum of:

\_\_\_\_\_ Dollars (\$\_\_\_\_\_)

I will complete the work within \_\_\_\_\_ calendar days after receipt of purchase order and notice to proceed.

**SPECIFICATIONS FOR RESIDENTIAL  
REHABILITATION PROJECT(S)  
Work Write Up**

Property Owner: Ebbie Bailey  
Address: 937 6<sup>th</sup> Pl SW  
City and State: Birmingham, AL. 35211  
Phone: (205)705-0674  
Case No: FY15-157  
Inspector: RC

**Plumbing Repair**

\_\_\_\_\_ **Contractor is to perform all plumbing work per local code, Pay for all permits and impact fees. All materials used shall be (PEX) or non ferrous metals and insulated properly. No plastics or CPVC accepted.**

\_\_\_\_\_ Repair leak under kitchen sink.

\_\_\_\_\_ Repair washing machine drain.

**Plumbing Repair Total \$ \_\_\_\_\_**

**Electrical**

\_\_\_\_\_ **Perform all electrical work per the local code and pay for all permits and fees.**

\_\_\_\_\_ Install a new 200-amp service. This includes the rigid service mast, entrance head, and breaker-box with breakers. All are to be new, unused material.

\_\_\_\_\_ Electrical panel is to be located inside of house.

\_\_\_\_\_ Replace all switches, plugs, and plates with new ones.

\_\_\_\_\_ Add (19) 120volt plugs in these rooms (3) in living room (3) in den (1) in bath room (3) in master bedroom (2) in BR#2 (2) in BR#3 (2) in kitchen (1) in hall (2) outside GFCI plugs one on front one on rear

\_\_\_\_\_ Install a hard-wired carbon monoxide detector in a central location.

( A plug in detector that can be removed or unplugged is not acceptable.)

\_\_\_\_\_ Install AC/DC tandem wired smoke detectors in a central location, one (1) in each sleeping room, on each additional story of the dwelling, including basements, but not including crawl spaces and uninhabitable attics.

\_\_\_\_\_ Repair all collateral damage caused by this modification to finish quality.

\_\_\_\_\_ Add one (2) bulb flood light on rear with switch.

\_\_\_\_\_ **Add light on switch in basement.**

**Electrical Total \$ \_\_\_\_\_**

**GRAND TOTAL \$ \_\_\_\_\_**

**BID FORM**

**W.E. Caffee  
Assistant Purchasing Agent  
Birmingham, Alabama**

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the specifications listed above will REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization it could result in a loss of payment for work performed outside the bid specifications.

Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.

Submitted below is my firm bid for the rehabilitation of a residence, located at

937 6<sup>th</sup> PI SW and in accordance with your invitation to bid dated

\_\_\_\_\_.

I the undersigned contractor, having inspected the property and familiarized myself with the requirements of the work write-up, specifications and plans, do understand the extent and character of the work to be done at:

**937 6<sup>th</sup> PI SW**

do propose to furnish all labor, material and equipment necessary to accomplish all of the work called for that is required by the work write-up, specifications and drawings (if any) for the rehabilitation of the property, for the sum of:

\_\_\_\_\_ Dollars (\$ \_\_\_\_\_)

I will complete the work within \_\_\_\_\_ calendar days after receipt of purchase order and notice to proceed.

**SPECIFICATIONS FOR RESIDENTIAL  
REHABILITATION PROJECT(S)  
Work Write Up**

Property Owner: Lois Taylor  
Address: 1147 16<sup>th</sup> Ave West  
City and State: Birmingham, AL 35204  
Phone: (205) 322-5315  
Case No: FY15-158  
Inspector: A.B.

**Roof**

**\_\_ All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code © Section 1501 for roof materials, application, installation, etc. and Section 309 for roof and ceiling framing, and all other codes that govern. Proper permitting shall be obtained for all applicable repairs to roof.**

- \_\_\_\_\_ Areas that are found to be spaced decked shall be covered with ½” exterior grade sheathing material after removing the existing decking. It is the contractors responsibility to ensure the framing and structure will support the additional load.
- \_\_\_\_\_ Remove existing roofing materials down to bare decking.
- \_\_\_\_\_ Check all roof trusses/rafters and repair/replace to ensure that new roof structure is flat and smooth without rises or depressions in roof system.
- \_\_\_\_\_ Replace all rotten, broken, un-even, weak, or deteriorated decking and framing.
- \_\_\_\_\_ Replaced/repared decking shall be level and ready to accept felt and shingles.
- \_\_\_\_\_ Check all roof trusses for strength and stability before re-shingling house.
- \_\_\_\_\_ Remove all unused elements, vents, etc., that are not operational and close them below roof level.
- \_\_\_\_\_ Re-flash all valleys, vents, roof openings, and chimneys.
- \_\_\_\_\_ Install new boots around all roof penetrations.
- \_\_\_\_\_ Haul away debris immediately.
- \_\_\_\_\_ Use a magnetic sweep around the perimeter of house and rake away any other debris.
- \_\_\_\_\_ Cover with 30# asphalt impregnated felt.
- \_\_\_\_\_ Prepare roof decking to accept a ridge vent.
- \_\_\_\_\_ Re-roof with a 30 year, class A fiberglass asphalt shingle. (Owners choice of color)
- \_\_\_\_\_ Shingles must be 1<sup>st</sup> quality still in the wrapper. Seconds will not be accepted.
- \_\_\_\_\_ Install drip rail around perimeter of house. Shingles shall have ½” to 1 ½” overhang.
- \_\_\_\_\_ Install ridge vent or wind turbines, (minimum of two) as appropriate.
- \_\_\_\_\_ New roof shall be structurally sound and leak free.
- \_\_\_\_\_ Contractor shall warrant the roof to be completely leak free for one year.
- \_\_\_\_\_ Repair all collateral damage caused by this modification.

Roof Total \$ \_\_\_\_\_

## Kitchen Repair

- \_\_\_\_\_ Remove existing sink drains and supply lines from the kitchen.
- \_\_\_\_\_ Install new cut-offs, supply lines, and drain lines.
- \_\_\_ Repair all collateral damage caused by this modification.

**Kitchen Repair Total \$ \_\_\_\_\_**

## Bathroom and Plumbing Modifications

**ALL WORK IS TO BE DONE TO ANSI SPECIFICATIONS WHERE ACHIEVABLE**

- \_\_\_ **Contractor is to perform all plumbing work per local code, Pay for all permits And impact fees. All materials used shall be (PEX) or non ferrous metals and insulated properly. No plastics or CPVC accepted.**
- \_\_\_\_\_ Remove floor, sink drains, tub faucet and valves from bathroom.
- \_\_\_\_\_ Replace all rotten, damaged or otherwise substandard flooring, subflooring, sills, floor framing, and floor supports.
- \_\_\_\_\_ New floor must be level.
- \_\_\_\_\_ Cover bathroom floor with appropriate underlayment and adhesive per Manufacturers specifications.
- \_\_\_\_\_ Install new sheet vinyl floor covering. **The installed vinyl shall be equivalent to Mannington Commercial Resilient and have a minimum of a ten year warranty.** No torn or patched vinyl will be accepted. Owners choice of color and pattern.
- \_\_\_\_\_ Install new tub faucet, a good quality, chrome plated brass, lever style anti-scald shower valve and tub filler. (Moen, Delta, or equivalent)
- \_\_\_\_\_ Install new sink cutoffs, supplies and drains.
- \_\_\_\_\_ Repair all collateral damage caused by this modification.  
order and all drains should be free from leaks and draining properly.

**Bathroom and Plumbing Total \$ \_\_\_\_\_**

## Electrical

- \_\_\_ **Perform all electrical work per the local code and pay for all permits and fees.**
- \_\_\_\_\_ Install a new 200-amp service. This includes the rigid service mast, entrance head, and breaker-box with breakers. All are to be new, unused material.
- \_\_\_\_\_ Electrical panel is to be located inside of house.
- \_\_\_\_\_ Replace all faulty switches, plugs, and plates with new ones.
- \_\_\_\_\_ All new receptacles must be grounded.

- \_\_\_\_\_ Install GFIs in kitchen and bathroom.
- \_\_\_\_\_ Each room shall have a minimum of four receptacles except bathroom.
- \_\_\_\_\_ Install a hard-wired carbon monoxide detector in a central location.  
( A plug in detector that can be removed or unplugged is not acceptable.)
- \_\_\_\_\_ Install AC/DC tandem wired smoke detectors in a central location, one (1) in each sleeping room, on each additional story of the dwelling, including basements, but not including crawl spaces and uninhabitable attics.
- \_\_\_ Repair all collateral damage caused by this modification to finish quality.

**Electrical Total \$** \_\_\_\_\_

**GRAND TOTAL \$** \_\_\_\_\_

**BID FORM**

**W.E. Caffee**  
**Assistant Purchasing Agent**  
**Birmingham, Alabama**

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the specifications listed above will REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization it could result in a loss of payment for work performed outside the bid specifications.

Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.

Submitted below is my firm bid for the rehabilitation of a residence, located at

**1147 16<sup>th</sup> Ave West** and in accordance with your invitation to bid dated

\_\_\_\_\_.

I the undersigned contractor, having inspected the property and familiarized myself with the requirements of the work write-up, specifications and plans, do understand the extent and character of the work to be done at:

**1147 16<sup>th</sup> Ave West**

do propose to furnish all labor, material and equipment necessary to accomplish all of the work called for that is required by the work write-up, specifications and drawings (if any) for the rehabilitation of the property, for the sum of:

\_\_\_\_\_ Dollars (\$ \_\_\_\_\_)

I will complete the work within \_\_\_\_\_ calendar days after receipt of purchase order and notice to proceed.

**SPECIFICATIONS FOR RESIDENTIAL  
REHABILITATION PROJECT(S)  
Work Write Up**

Property Owner: Johnnie & Katie Henderson  
Address: 1112 15<sup>th</sup> PL SW  
City and State: Birmingham, AL 35211  
Phone: (205) 925-3558/566-1492  
Case No: FY15-159  
Inspector: A.B.

**Heating and Air Conditioning**

- \_\_\_\_\_ Remove existing HVAC unit.
- \_\_\_\_\_ Install a new heating and air conditioning system. (Gas) split system.
- \_\_\_\_\_ The new unit shall be sufficient to properly heat and cool the entire house.
- \_\_\_\_\_ It shall be the contractors responsibility to ensure that the new unit is properly sized.
- \_\_\_\_\_ New unit shall be high efficiency. Minimum of 14 SEER.
- \_\_\_\_\_ Modify existing duct work to ensure proper operation of new unit.
- \_\_\_\_\_ Repair any damaged duct work.
- \_\_\_\_\_ Add any duct work necessary to ensure proper heating and cooling in all areas of house.
- \_\_\_\_\_ Upon completion of this scope of work all ductwork shall be insulated metal duct. Short runs of flexible duct may be used for connecting to supply registers and boots.
- \_\_\_\_\_ Ensure that all ductwork is well supported and properly strapped in place.
- \_\_\_\_\_ Ensure that return grille is working properly and of adequate size.
- \_\_\_\_\_ Replace all supply registers.
- \_\_\_\_\_ Clean any existing ductwork that will be re-used.
- \_\_\_\_\_ Homeowner shall be-supplied with 12 additional filters and-informed on the Changing of filters and the frequency that they should be changed.
- \_\_\_\_\_ Install a new properly matched thermostat from a recognizable manufacturer.
- \_\_\_\_\_ A properly sized manufactured condensing unit pad must be used.
- \_\_\_\_\_ Existing pad may be re-used if it is not damaged and of adequate size.
- \_\_\_\_\_ Pad must be level.
- \_\_\_\_\_ Contractor must educate Homeowner on proper operation and maintenance of new unit.
- \_\_\_\_\_ Manufacturers consumer literature on the unit must be left with the Homeowner Along with warranty information on the unit.
- \_\_\_\_\_ The contractor shall include all items necessary to ensure the proper operation of This unit. This includes all connections to the gas service, the electrical disconnect, and electrical service to the unit.
- \_\_\_\_\_ Repair all collateral damage caused by this modification.

**Heating and Air Conditioning Total \$ \_\_\_\_\_**

**Bathroom and Plumbing Modifications**

**ALL WORK IS TO BE DONE TO ANSI SPECIFICATIONS WHERE ACHIEVABLE**

- \_\_\_ Contractor is to perform all plumbing work per local code, Pay for all permits and impact fees. All materials used shall be (PEX) or non ferrous metals and insulated properly. No plastics or CPVC accepted.**
- \_\_\_ Remove finish floor from bathroom.
- \_\_\_ Replace all rotten, damaged or otherwise substandard flooring, subflooring, sills, floor framing, and floor supports.
- \_\_\_ New floor must be level.
- \_\_\_ Cover bathroom floor with appropriate underlayment and adhesive per Manufacturers specifications.
- \_\_\_ Install new sheet vinyl floor covering. **The installed vinyl shall be equivalent to Mannington Commercial Resilient and have a minimum of a ten year warranty.** No torn or patched vinyl will be accepted. Owners choice of color and pattern.
- \_\_\_ Repair all collateral damage caused by this modification.

**Bathroom and Plumbing Total \$ \_\_\_\_\_**

**Electrical**

- \_\_\_ Perform all electrical work per the local code and pay for all permits and fees.**
- \_\_\_ Install a hard-wired carbon monoxide detector in a central location.  
( A plug in detector that can be removed or unplugged is not acceptable.)
- \_\_\_ Install AC/DC tandem wired smoke detectors in a central location, one (1) in each sleeping room, on each additional story of the dwelling, including basements, but not including crawl spaces and uninhabitable attics.
- \_\_\_ Repair all collateral damage caused by this modification to finish quality.

**Electrical Total \$ \_\_\_\_\_**

**GRAND TOTAL \$ \_\_\_\_\_**

**BID FORM**

**W.E. Caffee  
Assistant Purchasing Agent  
Birmingham, Alabama**

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the specifications listed above will REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization it could result in a loss of payment for work performed outside the bid specifications.

Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.

Submitted below is my firm bid for the rehabilitation of a residence, located at

1112 15<sup>th</sup> PL SW and in accordance with your invitation to bid dated

\_\_\_\_\_.

I the undersigned contractor, having inspected the property and familiarized myself with the requirements of the work write-up, specifications and plans, do understand the extent and character of the work to be done at:

**1112 15<sup>th</sup> PL SW**

do propose to furnish all labor, material and equipment necessary to accomplish all of the work called for that is required by the work write-up, specifications and drawings (if any) for the rehabilitation of the property, for the sum of:

\_\_\_\_\_ Dollars (\$\_\_\_\_\_)

I will complete the work within \_\_\_\_\_ calendar days after receipt of purchase order and notice to proceed.

**SPECIFICATIONS FOR RESIDENTIAL  
REHABILITATION PROJECT(S)  
Work Write Up**

Property Owner: Ethel Peoples  
Address: 7928 4<sup>th</sup> Ave N  
City and State: Birmingham, AL. 35206  
Phone: (205)836-3572 542-0745  
Case No: FY15-161  
Inspector RC

**Roof**

**All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code © Section 1501 for roof materials, application, installation, etc. and Section 309 for roof and ceiling framing, and all other codes that govern. A building permit is required if there is any wood to be replaced.**

- \_\_\_\_\_ Areas that are found to be spaced decked shall be covered with ½" exterior grade sheathing material after removing the existing decking. It is the contractors responsibility to ensure the framing and structure will support the additional load.
- \_\_\_\_\_ Remove existing roofing materials down to bare decking.
- \_\_\_\_\_ Check all roof trusses/rafters and repair/replace to ensure that new roof structure is flat and smooth without rises or depressions in roof system.
- \_\_\_\_\_ Replace all rotten, broken, un-even, weak, or deteriorated decking and framing.
- \_\_\_\_\_ Replaced/repared decking shall be level and ready to accept felt and shingles.
- \_\_\_\_\_ Check all roof trusses for strength and stability before re-shingling house.
- \_\_\_\_\_ Remove all unused elements, vents, etc., that are not operational and close them below roof level.
- \_\_\_\_\_ Re-flash all valleys, vents, roof openings, and chimneys.
- \_\_\_\_\_ Install new boots around all roof penetrations.
- \_\_\_\_\_ Haul away debris immediately.
- \_\_\_\_\_ Use a magnetic sweep around the perimeter of house and rake away any other debris.
- \_\_\_\_\_ Cover with 30# asphalt impregnated felt.
- \_\_\_\_\_ Prepare roof decking to accept a ridge vent.
- \_\_\_\_\_ Re-roof with a 30 year dimensional class A fiberglass asphalt shingle. (Owners choice of color)
- \_\_\_\_\_ Shingles must be 1<sup>st</sup> quality still in the wrapper. Seconds will not be accepted.
- \_\_\_\_\_ Install drip rail around perimeter of house. Shingles shall have ½" to 1 ½" overhang.
- \_\_\_\_\_ Install ridge vent or wind turbines, (minimum of two) as appropriate.
- \_\_\_\_\_ New roof shall be structurally sound and leak free.
- \_\_\_\_\_ Contractor shall warrant the roof to be completely leak free for one year.

Roof Total \$ \_\_\_\_\_

**Kitchen Repair**

- \_\_\_\_\_ Repair leak under kitchen sink.
- \_\_\_\_\_ Install a new kitchen faucet with sprayer (Moen, Delta, or equivalent).(single lever)

**Kitchen Repair Total \$ \_\_\_\_\_**

**UTILITY ROOM Repair (APPROXIMATELY 4X6)**

- \_\_\_\_\_ Remove existing floor covering.
- \_\_\_\_\_ Replace all rotten, damaged or otherwise substandard flooring, subflooring, sills, floor framing, and floor supports.
- \_\_\_\_\_ Cover floor with appropriate underlayment and adhesive per manufacturers specifications.
- \_\_\_\_\_ Install new sheet vinyl floor covering. The installed vinyl shall be equivalent to Mannington Commercial Resilient and have a minimum of a ten year warranty. No torn or patched vinyl will be accepted. Owners choice of color and pattern.
- \_\_\_\_\_ Install and finish new shoe mold around entire room. Shoe mold must be painted or stained to match finish.

**Critical Structure Total \$ \_\_\_\_\_**

**GRAND TOTAL \$ \_\_\_\_\_**

**BID FORM**

**W.E. Caffee  
Assistant Purchasing Agent  
Birmingham, Alabama**

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the specifications listed above will REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization it could result in a loss of payment for work performed outside the bid specifications.

Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.

Submitted below is my firm bid for the rehabilitation of a residence, located at

7928 4<sup>th</sup> Ave N and in accordance with your invitation to bid dated

\_\_\_\_\_.

I the undersigned contractor, having inspected the property and familiarized myself with the requirements of the work write-up, specifications and plans, do understand the extent and character of the work to be done at:

**7928 4<sup>th</sup> Ave N**

do propose to furnish all labor, material and equipment necessary to accomplish all of the work called for that is required by the work write-up, specifications and drawings (if any) for the rehabilitation of the property, for the sum of:

\_\_\_\_\_ Dollars (\$ \_\_\_\_\_)

I will complete the work within \_\_\_\_\_ calendar days after receipt of purchase order and notice to proceed.

**SPECIFICATIONS FOR RESIDENTIAL  
REHABILITATION PROJECT(S)  
Work Write Up**

Property Owner: George Williams  
Address: 1312 Center St N  
City and State: Birmingham, AL. 35204  
Phone: (205)201-5942 915-5314  
Case No: FY15-162  
Inspector RC

**Roof**

**All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code © Section 1501 for roof materials, application, installation, etc. and Section 309 for roof and ceiling framing, and all other codes that govern. A building permit is required if there is any wood to be replaced.**

- \_\_\_\_\_ Areas that are found to be spaced decked shall be covered with ½” exterior grade sheathing material after removing the existing decking. It is the contractors responsibility to ensure the framing and structure will support the additional load.
- \_\_\_\_\_ Remove existing roofing materials down to bare decking.
- \_\_\_\_\_ Check all roof trusses/rafters and repair/replace to ensure that new roof structure is flat and smooth without rises or depressions in roof system.
- \_\_\_\_\_ Replace all rotten, broken, un-even, weak, or deteriorated decking and framing.
- \_\_\_\_\_ Replaced/repared decking shall be level and ready to accept felt and shingles.
- \_\_\_\_\_ Check all roof trusses for strength and stability before re-shingling house.
- \_\_\_\_\_ Remove all unused elements, vents, etc., that are not operational and close them below roof level.
- \_\_\_\_\_ Re-flash all valleys, vents, roof openings, and chimneys.
- \_\_\_\_\_ Install new boots around all roof penetrations.
- \_\_\_\_\_ Haul away debris immediately.
- \_\_\_\_\_ Use a magnetic sweep around the perimeter of house and rake away any other debris.
- \_\_\_\_\_ Cover with 30# asphalt impregnated felt.
- \_\_\_\_\_ Prepare roof decking to accept a ridge vent.
- \_\_\_\_\_ Re-roof with a 30 year dimensional class A fiberglass asphalt shingle. (Owners choice of color)
- \_\_\_\_\_ Shingles must be 1<sup>st</sup> quality still in the wrapper. Seconds will not be accepted.
- \_\_\_\_\_ Install drip rail around perimeter of house. Shingles shall have ½” to 1 ½” overhang.
- \_\_\_\_\_ Install ridge vent or wind turbines, (minimum of two) as appropriate.
- \_\_\_\_\_ New roof shall be structurally sound and leak free.
- \_\_\_\_\_ Contractor shall warrant the roof to be completely leak free for one year.

Roof Total \$ \_\_\_\_\_

**Kitchen Repair**

- \_\_\_\_\_ Remove existing faucet
- \_\_\_\_\_ Install new faucet with sprayer (Moen, Delta, or equivalent)

**Kitchen Repair Total \$ \_\_\_\_\_**

**Bathroom and Plumbing Modifications**

**ALL WORK IS TO BE DONE TO ANSI SPECIFICATIONS WHERE ACHIEVABLE**

- \_\_\_\_\_ **Contractor is to perform all plumbing work per local code, Pay for all permits and impact fees. All materials used shall be (PEX) or non ferrous metals and insulated properly. No plastics or CPVC accepted.**
- \_\_\_\_\_ Repair shower valve.(leaking)
- \_\_\_\_\_ Replace bath sink faucet.
- \_\_\_\_\_ Repair drain on bath sink.(leaking).
- \_\_\_\_\_ Replace flush valve on toilet.

**Bathroom and Plumbing Total \$ \_\_\_\_\_**

**Electrical**

- \_\_\_\_\_ **Perform all electrical work per the local code and pay for all permits and fees.**
- \_\_\_\_\_ Repair dust to dawn light on right front of house.

**Electrical Total \$ \_\_\_\_\_**

**GRAND TOTAL \$ \_\_\_\_\_**

BID FORM

W.E. Caffee  
Assistant Purchasing Agent  
Birmingham, Alabama

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the specifications listed above will REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization it could result in a loss of payment for work performed outside the bid specifications.

Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.

Submitted below is my firm bid for the rehabilitation of a residence, located at  
1312 Center St N and in accordance with your invitation to bid dated

\_\_\_\_\_.

I the undersigned contractor, having inspected the property and familiarized myself with the requirements of the work write-up, specifications and plans, do understand the extent and character of the work to be done at:

1312 Center St N

do propose to furnish all labor, material and equipment necessary to accomplish all of the work called for that is required by the work write-up, specifications and drawings (if any) for the rehabilitation of the property, for the sum of:

\_\_\_\_\_ Dollars (\$\_\_\_\_\_)

I will complete the work within \_\_\_\_\_ calendar days after receipt of purchase order and notice to proceed.

**SPECIFICATIONS FOR RESIDENTIAL  
REHABILITATION PROJECT(S)**

**Work Write Up**

Property Owner: Mauresha Hawkins  
Address: 329 15<sup>th</sup> Court North  
City and State: Birmingham, AL 35204  
Phone: (205) 920-5808  
Case No: FY15-165  
Inspector: A.B.

**Roof**

\_\_\_ **All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code © Section 1501 for roof materials, application, installation, etc. and Section 309 for roof and ceiling framing, and all other codes that govern. Proper permitting shall be obtained for all applicable repairs to roof.**

\_\_\_ Areas that are found to be spaced decked shall be covered with ½” exterior grade sheathing material after removing the existing decking. It is the contractors responsibility to ensure the framing and structure will support the additional load.

\_\_\_ Remove existing roofing materials down to bare decking.

\_\_\_ Check all roof trusses/rafters and repair/replace to ensure that new roof structure is Flat and smooth without rises or depressions in roof system.

\_\_\_ Replace all rotten, broken, un-even, weak, or deteriorated decking and framing.

\_\_\_ Replaced/repared decking shall be level and ready to accept felt and shingles.

\_\_\_ Check all roof trusses for strength and stability before re-shingling house.

\_\_\_ Remove all unused elements, vents, etc., that are not operational and close them below roof level.

\_\_\_ Re-flash all valleys, vents, roof openings, and chimneys.

\_\_\_ Install new boots around all roof penetrations.

\_\_\_ Haul away debris immediately.

\_\_\_ Use a magnetic sweep around the perimeter of house and rake away any other debris.

\_\_\_ Cover with 30# asphalt impregnated felt.

\_\_\_ Prepare roof decking to accept a ridge vent.

\_\_\_ Re-roof with a 30 year, class A fiberglass asphalt shingle. (Owners choice of color)

\_\_\_ Shingles must be 1<sup>st</sup> quality still in the wrapper. Seconds will not be accepted.

\_\_\_ Install drip rail around perimeter of house. Shingles shall have ½” to 1 ½” overhang.

\_\_\_ Install ridge vent or wind turbines, (minimum of two) as appropriate.

\_\_\_ New roof shall be structurally sound and leak free.

\_\_\_ Install insulation in attic up to R-30

\_\_\_ Contractor shall warrant the roof to be completely leak free for one year.

\_\_\_ Repair all collateral damage caused by this modification.

Roof Total \$ \_\_\_\_\_

**GRAND TOTAL \$ \_\_\_\_\_**

**BID FORM**

**W.E. Caffee**  
**Assistant Purchasing Agent**  
**Birmingham, Alabama**

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the specifications listed above will REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization it could result in a loss of payment for work performed outside the bid specifications.

Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.

Submitted below is my firm bid for the rehabilitation of a residence, located at

**329 15<sup>th</sup> Court North** and in accordance with your invitation to bid dated

\_\_\_\_\_.

I the undersigned contractor, having inspected the property and familiarized myself with the requirements of the work write-up, specifications and plans, do understand the extent and character of the work to be done at:

**329 15<sup>th</sup> Court North**

do propose to furnish all labor, material and equipment necessary to accomplish all of the work called for that is required by the work write-up, specifications and drawings (if any) for the rehabilitation of the property, for the sum of:

\_\_\_\_\_ Dollars (\$ \_\_\_\_\_)

I will complete the work within \_\_\_\_\_ calendar days after receipt of purchase order and notice to proceed.

**SPECIFICATIONS FOR RESIDENTIAL  
REHABILITATION PROJECT(S)  
Work Write Up**

Property Owner: Willie Casey  
Address: 941 5<sup>th</sup> St W  
City and State: Birmingham, AL. 35204  
Phone: (205)222-1171  
Case No: FY15-166  
Inspector RC

**Heating and Air Conditioning**

- Remove existing HVAC unit.
- Install a new heating and air conditioning system. (Goodman, Nutone, or equivalent) gas split system with cage..
- The new unit shall be sufficient to properly heat and cool the entire house.
- It shall be the contractors responsibility to ensure that the new unit is properly sized.
- New unit shall be high efficiency. Minimum of 14 seer.
- Modify existing duct work to ensure proper operation of new unit.
- Repair any damaged duct work.
- Add any duct work necessary to ensure proper heating and cooling in all areas of house.
- Upon completion of this scope of work all ductwork shall be insulated metal duct. Short runs of flexible duct may be used for connecting to supply registers and boots.
- Ensure that all ductwork is well supported and properly strapped in place.
- Ensure that return grille is working properly and of adequate size.
- Replace all supply registers and return grill.
- Clean any existing ductwork that will be re-used.
- Homeowner shall be-supplied with 12 additional filters and-informed on the Changing of filters and the frequency that they should be changed.
- Install a new properly matched thermostat from a recognizable manufacturer.
- A properly sized manufactured condensing unit pad must be used.
- Existing pad may be re-used if it is not damaged and of adequate size.
- Pad must be level.
- Contractor must educate Homeowner on proper operation and maintenance of new unit.
- Manufacturers consumer literature on the unit must be left with the Homeowner along with warranty information on the unit.
- The contractor shall include all items necessary to ensure the proper operation of this unit. This includes all connections to the gas service, the electrical disconnect, and electrical service to the unit.

**Heating and Air Conditioning Total\_ \$ \_\_\_\_\_**

**GRAND TOTAL \$ \_\_\_\_\_**

**BID FORM**

**W.E. Caffee**  
**Assistant Purchasing Agent**  
**Birmingham, Alabama**

*All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©*

*Any and all additions or alterations to the specifications listed above will REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization it could result in a loss of payment for work performed outside the bid specifications.*

*Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.*

Submitted below is my firm bid for the rehabilitation of a residence, located at

**941 5<sup>th</sup> St W** and in accordance with your invitation to bid dated

\_\_\_\_\_.

I the undersigned contractor, having inspected the property and familiarized myself with the requirements of the work write-up, specifications and plans, do understand the extent and character of the work to be done at:

**941 5<sup>th</sup> St W**

do propose to furnish all labor, material and equipment necessary to accomplish all of the work called for that is required by the work write-up, specifications and drawings (if any) for the rehabilitation of the property, for the sum of:

\_\_\_\_\_ Dollars (\$\_\_\_\_\_)

I will complete the work within \_\_\_\_\_ calendar days after receipt of purchase order and notice to proceed.

**SPECIFICATIONS FOR RESIDENTIAL  
REHABILITATION PROJECT(S)  
Work Write Up**

Property Owner: Kim Sims  
Address: 705 6<sup>th</sup> Ave W  
City and State: Birmingham, AL. 35204  
Phone: (205) 317-1773  
Case No: FY15-167  
Inspector RC

**Roof**

**All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code © Section 1501 for roof materials, application, installation, etc. and Section 309 for roof and ceiling framing, and all other codes that govern. A building permit is required if there is any wood to be replaced.**

- \_\_\_\_\_ Areas that are found to be spaced decked shall be covered with ½” exterior grade sheathing material after removing the existing decking. It is the contractors responsibility to ensure the framing and structure will support the additional load.
- \_\_\_\_\_ Remove existing roofing materials down to bare decking.
- \_\_\_\_\_ Check all roof trusses/rafters and repair/replace to ensure that new roof structure is flat and smooth without rises or depressions in roof system.
- \_\_\_\_\_ Replace all rotten, broken, un-even, weak, or deteriorated decking and framing.
- \_\_\_\_\_ Replaced/repared decking shall be level and ready to accept felt and shingles.
- \_\_\_\_\_ Check all roof trusses for strength and stability before re-shingling house.
- \_\_\_\_\_ Remove all unused elements, vents, etc., that are not operational and close them below roof level.
- \_\_\_\_\_ Re-flash all valleys, vents, roof openings, and chimneys.
- \_\_\_\_\_ Install new boots around all roof penetrations.
- \_\_\_\_\_ Haul away debris immediately.
- \_\_\_\_\_ Use a magnetic sweep around the perimeter of house and rake away any other debris.
- \_\_\_\_\_ Cover with 30# asphalt impregnated felt.
- \_\_\_\_\_ Prepare roof decking to accept a ridge vent.
- \_\_\_\_\_ Re-roof with a 30 year dimensional class A fiberglass asphalt shingle. (Owners choice of color)
- \_\_\_\_\_ Shingles must be 1<sup>st</sup> quality still in the wrapper. Seconds will not be accepted.
- \_\_\_\_\_ Install drip rail around perimeter of house. Shingles shall have ½” to 1 ½” overhang.
- \_\_\_\_\_ Install ridge vent or wind turbines, (minimum of two) as appropriate.
- \_\_\_\_\_ New roof shall be structurally sound and leak free.
- \_\_\_\_\_ Contractor shall warrant the roof to be completely leak free for one year.

Roof Total \$ \_\_\_\_\_

**Plumbing Repair**

\_\_\_\_\_ Contractor is to perform all plumbing work per local code, Pay for all permits and impact fees. All materials used shall be (PEX) or non ferrous metals and insulated properly. No plastics or CPVC accepted.

\_\_\_\_\_ Repair leak on bath sink.

Plumbing Repair Total \$ \_\_\_\_\_

GRAND TOTAL \$ \_\_\_\_\_

**BID FORM**

**W.E. Caffee  
Assistant Purchasing Agent  
Birmingham, Alabama**

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the specifications listed above will REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization it could result in a loss of payment for work performed outside the bid specifications.

Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.

Submitted below is my firm bid for the rehabilitation of a residence, located at

**705 6<sup>th</sup> Ave W** and in accordance with your invitation to bid dated

\_\_\_\_\_.

I the undersigned contractor, having inspected the property and familiarized myself with the requirements of the work write-up, specifications and plans, do understand the extent and character of the work to be done at:

**705 6<sup>th</sup> Ave W**

do propose to furnish all labor, material and equipment necessary to accomplish all of the work called for that is required by the work write-up, specifications and drawings (if any) for the rehabilitation of the property, for the sum of:

\_\_\_\_\_ Dollars (\$\_\_\_\_\_)

I will complete the work within \_\_\_\_\_ calendar days after receipt of purchase order and notice to proceed.

**SPECIFICATIONS FOR RESIDENTIAL  
REHABILITATION PROJECT(S)  
Work Write Up**

Property Owner: Deborah Heath  
Address: 621 4<sup>th</sup> Ave W  
City and State: Birmingham, AL. 35204  
Phone: (205) 201-6792 356-2373  
Case No: FY15-168  
Inspector RC

**Bathroom and Plumbing Modifications**

**ALL WORK IS TO BE DONE TO ANSI SPECIFICATIONS WHERE  
ACHIEVABLE**

- \_\_\_\_\_ **Contractor is to perform all plumbing work per local code, Pay for all permits and impact fees. All materials used shall be (PEX) or non ferrous metals and insulated properly. No plastics or CPVC accepted.**
- \_\_\_\_\_ Install a semi-rigid fiberglass composite tub surround wall kit. Surround shall be installed according to manufacturers specifications and shall include all caulking and trim to provide a quality finished product.
- \_\_\_\_\_ Surround shall not have any molded features that would interfere with the proper installation and location of grab bars.
- \_\_\_\_\_ Install grab bars for tub access. ( minimum of two)
- \_\_\_\_\_ Repair leak under bathroom.

**Bathroom and Plumbing Total**    \$ \_\_\_\_\_

**Electrical**

- \_\_\_\_\_ **Perform all electrical work per the local code and pay for all permits and fees.**
- \_\_\_\_\_ Install a new 200-amp service. This includes the rigid service mast, entrance head, and outside breaker-box with breakers. All are to be new, unused material
- \_\_\_\_\_ Add (6) 120volt plugs in these rooms (2)Master bedroom (1)BR #2 (2) IN DINNING ROOM (1)IN KITCHEN
- \_\_\_\_\_ Replace dining room light
- \_\_\_\_\_ Replace all switches, plugs, and plates with new ones.
- \_\_\_\_\_ Replacement fixtures shall be 14" dome 2 bulb fixture minimum.
- \_\_\_\_\_ Check all existing wiring, repair as needed, tighten connections and fixtures that are loose and replace those that are faulty.

- \_\_\_\_\_ Install a hard-wired carbon monoxide detector in a central location.  
( A plug in detector that can be removed or unplugged is not acceptable.)
- \_\_\_\_\_ Install AC/DC tandem wired smoke detectors in a central location, one (1) in each sleeping room, on each additional story of the dwelling, including basements, but not including crawl spaces and uninhabitable attics.
- \_\_\_\_\_ Repair all collateral damage caused by this modification to finish quality.

**Electrical Total \$** \_\_\_\_\_

**GRAND TOTAL \$** \_\_\_\_\_

**BID FORM**

**W.E. Caffee  
Assistant Purchasing Agent  
Birmingham, Alabama**

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the specifications listed above will REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization it could result in a loss of payment for work performed outside the bid specifications.

Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.

Submitted below is my firm bid for the rehabilitation of a residence, located at  
**621 4<sup>th</sup> Ave W** and in accordance with your invitation to bid dated

\_\_\_\_\_.

I the undersigned contractor, having inspected the property and familiarized myself with the requirements of the work write-up, specifications and plans, do understand the extent and character of the work to be done at:

**621 4<sup>th</sup> Ave W**

do propose to furnish all labor, material and equipment necessary to accomplish all of the work called for that is required by the work write-up, specifications and drawings (if any) for the rehabilitation of the property, for the sum of:

\_\_\_\_\_ Dollars (\$\_\_\_\_\_)

I will complete the work within \_\_\_\_\_ calendar days after receipt of purchase order and notice to proceed.

**SPECIFICATIONS FOR RESIDENTIAL  
REHABILITATION PROJECT(S)**

**Work Write Up**

Property Owner: Debra Tolbert  
Address: 2627 28<sup>th</sup> St W  
City and State: Birmingham, AL. 35208  
Phone: (205) 202-3308  
Case No: FY15-170  
Inspector: RC

**Plumbing Repair**

- \_\_\_\_\_ **Contractor is to perform all plumbing work per local code, Pay for all permits and impact fees. All materials used shall be (PEX) or non ferrous metals and insulated properly. No plastics or CPVC accepted.**
- \_\_\_\_\_ Ensure that all drain lines are leak free and in proper working order. Replace any lines necessary to ensure proper operation and venting.

**Plumbing Repair Total \$ \_\_\_\_\_**

**Kitchen & Nook Repair**

- \_\_\_\_\_ Remove existing appliances from the kitchen.
- \_\_\_\_\_ Remove existing floor covering.
- \_\_\_\_\_ Replace all rotten, damaged or otherwise substandard flooring, subflooring, sills, floor framing, and floor supports.
- \_\_\_\_\_ New floor must be level as possible.
- \_\_\_\_\_ Install additional support piers and beams if necessary to stabilize and level floor system.  
Piers must be on a masonry footing and of concrete masonry units or 4" steel column. All wooden components used in conjunction with the support piers and beams must be pressure treated lumber.
- \_\_\_\_\_ Cover floor with appropriate underlayment and adhesive per manufacturers specifications.
- \_\_\_\_\_ Install new sheet vinyl floor covering. The installed vinyl shall be equivalent to Mannington Commercial Resilient and have a minimum of a ten year warranty. No torn or patched vinyl will be accepted. Owners choice of color and pattern.
- \_\_\_\_\_ Install and finish new shoe mold around entire room. Shoe mold must be painted Or stained to match finish.

**Kitchen Repair Total \$ \_\_\_\_\_**

**Bathroom and Plumbing Modifications**

**ALL WORK IS TO BE DONE TO ANSI SPECIFICATIONS WHERE ACHIEVABLE**

- \_\_\_\_\_ **Contractor is to perform all plumbing work per local code, Pay for all permits and impact fees. All materials used shall be (PEX) or non ferrous metals and insulated properly. No plastics or CPVC accepted.**
- \_\_\_\_\_ Remove toilet from bathroom.
- \_\_\_\_\_ Install new Handicap toilet with seat. ( min. height 17 ½"). (American Standard, Kohler, Briggs, Toto)
- \_\_\_\_\_ Install new cutoff and supply line.

**Bathroom and Plumbing Total \$ \_\_\_\_\_**

**Electrical**

- \_\_\_\_\_ **Perform all electrical work per the local code and pay for all permits and fees.**
- \_\_\_\_\_ Install a new 200-amp service. This includes the rigid service mast, entrance head, and breaker-box with breakers. All are to be new, unused material.
- \_\_\_\_\_ Check all existing wiring, repair as needed, tighten connections and fixtures that are loose and replace those that are faulty.
- \_\_\_\_\_ Install a hard-wired carbon monoxide detector in a central location.  
( A plug in detector that can be removed or unplugged is not acceptable.)
- \_\_\_\_\_ Install AC/DC tandem wired smoke detectors in a central location, one (1) in each sleeping room, on each additional story of the dwelling, including basements, but not including crawl spaces and uninhabitable attics.
- \_\_\_\_\_ Repair all collateral damage caused by this modification to finish quality.
- \_\_\_\_\_ **Add plug for microwave**

**Electrical Total \$ \_\_\_\_\_**

**GRAND TOTAL \$ \_\_\_\_\_**

**BID FORM**

**W.E. Caffee  
Assistant Purchasing Agent  
Birmingham, Alabama**

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the specifications listed above will REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization it could result in a loss of payment for work performed outside the bid specifications.

Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.

Submitted below is my firm bid for the rehabilitation of a residence, located at

**2627 28<sup>th</sup> St W** and in accordance with your invitation to bid dated

\_\_\_\_\_.

I the undersigned contractor, having inspected the property and familiarized myself with the requirements of the work write-up, specifications and plans, do understand the extent and character of the work to be done at:

**2627 28<sup>th</sup> St W**

do propose to furnish all labor, material and equipment necessary to accomplish all of the work called for that is required by the work write-up, specifications and drawings (if any) for the rehabilitation of the property, for the sum of:

\_\_\_\_\_ Dollars (\$\_\_\_\_\_)

I will complete the work within \_\_\_\_\_ calendar days after receipt of purchase order and notice to proceed.

**SPECIFICATIONS FOR RESIDENTIAL  
REHABILITATION PROJECT(S)  
Work Write Up**

Property Owner: Iola Tolbert  
Address: 1317 1<sup>st</sup> Ave W  
City and State: Birmingham, AL. 35208  
Phone: (205)788-7193 492-0853  
Case No: FY15-171  
Inspector: RC

**Plumbing Repair**

- \_\_\_\_\_ Contractor is to perform all plumbing work per local code, Pay for all permits and impact fees. All materials used shall be (PEX) or non ferrous metals and insulated properly. No plastics or CPVC accepted.
- \_\_\_\_\_ Repair leak under kitchen sink.

**Plumbing Repair Total \$ \_\_\_\_\_**

**Kitchen Repair**

- \_\_\_\_\_ Remove existing floor covering.
- \_\_\_\_\_ Replace all rotten, damaged or otherwise substandard flooring, subflooring, sills, floor framing, and floor supports.
- \_\_\_\_\_ New floor must be level as possible.
- \_\_\_\_\_ Install additional support piers and beams if necessary to stabilize and level floor system.  
Piers must be on a masonry footing and of concrete masonry units or 4" steel column. All wooden components used in conjunction with the support piers and beams must be pressure treated lumber.
- \_\_\_\_\_ Cover floor with appropriate underlayment and adhesive per manufacturers specifications.
- \_\_\_\_\_ Install new sheet vinyl floor covering. The installed vinyl shall be equivalent to Mannington Commercial Resilient and have a minimum of a ten year warranty. No torn or patched vinyl will be accepted. Owners choice of color and pattern.
- \_\_\_\_\_ Install and finish new shoe mold around entire room. Shoe mold must be painted Or stained to match finish.

**Kitchen Repair Total \$ \_\_\_\_\_**

**Electrical**

- \_\_\_\_\_ **Perform all electrical work per the local code and pay for all permits and fees.**
- \_\_\_\_\_ Install a new 200-amp service. This includes the rigid service mast, entrance head, and breaker-box with breakers. All are to be new, unused material.
- \_\_\_\_\_ Electrical panel is to be located inside of house.
- \_\_\_\_\_ Add (7) 120volt plugs in these rooms (2) in master bedroom (2) in BR #2 (2) in Den (1) outside GFCI in rear
- \_\_\_\_\_ Install a hard-wired carbon monoxide detector in a central location.  
( A plug in detector that can be removed or unplugged is not acceptable.)
- \_\_\_\_\_ Install AC/DC tandem wired smoke detectors in a central location, one (1) in each sleeping room, on each additional story of the dwelling, including basements, but not including crawl spaces and uninhabitable attics.
- \_\_\_\_\_ Repair all collateral damage caused by this modification to finish quality.

**Electrical Total \$ \_\_\_\_\_**

**GRAND TOTAL \$ \_\_\_\_\_**

BID FORM

W.E. Caffee  
Assistant Purchasing Agent  
Birmingham, Alabama

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the specifications listed above will REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization it could result in a loss of payment for work performed outside the bid specifications.

Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.

Submitted below is my firm bid for the rehabilitation of a residence, located at  
1317 1<sup>st</sup> Ave W and in accordance with your invitation to bid dated

\_\_\_\_\_.

I the undersigned contractor, having inspected the property and familiarized myself with the requirements of the work write-up, specifications and plans, do understand the extent and character of the work to be done at:

**1317 1<sup>st</sup> Ave W**

do propose to furnish all labor, material and equipment necessary to accomplish all of the work called for that is required by the work write-up, specifications and drawings (if any) for the rehabilitation of the property, for the sum of:

\_\_\_\_\_ Dollars (\$\_\_\_\_\_)

I will complete the work within \_\_\_\_\_ calendar days after receipt of purchase order and notice to proceed.

**BID FORM cont'd  
Signature Page**

I hereby certify that we do not discriminate in employment of our personnel against any persons on account of race, creed, color, sex, or national origins, and acknowledges and agrees that the City encourages minority - and women – owned business participation to the maximum extent possible. This policy includes Historically Underutilized Business Enterprises such as architectural firms, engineering firms, investment banking firms, other professional service providers, and construction contractors as part of the City’s business, economic and community revitalization programs.

**EXCEPTIONS TO SPECIFICATIONS:**

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

_____	_____
Date of Bid	Company
_____	_____
Name (Print Legibly or Type)	Street Address
_____	_____
Signature	City State Zip
_____	_____
Title	Post Office Box
_____	_____
E-Mail Address	City State Zip
_____	_____
Tax ID Number	Terms of Payment
_____	_____
Telephone Number	<u>As Stated In Bid Document</u> Completion Date
_____	_____
Fax Number	E Mail Address

Bidder acknowledges receipt of \_\_\_\_\_ addendum (addenda) to this bid package (15-61) (0, 1, 2, 3, etc.)

**INDICATE THE FOLLOWING ADDRESSES IF DIFFERENT FROM ABOVE:**

1. **BID AWARD NOTICE ADDRESS**
2. **PURCHASE ORDER ADDRESS**
3. **REMITTANCE ADDRESS (AND NAME IF DIFFERENT THAN ABOVE)**

Return original bid in sealed envelope. Authorized signature of bidder **must be in ink.**

ATTACHMENT A

AFFIDAVIT AND WARRANTY:

The bidder warrants that the bid submitted is not made in collusion with any other bidders, or in the interest of or on behalf of an undisclosed party; that the bidder has not, directly or indirectly, induced any other bidder to put in a sham bid or to refrain from making a bid; and that bidder has not paid or agreed to pay to any party, either directly or indirectly, any money or other thing of value for assistance or aid rendered to or to be rendered in attempting to procure the bid for the privileges provided in this invitation. All the information contained in the bid may be relied upon by the City of Birmingham in awarding rehabilitation of houses under the critical repair grant program, and everything contained herein is warranted by the bidder to be true.

NAME OF BIDDER: \_\_\_\_\_

BY: \_\_\_\_\_

ITS: \_\_\_\_\_

DATE: \_\_\_\_\_

\_\_\_\_\_  
Witness