



WILLIAM A. BELL, SR.
MAYOR

CITY OF BIRMINGHAM

FINANCE DEPARTMENT

PURCHASING DIVISION

P-100 CITY HALL
710 NORTH 20TH STREET
BIRMINGHAM, ALABAMA 35203-2227

TELEPHONE (205) 254-2265
FAX (205) 254-2484

J. THOMAS BARNETT, JR.
FINANCE DIRECTOR

RON NICKEL
PURCHASING AGENT

WILLIAM E. CAFFEE
ASSISTANT PURCHASING AGENT

September 19, 2016

INVITATION TO BID #16-54

Sealed bids for the rehabilitation of houses under the action plan grant project (APGP), will be received by the Purchasing Agent, Room P-100 First Floor City Hall, Birmingham, Alabama, until 2:00 p.m., October 19, 2016, at which time and place they will be publicly opened and read.

Bidders wishing to bid can download the complete solicitation including the specifications and bid forms via the internet at www.birminghamal.gov (go to the link titled **Bidding Opportunities**), or by visiting the Purchasing Office at the address shown above, or by calling (205) 254-2265, fax (205) 254-2484 and requesting a copy be mailed to you. Each potential bidder may obtain one copy of the bid package free of charge. Additional copies are available at a cost of \$0.15/page – non-refundable. Any addenda will be available on the internet. Bidder is responsible for checking the website for addenda until end of the day of scheduled bid opening. Addenda will be mailed to only those vendors who were provided a copy in person or by mail.

A certified check, cashier's check, money order or acceptable bid bond, in the name of the bidder and made payable to the City of Birmingham in the amount of \$1,000.00 must accompany your bid. Bid bond checks will be returned to all unsuccessful bidders after formal award is made and to the successful bidder after acceptance of award. Should the successful bidder fail to accept the award, the bid bond or check shall be forfeited.

The City follows a policy of nondiscrimination. No contractor with the City should discriminate on the basis of race, sex, religion or national origin. Failure by the Vendor to carry out these requirements is a material breach of its obligations, which may result in its termination or such other remedy as the City deems appropriate.

No bid may be withdrawn for a period of sixty (60) days after the date of the bid opening.

The City reserves the right to reject any or all bids submitted, parts of bids, and to waive any informalities.

Bids must be submitted in a sealed envelope marked, "**SEALED BID – AGRP House Rehabilitation - 2:00 p.m. - "10/19/16"**". Bids may be hand delivered to Room P-100 First Floor City Hall, Birmingham, Alabama or mailed to City of Birmingham, P.O. Box 11295, Birmingham, Alabama 35202-1295. **(DO NOT MAIL BIDS TO ROOM P-100 FIRST FLOOR CITY HALL.)** However, bids sent by any express carrier, (Federal Express, UPS, Airborne, etc.), must be mailed to 710 North 20th Street, and specify delivery to Room P-100 First Floor City Hall.

The City is not responsible for delays occasioned by the U.S. Postal Service, the internal mail delivery system of the City, or any other means of delivery employed by the bidder. Similarly, the City is not responsible for, and will not open, any bid/proposal responses, which are received later than 2:00 p.m.

It is the bidder's responsibility to make sure that his bid is in the possession of the Purchasing Agent on or before 2:00 p.m., October 19, 2016. Bids received after this time will not be considered.



W. E. Caffee, Assistant Purchasing Agent

yc
B.N 9/25/16

SPECIFICATIONS FOR RESIDENTIAL REHABILITATION PROJECT(S)

GENERAL:

The City of Birmingham is seeking bids for the rehabilitation of houses under the action plan grant project (APGP) funded by the Federal Government. Each project (address) is funded in an amount not to exceed \$15,000.00 total. Work write-ups have been structured based on reasonable estimates to ensure the allowable grant amount is not exceeded. **NO AWARD WILL BE MADE FOR AN AMOUNT GREATER THAN \$15,000.00/PROJECT (address).** Award will be made to the lowest priced responsive, responsible bidder for each individual project (address).

By definition the repairs are critical to maintain the safety and stability of the structures. Bidders may bid on one or all projects (addresses); however bidder must be able to complete all work awarded to him/her in no more than 90 calendar days (all time is to be considered calendar days unless otherwise stated) from receipt of purchase order (s) or 94 calendar days from date purchase order was printed, whichever is the longer period of time. Each bidder shall state on the bid form the number of days he will require to complete the rehabilitation of each specific house bid. Based on this information, the City will not award any one contractor more houses than can be completed within a cumulative total of 90 calendar days. **EX:** Low bidder states 30 days/house (address) completion time for all houses bid. Since the maximum allowable total time for completion for the houses awarded to one contractor is 90 days, this contractor will be awarded three (3) houses (30 days X 3 = 90 days). The remaining houses will be awarded to the next low bidder (s) in the same manner as the given example. Failure to comply with the completion time as stated will result in assessment of late charges at a rate of \$50.00 for each calendar day (for a maximum of 10 calendar days) over the stated completion time. Late charges will be deducted from vendor's (bidder's) invoice.

Anytime there is a completion time frame overlap of a prior bid award with a current bid opening and award process, the City reserves the right to take into consideration the existing work not yet completed on the prior award in determining the number of houses a contractor is eligible to be awarded under the newly opened bid based on the 90 day completion time requirement. **EX:** Contractor has 45 days worth of work not yet completed under a prior award. The contractor is therefore eligible to receive award of the number of houses he can complete in 45 days based on his current bid. Contractor states he can complete each house in 15 days; therefore, he can be awarded 3 houses under the new bid (45 days worth of work not yet completed + 3 houses X 15 days/houses = 90 day maximum allowable time frame for completion of work).

Three (3) failures by a vendor in a twelve (12) month period to complete awarded projects within the stated completion time frame will force the City to determine the vendor to be a non-responsible vendor, and that vendor will not have future bids considered for a period of twelve (12) months.

Contractors/Subcontractors on the U.S. Department of Housing and Urban Development's List of Debarred Contractors will not be considered eligible for consideration of award for any contract.

SPECIFICATIONS FOR RESIDENTIAL REHABILITATION PROJECT(S)

Time extensions will not be given except in extreme situations (i.e. significant rainfall for a lengthy period of time, etc.). Extensions will not be considered for things such as short periods of inclement weather, equipment problems, personal problems, labor problems, etc. In the event the vendor feels he/she has an extreme situation, the vendor must contact the Purchasing Division when the extreme situation occurs, or as soon as possible after the extreme situation occurs if during non-City work hours and prior to the scheduled completion date and provide a justification for the requested extension. If necessary, the Purchasing Division shall contact Community Development Department.

Assuming the delay is justified as an extreme situation, then a revised completion date will be determined by a signed modification to the Purchase Order(s). Unless an extension has been granted in writing by the Purchasing Division, the work is to be completed by the original due date.

For any project award valued at an amount equal to or greater than \$10,000.00, the contractor (bidder) must be licensed as a home builder by the Home Builders Association or have a General Contractor's license with the license number being lower than 18908. License number must appear on the bid form provided, and copy of the current license must be submitted with your bid.

The City will issue purchase order(s) to the successful bidder for the goods and/or services (bid items) that are the subject of the bid. Unless otherwise agreed in a writing that is signed by both parties, the entire agreement between the City and the successful bidder concerning the bid items is comprised of the terms, conditions, specifications and requirements stated in (a) the contemplated purchase order(s), (b) this Invitation to Bid and Specifications and (c) your bid (collectively, the "Contract Requirements"). These writings supersede all former proposals, offers, negotiations, representations or agreements, either written or oral, concerning the provision of vendor's goods and/or services. By acceptance of the City's purchase order(s), the successful vendor agrees to abide by and perform its responsibilities related to the bid items in compliance with the Contract Requirements.

Vendor must have a purchase order from the City of Birmingham stating the specific address for each structure to be rehabilitated before starting any work under this contract. Any work started by the vendor prior to receipt of a purchase order is at the vendor's own risk and expense. The City will not pay for any work unless a purchase order was issued before the work was initiated.

Successful bidder(s) shall not assign this contract to any other party without prior written approval of the City of Birmingham. Contract shall not be assigned to an unsuccessful bidder who was rejected because he was not a responsible bidder, or contractor on the U.S. Department of Housing and Urban Development's List of Debarred Contractors.

SPECIFICATIONS FOR RESIDENTIAL REHABILITATION PROJECT(S)

The contract shall become effective from the date in the Notification of Award letter which will be mailed to the successful vendor.

The City's standard payment terms are net 30 days from acceptance. Exceptions may be allowed for discounted early payments, such as 2% 10 net 30 days. The City will not consider any bids requiring C.O.D. payments.

Any questions concerning these specifications should be addressed to the Purchasing Division, attn: Yolanda Cox, at (205) 254-2878 - Fax (205) 254-2484, between the hours of 8:00 a.m. and 4:00 p.m. Monday through Friday.

Failure to adhere to any or all terms and conditions as set forth in the contract may result in the immediate termination of the contract. Should termination occur, the holder of the contract may be declared a "non-responsible vendor". This declaration may result in the rejection of any future bids submitted by the vendor for a period of time to be determined by the City.

The bidder's attention is directed to the fact that all applicable state laws, municipal ordinances and rules and regulations of the authorities having jurisdiction over the work to be performed shall apply to the Contract throughout, and they will be deemed to be included in the Contract as though written out in full in the Contract.

Bidder (and its employees, agents and any subcontractors) shall not discriminate on the basis of race, color, national origin, or sex, in the performance of the services contemplated hereunder. Failure by the Vendor to carry out these requirements is a material breach of its obligations, which may result in its termination or such other remedy as the City deems appropriate.

Contract award to purchase the service covered in this bid document shall be construed under and governed by the law of the State of Alabama and each party thereto irrevocably agrees to be subject to the jurisdictions of the courts of the State of Alabama.

Bidder acknowledges and agrees that, consistent with federal law and City's public policy, it will encourage disadvantaged business enterprise (DBE) participation to the extent permitted by law. A "disadvantaged business enterprise" is a for-profit small business concern (i) at least 51% owned by one or more individuals who are both socially and economically disadvantaged or, in the case of a corporation, in which 51% of the stock is owned by one or more such individuals; and (ii) whose management and daily business operations are controlled by one or more of the socially and economically disadvantaged individuals who own it. In accordance with federal law, a "socially and economically disadvantaged individual" includes African-Americans, Hispanic Americans, Native Americans, Asian-Americans, women, and any additional groups designated as socially and economically disadvantaged by the federal Small Business Administration.

**SPECIFICATIONS FOR RESIDENTIAL
REHABILITATION PROJECT(S)**

Successful bidder acknowledges and agrees that the City has the right to deduct from total amount of consideration to be paid, if any, to the successful bidder under this agreement all unpaid, delinquent, or overdue license fees, taxes, fines, penalties and other amounts due the City from the successful bidder.

Any potential bidder who is not currently set up as a vendor in the City of Birmingham vendor file, will be required to submit a completed W-9 tax form prior to any bid award. W-9 tax form may be submitted with your bid or no later than seven (7) working days of receipt of notice of intent to award.

The City of Birmingham must have a copy of the successful bidder's current City of Birmingham business license prior to formal award of contract. Each bidder may submit a copy of his/her license along with his/her bid. However, bidder must provide a copy of his/her current business license no later than seven (7) working days of receipt of notice of intent to award. Failure to submit the requested information will result in the notice of intent to award being revoked.

Successful Vendor (located in the State of Alabama or located outside of the State of Alabama, but employs one or more employees within the State of Alabama) represents and warrants that it does not knowingly employ, hire for employment, or continue to employ an "unauthorized alien", as defined by the Beason-Hammon Alabama Taxpayer and Citizen Protection Act, Act No. 2011-535 (H.B.56) of the Alabama Legislature, as amended from time to time (the "Act") and that, during the performance of this contract, Vendor shall participate in the E-Verify program as required under the term of the Act. Vendor agrees to comply with all applicable provisions of the Act. As a condition for the award of any contract, Vendor shall provide documentation establishing that the Vendor is enrolled in the E-Verify program, or a signed, written statement that the Vendor does not have a presence (one or more employees) in the State of Alabama.

Vendor may submit applicable documentation with his/her bid or no later than seven (7) working days of receipt of notice of intent to award. Furthermore, a contracting party found to be in violation of this provision shall be deemed in breach of the contract/agreement and shall be responsible for all damages resulting therefrom.

Section A

1. SCOPE of the work shall include all labor, materials, equipment, permits, drawings, (if any) and services necessary for the proper completion of the rehabilitation of the property identified in the WORK WRITE-UP.
2. THE WORK WRITE-UP shall take precedence over this Standard Specification and when in conflict, the material, equipment and workmanship called for in the work write-up will be required.
3. SPECIFICATIONS:
Please see the attached specifications and pricing section for each project. Bidder may elect to submit bids for one or all projects.

Use of specific brand names and numbers is not intended to restrict the bidding of any seller and/or manufacturer, but is solely for the purpose of indicating the type, size and quality of materials, products, service, or other equipment considered best adapted to the City's intended use. All materials are to be new: no used, remanufactured or refurbished materials will be considered acceptable.

Proprietary specifications may be waived for functional equivalents offered. Functional equivalents are subject to the approval of the Community Development Department.

4. CHANGES IN THE WORK including substitutions of materials, change in the scope or workmanship required by these specifications, which may be proposed by the Contractor, or found necessary or desirable as the work progresses, shall be in writing with price change given, and shall be approved by the Contractor, Owner, and the Housing Division of the Department of Community Development, City of Birmingham, Alabama, before any work incidental thereto is started.
5. WORKMANSHIP shall be done in accordance with the standards of the several trades known as a "workmanlike manner".
6. MATERIALS shall be new, in good condition, and of standard grade unless otherwise agreed to in writing before their delivery to the job.
7. REPAIRS shall be made to all surfaces damaged by the Contractor resulting from this work under this contract at no additional cost to the Owner.

Where "repair of existing work" is called for by the contract, the feature is to be placed in "equal to new condition" either by repair or replacement; all damaged or loose, or rotted parts shall be removed and replaced and the finished work shall match adjacent work in design and dimension.

8. INSPECTION OF THE WORK during normal working hours by authorized inspectors shall be facilitated by the Contractor, and the work shall be subject to the inspectors' approval and acceptance.

9. SUB CONTRACTORS shall be bound by the terms and conditions of this contract insofar as it applies to their work, but this shall not relieve the General Contractor, (or bidder acting as General Contractor) if such a one is awarded the contract, from the full responsibility of the Owner for the proper completion of all work to be executed under this agreement, and shall not be released from this responsibility by any sub-contractual agreement he may make with others.
10. BIDS OR PROPOSALS will be submitted at the Bidder's risk, and the City reserves the right to reject any or all bids, part of the bid, rebid and to waive any informalities.
11. PERMITS, CODES & REGULATIONS:
All equipment, construction, and installation will comply with City, County, State and Federal codes, regulations and standards. This includes, but is not limited to, all Building, Electrical, Gas Plumbing, Mechanical, Southern Building Codes, CABO, ANSI A117 revised, RRP and Lead Reduction Safe Work Practices, and FHA Minimum Property Standards. In the event of conflict or ambiguity, the most stringent of all the aforementioned shall govern. Successful bidder will obtain and pay for all permits and impact fees necessary, notify proper authorities for inspections and furnish any certificates required for the work.
12. ADJACENT PROPERTY
When adjacent property is affected or endangered by any work done under this contract, it shall be the responsibility of the Contractor to take whatever steps are necessary for the protection of the adjacent property and to notify the owner thereof of such hazards.
13. DELIVERY:
Delivery will be to various locations in the City of Birmingham as per specifications attached.

Failure to deliver as specified and in accordance with the bid submitted, including promised delivery will constitute sufficient grounds for cancellation of the order at the option of the City.
14. PRICES:
Include all labor, materials, equipment, overhead and profit to complete projects as specified. Bidder shall be responsible for payment of all sales, use, lease, ad valorem and any other tax that may be levied or assessed by reason of this transaction. All such costs are to be included in the price bid for each project. City will not pay any additional items of cost listed separately.
15. INVOICING:
All invoices must agree with the purchase order in description and price and include the following information:
 - 1.) Purchase Order Number
 - 2.) Ship to Department Name and Address

- 3.) In order to ensure prompt payment, **ALL ORIGINAL INVOICES* MUST BE SENT TO:**

City of Birmingham
Community Development Department, Housing Division
10th Floor, City Hall
710 North 20th Street
Birmingham, AL 35203

- * If invoice does not agree with purchase order, credits or a corrected invoice will be required in order for the City to process payment. **Invoices that do not reference an authorized Purchase Order will be returned to the vendor.**

16. THIRD PARTY "REMIT -TO":

If bidder has a third-party "remit-to" company, that information must appear on the Bidder's response. The City of Birmingham will send payment to the company designated by Bidder on its response, but will not be responsible for resolving payment issues, should the Bidder change payment processing companies after a payment has been mailed or without forty-five (45) days written notification to the Purchasing and General Accounting divisions of the City of Birmingham.

17. INDEMNIFICATION: Vendor(s) shall defend, indemnify, and hold harmless the City of Birmingham, and its agents, employees and officials (hereinafter the "Indemnitees") from and against all demands, actions, damages, judgments, expenses (including but not limited to attorneys' fees, expert fees, court costs and other litigation costs), losses, and claims (including those for bodily injury, sickness, disease or death, or to injury to, destruction or loss of use of tangible property) (collectively hereinafter "Claims") by any third parties (including any employee, subcontractor or representative of the Vendor, hereafter a "Vendor Representative") that arises out of, relates to, results from, or is attributable to any of the following: (a) Vendor's performance or failure to perform its obligations hereunder; (b) any conditions in or about the work sites that the Vendor or any Vendor Representative may encounter; or (c) the use or occupancy of the work sites by Vendor or any Vendor Representatives. This indemnification obligation includes Claims that are caused in part by the negligence of an Indemnitee(s); provided nothing herein shall obligate Vendor to indemnify any of the Indemnitee(s) for Claims resulting from the sole negligence or from the willful misconduct of the Indemnitee(s).

18. SAFETY: The successful vendor(s) ("Vendor") warrants that it has inspected or will inspect the work sites before performing the services and work contemplated hereunder ("services"). Vendor(s) further warrants that it has not identified any condition or hazard that will prevent it from performing the services in a manner that does not endanger persons or property. Vendor(s) is exclusively responsible for performing the services in a safe manner that does not put at risk the safety of persons (including its own employees or representatives) or endanger property. Vendor(s) shall take all reasonable precautions for the safety of, and shall provide all

reasonable protection to prevent damage, injury or loss to: (i) all its employees and all other persons who may be affected by the services; (ii) all the services and all materials and equipment to be incorporated therein, whether in storage on or off the work sites, or under the care, custody or control of the Vendor(s) or any of its subcontractors; and (iii) other property at the work sites or adjacent thereto. Vendor further agrees to comply with all provisions and requirements set forth in applicable laws, ordinances, rules, regulations and orders of any public authority having jurisdiction over safety of persons or property or to protect them from damage, injury or loss.

19. PROTECTION / DAMAGE:

Contractor will be responsible for any damage to property of the City or others caused by him, his employees or subcontractors, and will replace and make good such damage. The contractor will maintain adequate protection to prevent damage to his work and property of others, and take all necessary precautions for the safety of his employees and others. The contractors will comply with all safety laws and regulations in effect in the locality.

20. INSURANCE:

The successful party shall carry general liability insurance (either primary or a combination of primary and umbrella coverage) with limits of not less than \$100,000.00 for each occurrence and shall include, but not limited to, personal injury, property damage, vandalism, property loss and theft.

The successful party shall also carry automobile liability insurance with limits of not less than \$100,000.00 bodily injury per occurrence, \$100,000.00 property damage or combined single limit of \$100,000.00. Party shall carry Workman's Compensation coverage in an amount adequate to comply with statutory requirements.

Such policies shall name the City of Birmingham as an additional insured and shall contain an endorsement providing that the City will be given not less than thirty (30) day notice in writing prior to cancellation or change of coverage provided by said policies. Insurance shall be through companies authorized to do business in the State of Alabama. Certificate of insurance must be presented to the City within ten (10) days of notice of award and prior to commencement of any work. Successful party is required to include the bid proposal number on the evidence of insurance document.

Policies that state the company will endeavor to provide thirty (30) day notice prior to cancellation or change of coverage, but failure to do so shall impose no obligation or liability of any kind upon the insurer, its agents or representatives are not acceptable. Insurance shall be through companies authorized to do business in the State of Alabama with a B+ rating or better according to the most current edition of Best's Insurance Reports. Party is to provide written documentation of the company's rating with the proposal.

21. PUBLIC DISCLOSURE:

Subject to applicable law or regulations, the content of each Bidder's Proposal shall become public information upon the effective date of any resulting contract.

22. GUARANTEE:

Bidder certifies by bidding that he is fully aware of the conditions of service and purpose for which equipment, material, installation, and/or construction included in this bid are to be purchased, and that his offering will meet these requirements of service and purpose to the satisfaction of the City of Birmingham and its agent. All work will be guaranteed one (1) year from date of final acceptance, or the manufacturer's standard warranty for equipment or materials, whichever is longer.

23. EXAMINATION OF SITE:

All bidders are expected to visit the site of the work to ascertain existing conditions. Failure to do so will in no way relieve the successful bidder from the necessity of furnishing all materials and equipment, and performing all work required for completion of the contract.

24. INSTALLATION/QUALITY ASSURANCE:

Use adequate numbers of skilled workmen, under proper supervision, who are thoroughly trained and experienced in the necessary crafts and who are completely familiar with the specified requirements and the methods needed for proper performance of the work in these specifications.

25. CLEANING AND SAFETY:

Throughout the construction period, maintain the buildings and site in a standard of cleanliness as described throughout this document. At no time shall construction interfere with daily work within the building or cause a safety or code violation around public and private entrances.

All precautions shall be taken to promote the safety of the public and employees. The successful bidder must have verifiable, active, safety policies.

Contractor is responsible for all damage to existing City or public property, including but not limited to the building, grounds, and equipment, caused by him, his employees, or sub-contractors, and will replace and make good such damage. Contractor will maintain adequate protection to prevent damage to his work and property of others, and take all necessary precautions for the safety of his employees and others. The contractor will comply with all safety laws and regulations in effect in the locality.

26. PROGRESS CLEANING:

Retain all stored items in an orderly arrangement allowing maximum access, not impeding traffic and providing the required protection of materials.

Do not allow the accumulation of scrap, debris, waste material, and other items not required for construction.

As necessary, completely remove all scrap, debris and waste material from job site.

Provide adequate storage for all items awaiting removal from the job site, observing all requirements for fire protection and protection of the ecology.

All areas must be cleaned of dust and debris after each day's work.

27. PRE EXISTING CONDITIONS:

All pre-existing conditions must be clearly documented (including but not limited to, photographs) to establish a clear definition of the work environment prior to commencing with any activities associated with this project. Vendor is responsible for correcting any defacement, damage or aesthetic appearance changes that occur beyond the point from the documentation of pre-existing conditions and any occurrences of damages during their contract.

28. THE WARRANTY:

The warranty which is Attachment A must be signed and included with the bid.

29. **TIME IS OF THE ESSENCE.** Successful bidders shall have up to 90 calendar days based on the cumulative total days bid for all houses awarded from notice to proceed (purchase order) to complete the rehabilitation of the houses covered in the given notice to proceed. Failure to comply with the completion time as stated in the Notice to Proceed (purchase order) will result in assessment of late charges at the rate of \$50.00 for each calendar day over the cumulative total of days for the houses awarded plus any granted extension, for a maximum of 10 calendar days. This amount shall be subtracted from any amount due the contractor by the City for completion of the job. Failure to complete any contract work within the cumulative total of completion days plus any granted extension days, plus up to a maximum of 10 days late penalty time will result in termination of contract, forfeiture of the performance bond and the bidder will be declared a non-responsible bidder and will not be given consideration to receive any future bid awards for a period of twelve (12) months.

It is the City's intent not to award more rehabilitation work to a single contractor than the contractor can complete within a 90 calendar day time frame. However, should the situation arise that there is an insufficient number of responsive, responsible bids received to accomplish this goal, the City reserves the right to award more work to a single contractor than the 90 day completion time would allow. The extended completion time for any such award would be based on the actual completion time stated on the contractors bid form for the additional houses. This action must be mutually acceptable to the City and the contractor.

Section B

1. Demolition:

All parts to be removed shall be done in a safe, orderly fashion, taking care to avoid damage to parts which are to be left in place. All debris shall be removed from the premises as it is generated.

2. Carpentry:

- a. Framing lumber shall be no less than new #2 yellow pine material unless otherwise specified.
- b. Finish lumber shall be of a species and grade suitable for its intended use, kiln dried, free from tool marks and other objectionable defects.

3. Electrical, Plumbing and Heating:

All equipment and materials shall comply with and be installed in accordance with Birmingham City Codes.

INSTRUCTIONS:

Bidder is to provide a complete price breakdown as shown on the work write up for each project/address included in this bid package. Bidder must bid all the different categories listed for each project/address (plumbing, kitchen, bath, HVAC, roof, electrical, etc.): no partial bids will be considered. Bidder is to total the individual prices provided for each project/address and include that amount as the Grand Total for each work write up. The Grand Total amount is to be transferred to the Bid Form that follows the work write up. Bidder must complete and return the fully executed Bid Form Signature Page along with the work write up page(s), Bid Form Page(s) and Attachment A.

**SPECIFICATIONS FOR RESIDENTIAL
REHABILITATION PROJECT(S)
Work Write Up**

Property Owner: Deborah Perryman
Address: 4641 Hillman Dr SW
City and State: Birmingham, AL 35204
Phone: (205) 925-5454/240-6173
Case No: FY16-005
Inspector: A.B.

Roof

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code © Section 1501 for roof materials, application, installation, etc. and Section 309 for roof and ceiling framing, and all other codes that govern. Proper permitting shall be obtained for all applicable repairs to roof.

- _____ Areas that are found to be spaced decked shall be covered with ½” exterior grade sheathing material after removing the existing decking. It is the contractors responsibility to ensure the framing and structure will support the additional load.
- _____ Remove existing roofing materials down to bare decking.
- _____ Check all roof trusses/rafters and repair/replace to ensure that new roof structure is flat and smooth without rises or depressions in roof system.
- _____ Replace all rotten, broken, un-even, weak, or deteriorated decking and framing.
- _____ Replaced/repared decking shall be level and ready to accept felt and shingles.
- _____ Check all roof trusses for strength and stability before re-shingling house.
- _____ Remove all unused elements, vents, etc., that are not operational and close them below roof level.
- _____ Re-flash all valleys, vents, roof openings, and chimneys.
- _____ Install new boots around all roof penetrations.
- _____ Haul away debris immediately.
- _____ Use a magnetic sweep around the perimeter of house and rake away any other debris.
- _____ Cover with 30# asphalt impregnated felt.
- _____ Prepare roof decking to accept a ridge vent.
- _____ Re-roof with a 30 year, class A fiberglass asphalt shingle. (Owners choice of color)
- _____ Shingles must be 1st quality still in the wrapper. Seconds will not be accepted.
- _____ Install drip rail around perimeter of house. Shingles shall have ½” to 1 ½” overhang.
- _____ Install ridge vent or wind turbines, (minimum of two) as appropriate.
- _____ New roof shall be structurally sound and leak free.
- _____ Contractor shall warrant the roof to be completely leak free for one year.
- _____ Repair all collateral damage caused by this modification.

Roof Total \$ _____

Plumbing Repair

Contractor is to perform all plumbing work per local code, Pay for all permits and impact fees. All materials used shall be (PEX) or non ferrous metals and insulated properly. No plastics or CPVC accepted.

_____ Remove and replace water heater with new one, if heater is gas, it shall be properly installed and vented according to city code. If the water heater is electric, adequate power shall be provided for its operation. All water heaters shall be Rheem, Ruud or of equivalent value.

_____ Repair all collateral damage caused by this modification.

Plumbing Repair Total \$ _____

Kitchen Repair

_____ Remove existing ceiling fan/light fixture from the kitchen.

_____ Remove existing floor covering.

_____ Replace all rotten, damaged or otherwise substandard flooring, subflooring, sills, floor framing, and floor supports.

_____ New floor must be level.

_____ Install additional support piers and beams if necessary to stabilize and level floor system.

Piers must be on a masonry footing and of concrete masonry units or 4" steel column. All wooden components used in conjunction with the support piers and beams must be pressure treated lumber.

_____ Install new sheet vinyl floor covering. The installed vinyl shall be equivalent to Mannington Commercial Resilient and have a minimum of a ten year warranty. No torn or patched vinyl will be accepted. Owners choice of color and pattern.

_____ Install and finish new shoe mold around entire room. Shoe mold must be painted Or stained to match finish.

_____ Install new stainless steel sink faucet with sprayer (Moen, Delta, or equivalent), new cut-offs, supply lines, and drain lines.

_____ Install new wall switch activated ceiling fan light fixture. The new fixture shall have fan blade dimensions equal to or greater than those of existing fan. (Ceiling fan fixture is to be of Hampton Bay, Harbor Breeze, or equivalent brand.)

_____ Repair all collateral damage caused by this modification.

Kitchen Repair Total \$ _____

Bathroom and Plumbing Modifications

ALL WORK IS TO BE DONE TO ANSI SPECIFICATIONS WHERE ACHIEVABLE

- ___ **Contractor is to perform all plumbing work per local code, Pay for all permits and impact fees. All materials used shall be (PEX) or non ferrous metals and insulated properly. No plastics or CPVC accepted.**
- ___ Remove existing flooring and lavatory from bathroom.
- ___ Replace all rotten, damaged or otherwise substandard flooring, subflooring, sills, floor framing, and floor supports.
- ___ New floor must be level.
- ___ Cover bathroom floor with appropriate underlayment and adhesive per Manufacturers specifications.
- ___ Install new sheet vinyl floor covering. **The installed vinyl shall be equivalent to Mannington Commercial Resilient and have a minimum of a ten year warranty.** No torn or patched vinyl will be accepted. Owners choice of color and pattern.
- ___ Install and finish new shoe mold around entire room. Shoe mold must be painted Or stained to match finish.
- ___ Install ADA approved slide bar shower massage unit.
- ___ Install a hardwood vanity with stock top. (Same size as existing; hardwood only, no particleboard will be accepted.)
- ___ Install a new good quality chrome plated brass faucet. (Moen, Delta, or equivalent)
- ___ New lavatory faucet will have lever style handles or lever style operation.
- ___ Install new cutoffs, supplies and drains.
- ___ Repair all collateral damage caused by this modification.

Bathroom and Plumbing Total \$ _____

GRAND TOTAL \$ _____

BID FORM

W.E. Caffee
Assistant Purchasing Agent
Birmingham, Alabama

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the above specifications REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization/approval could result in a loss of payment for work performed outside the bid specifications.

Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.

Submitted below is my firm bid for the rehabilitation of a residence, located at

4641 Hillman Dr SW and in accordance with your invitation to bid dated

_____.

I the undersigned contractor, having inspected the property and familiarized myself with the requirements of the work write-up, specifications and plans, do understand the extent and character of the work to be done at:

4641 Hillman Dr SW

do propose to furnish all labor, material and equipment necessary to accomplish all of the work called for that is required by the work write-up, specifications and drawings (if any) for the rehabilitation of the property, for the sum of:

_____ Dollars (\$ _____)

I will complete the work within _____ calendar days after receipt of purchase order and notice to proceed.

**SPECIFICATIONS FOR RESIDENTIAL
REHABILITATION PROJECT(S)
Work Write Up**

Address: Latisha Lockett
4629 Hillman Dr SW
City and State: Birmingham, AL. 35221
Phone: (205)223-0276
Case No: FY16-008
Inspector: RC

Metal Roof

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code © Section 1501 for roof materials, application, installation, etc. and Section 2309 for roof and ceiling framing, and all other codes that govern.

- _____ Remove existing roofing on (REAR ADDITION) and install metal roofing on rear to match main house .
- _____ Remove (DAMAGED METAL ROOFING) on house and repair any decking replace with like color metal.
- _____ Replace all rotten, broken, un-even, weak, or deteriorated decking and framing.
- _____ Material must be of 1st quality. Seconds will not be accepted.
- _____ Re-roof with a minimum .29 gauge metal roofing system (Galvalume or equivalent). Owner's choice of color.
- _____ Haul away debris immediately.
- _____ Use a magnetic sweep around the perimeter of house and rake away any other debris.
- _____ Contractor shall warrant the roof to be completely leak free for one year.

Roof Total \$ _____

Plumbing Repair

- _____ **Contractor is to perform all plumbing work per local code, Pay for all permits and impact fees. All materials used shall be (PEX) or non ferrous metals and insulated properly. No plastics or CPVC accepted.**
- _____ Ensure that all drain lines are leak free and in proper working order. Replace any lines necessary to ensure proper operation and venting.

Plumbing Repair Total \$ _____

Heating and Air Conditioning

Replacement

- _____ Remove existing HVAC unit.
- _____ Install a new heating and air conditioning system. (Goodman, Nutone, or equivalent) gas split system with cage..
- _____ The new unit shall be sufficient to properly heat and cool the entire house.
- _____ It shall be the contractors responsibility to ensure that the new unit is properly sized.
- _____ New unit shall be high efficiency. Minimum of 14 seer.
- _____ Modify existing duct work to ensure proper operation of new unit.
- _____ Repair any damaged duct work.
- _____ Add any duct work necessary to ensure proper heating and cooling in all areas of house.
- _____ Upon completion of this scope of work all ductwork shall be insulated metal duct. Short runs of flexible duct may be used for connecting to supply registers and boots.
- _____ Ensure that all ductwork is well supported and properly strapped in place.
- _____ Ensure that return grille is working properly and of adequate size.
- _____ Replace all supply registers and return grill.
- _____ Clean any existing ductwork that will be re-used.
- _____ Homeowner shall be-supplied with 12 additional filters and-informed on the Changing of filters and the frequency that they should be changed.
- _____ Install a new properly matched thermostat from a recognizable manufacturer.
- _____ A properly sized manufactured condensing unit pad must be used.
- _____ Existing pad may be re-used if it is not damaged and of adequate size.
- _____ Pad must be level.
- _____ Contractor must educate Homeowner on proper operation and maintenance of new unit.
- _____ Manufacturers consumer literature on the unit must be left with the Homeowner Along with warranty information on the unit.
- _____ The contractor shall include all items necessary to ensure the proper operation of this unit.
This includes all connections to the gas service, the electrical disconnect, and electrical service to the unit.

Heating and Air Conditioning Total \$ _____

Electrical (INSIDE PANEL WILL NEED TO BE RELOCATED)

- _____ **Perform all electrical work per the local code and pay for all permits and fees.**
- _____ Install a new 200-amp service. This includes the rigid service mast, entrance head, and breaker-box with breakers. All are to be new, unused material.
- _____ NEW electrical panel is to be located inside of house. Panel must have at least (6) spare places.
- _____ Check all existing wiring, repair as needed, tighten connections and fixtures that are loose and replace those that are faulty.

- _____ Install a hard-wired carbon monoxide detector in a central location.
(A plug in detector that can be removed or unplugged is not acceptable.)
- _____ Install AC/DC tandem wired smoke detectors in a central location, one (1) in each sleeping room, on each additional story of the dwelling, including basements, but not including crawl spaces and uninhabitable attics.
- _____ Repair all collateral damage caused by this modification to finish quality. (THIS DOES NOT INCLUDE PAINT)

Electrical Total \$ _____

GRAND TOTAL \$ _____

BID FORM

**W.E. Caffee
Assistant Purchasing Agent
Birmingham, Alabama**

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the above specifications REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization/approval could result in a loss of payment for work performed outside the bid specifications.

Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.

Submitted below is my firm bid for the rehabilitation of a residence, located at
4629 Hillman Dr SW and in accordance with your invitation to bid dated

_____.

I the undersigned contractor, having inspected the property and familiarized myself with the requirements of the work write-up, specifications and plans, do understand the extent and character of the work to be done at:

4629 Hillman Dr SW

do propose to furnish all labor, material and equipment necessary to accomplish all of the work called for that is required by the work write-up, specifications and drawings (if any) for the rehabilitation of the property, for the sum of:

_____ Dollars (\$ _____)

I will complete the work within _____ calendar days after receipt of purchase order and notice to proceed.

**SPECIFICATIONS FOR RESIDENTIAL
REHABILITATION PROJECT(S)
Work Write Up**

Property Owner: Marvia Washington
Address: 4601 Park Ave SW
City and State: Birmingham, AL 35221
Phone: (205) 923-1910
Case No: FY16-LTR009
Inspector: A.B.

Heating and Air Conditioning

(New)

- _____ Install a new total electric, split heating and air conditioning system. (Goodman, Nutone, or equivalent), split system.
- _____ The new unit shall be sufficient to properly heat and cool the entire house.
- _____ It shall be the contractors responsibility to ensure that the new unit is properly sized.
- _____ New unit shall be high efficiency, minimum of 14 SEER.
- _____ Install all duct work necessary to ensure proper heating and cooling in all areas of house.
- _____ Upon completion of this scope of work all ductwork shall be insulated metal duct. Short runs of flexible duct may be used for connecting to supply registers and boots.
- _____ Ensure that all ductwork is well supported and properly strapped in place.
- _____ Ensure that return grille is installed correctly, working properly, and of adequate size.
- _____ Install all new supply registers to each inhabitable room, including kitchen and bathrooms.
- _____ Homeowner shall be-supplied with 12 additional filters and informed on the Changing of filters and the frequency with which they should be changed.
- _____ Install a new properly matched thermostat from a recognizable manufacturer.
- _____ A properly sized manufactured condensing unit pad must be used.
- _____ Pad must be level.
- _____ Contractor must educate homeowner on proper operation and maintenance of new unit.
- _____ Manufacturers consumer literature on the unit must be left with the Homeowner Along with warranty information on the unit.
- _____ The contractor shall include all items necessary to ensure the proper operation of this unit. These include all connections to the gas service, electrical disconnect, and electrical service to the unit.
- _____ Repair all collateral damage caused by this modification (painting excluded).

Heating and Air Conditioning Total \$ _____

Bathroom and Plumbing Modifications

ALL WORK IS TO BE DONE TO ANSI SPECIFICATIONS WHERE ACHIEVABLE

___ **Contractor is to perform all plumbing work per local code, Pay for all permits and impact fees. All materials used shall be (PEX) or non ferrous metals and insulated properly. No plastics or CPVC accepted.**

- ___ Remove existing tub from bathroom.
- ___ Install walk-in shower unit equipped with seat and towel bar. (Owner's choice of door inclusion .)
- ___ Install bracing in wall to accommodate installation of grab bars.
- ___ Install a semi-rigid fiberglass composite tub surround wall kit. Surround shall be installed according to manufacturers specifications and shall include all caulking and trim to provide a quality finished product.
- ___ Surround shall not have any molded features that would interfere with the proper installation and location of grab bars.
- ___ Install grab bars for tub access. (Minimum of two)
- ___ Install ADA approved slide bar shower massage unit.
- ___ Install a good quality, chrome plated brass, lever style anti-scald shower valve and tub filler. (Moen, Delta, or equivalent)
- ___ Homeowners choice of mid-range shower curtain color and pattern.
- ___ Install a good quality mid-range towel rack and toilet paper holder. Homeowners choice of style and color.
- ___ Bath shall have a ceiling mounted light with fan (sealed globe),
- ___ Ceiling light and vanity light shall be switched separately.
- ___ Repair all collateral damage caused by this modification (painting excluded).

Bathroom and Plumbing Total \$ _____

Electrical

___ **Perform all electrical work per the local code and pay for all permits and fees.**

- ___ Install a new 200-amp service. This includes the rigid service mast, entrance head, and breaker-box with breakers. All are to be new, unused material.
- ___ Electrical panel is to be located inside of house.
- ___ Replace all faulty switches, plugs, and plates with new ones.
- ___ Check all existing wiring, repair as needed, tighten connections and fixtures that are loose and replace those that are faulty.
- ___ Each room shall have a minimum of four receptacles except bathroom.
- ___ Any room that does not have a ceiling mounted fixture shall have one installed that is wall switch activated.
- ___ Install a hard-wired carbon monoxide detector in a central location.
(A plug in detector that can be removed or unplugged is not acceptable.)

- _____ Install AC/DC tandem wired smoke detectors in a central location, one (1) in each sleeping room, on each additional story of the dwelling, including basements, but not including crawl spaces and uninhabitable attics.
- _____ Repair all collateral damage caused by this modification to finish quality (painting excluded).

Electrical Total \$ _____

GRAND TOTAL \$ _____

BID FORM

**W.E. Caffee
Assistant Purchasing Agent
Birmingham, Alabama**

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the above specifications REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization/approval could result in a loss of payment for work performed outside the bid specifications.

Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.

Submitted below is my firm bid for the rehabilitation of a residence, located at
4601 Park Ave SW and in accordance with your invitation to bid dated

_____.

I the undersigned contractor, having inspected the property and familiarized myself with the requirements of the work write-up, specifications and plans, do understand the extent and character of the work to be done at:

4601 Park Ave SW

do propose to furnish all labor, material and equipment necessary to accomplish all of the work called for that is required by the work write-up, specifications and drawings (if any) for the rehabilitation of the property, for the sum of:

_____ Dollars (\$_____)

I will complete the work within _____ calendar days after receipt of purchase order and notice to proceed.

**SPECIFICATIONS FOR RESIDENTIAL
REHABILITATION PROJECT(S)**

Work Write Up

Property Owner: Kenneth Smith
Address: 966 Airview St
City and State: Birmingham, AL. 35221
Phone: (205)413-0855
Case No: FY16-LTR-010
Inspector RC

Roof

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code © Section 1501 for roof materials, application, installation, etc. and Section 309 for roof and ceiling framing, and all other codes that govern. A building permit is required if there is any wood to be replaced.

- _____ Areas that are found to be spaced decked shall be covered with ½” exterior grade sheathing material after removing the existing decking. It is the contractors responsibility to ensure the framing and structure will support the additional load.
- _____ Remove existing roofing materials down to bare decking.
- _____ Check all roof trusses/rafters and repair/replace to ensure that new roof structure is flat and smooth without rises or depressions in roof system.
- _____ Replace all rotten, broken, un-even, weak, or deteriorated decking and framing.
- _____ Replaced/repared decking shall be level and ready to accept felt and shingles.
- _____ Check all roof trusses for strength and stability before re-shingling house.
- _____ Remove all unused elements, vents, etc., that are not operational and close them below roof level.
- _____ Re-flash all valleys, vents, roof openings, and chimneys.
- _____ Install new boots around all roof penetrations.
- _____ Haul away debris immediately.
- _____ Use a magnetic sweep around the perimeter of house and rake away any other debris.
- _____ Cover with 30# asphalt impregnated felt.
- _____ Prepare roof decking to accept a ridge vent.
- _____ Re-roof with a 30 year dimensional class A fiberglass asphalt shingle. (Owners choice of color) (ANY AREA DEEMED TO NEED ROLL ROOFING MATERIAL WILL BE SELF ADHERING MODIFIED BITUMEN) CAP SHEET AND (BASE SHEET IF NEEDED) INSTALL PROPER METAL DRIP RAIL FOR THIS STYLE ROOFING.
- _____ Shingles must be 1st quality still in the wrapper. Seconds will not be accepted.
- _____ Install drip rail around perimeter of house. Shingles shall have ½” to 1 ½” overhang.
- _____ Install ridge vent or wind turbines, (minimum of two) as appropriate.
- _____ New roof shall be structurally sound and leak free.
- _____ Contractor shall warrant the roof to be completely leak free for one year.

Roof Total \$ _____

Heating and Air Conditioning

(New)

- _____ Install a new ELECTRIC HEAT PUMP heating and air conditioning system.(Goodman, Nutone, or equivalent), gas- split system or packaged unit with cage.
- _____ The new unit shall be sufficient to properly heat and cool the entire house.
- _____ It shall be the contractors responsibility to ensure that the new unit is properly sized.
- _____ New unit shall be high efficiency, minimum of 14 SEER.
- _____ Install all duct work necessary to ensure proper heating and cooling in all areas of house.
- _____ Upon completion of this scope of work all ductwork shall be insulated metal duct. Short runs of flexible duct may be used for connecting to supply registers and boots.
- _____ Ensure that all ductwork is well supported and properly strapped in place.
- _____ Ensure that return grille is installed correctly, working properly, and of adequate size.
- _____ Install all new supply registers to each inhabitable room, including kitchen and bathrooms.
- _____ Homeowner shall be-supplied with 12 additional filters and informed on the Changing of filters and the frequency with which they should be changed.
- _____ Install a new properly matched thermostat from a recognizable manufacturer.
- _____ A properly sized manufactured condensing unit pad must be used.
- _____ Pad must be level.
- _____ Contractor must educate homeowner on proper operation and maintenance of new unit.
- _____ Manufacturers consumer literature on the unit must be left with the Homeowner Along with warranty information on the unit.
- _____ The contractor shall include all items necessary to ensure the proper operation of this unit.
These include all connections to the gas service, electrical disconnect, and electrical service to the unit.

Heating and Air Conditioning Total_ \$_____

Electrical (HOUSE HAS NEW ELECTRICAL SERVICE)

- _____ **Perform all electrical work per the local code and pay for all permits and fees.**
- _____ Install a hard-wired carbon monoxide detector in a central location.
(A plug in detector that can be removed or unplugged is not acceptable.)

_____ Install AC/DC tandem wired smoke detectors in a central location, one (1) in each sleeping room, on each additional story of the dwelling, including basements, but not including crawl spaces and uninhabitable attics.

_____ Repair all collateral damage caused by this modification to finish quality. (THIS DOES NOT INCLUDE PAINT)

Electrical Total \$ _____

GRAND TOTAL \$ _____

BID FORM

**W.E. Caffee
Assistant Purchasing Agent
Birmingham, Alabama**

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the above specifications REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization/approval could result in a loss of payment for work performed outside the bid specifications.

Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.

Submitted below is my firm bid for the rehabilitation of a residence, located at

966 Airview St and in accordance with your invitation to bid dated

_____.

I the undersigned contractor, having inspected the property and familiarized myself with the requirements of the work write-up, specifications and plans, do understand the extent and character of the work to be done at:

966 Airview St

do propose to furnish all labor, material and equipment necessary to accomplish all of the work called for that is required by the work write-up, specifications and drawings (if any) for the rehabilitation of the property, for the sum of:

_____ Dollars (\$ _____)

I will complete the work within _____ calendar days after receipt of purchase order and notice to proceed.

**SPECIFICATIONS FOR RESIDENTIAL
REHABILITATION PROJECT(S)**

Work Write Up

Property Owner: Geraldine Moss
Address: 915 Airview St
City and State: Birmingham, AL. 35221
Phone: (205)923-0826
Case No: FY16-LTR-011
Inspector RC

Roof

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code © Section 1501 for roof materials, application, installation, etc. and Section 309 for roof and ceiling framing, and all other codes that govern. A building permit is required if there is any wood to be replaced.

- _____ Areas that are found to be spaced decked shall be covered with ½” exterior grade sheathing material after removing the existing decking. It is the contractors responsibility to ensure the framing and structure will support the additional load.
- _____ Remove existing roofing materials down to bare decking.
- _____ Check all roof trusses/rafters and repair/replace to ensure that new roof structure is flat and smooth without rises or depressions in roof system.
- _____ Replace all rotten, broken, un-even, weak, or deteriorated decking and framing.
- _____ Replaced/repared decking shall be level and ready to accept felt and shingles.
- _____ Check all roof trusses for strength and stability before re-shingling house.
- _____ Remove all unused elements, vents, etc., that are not operational and close them below roof level.
- _____ Re-flash all valleys, vents, roof openings, and chimneys.
- _____ Install new boots around all roof penetrations.
- _____ Haul away debris immediately.
- _____ Use a magnetic sweep around the perimeter of house and rake away any other debris.
- _____ Cover with 30# asphalt impregnated felt.
- _____ Prepare roof decking to accept a ridge vent.
- _____ Re-roof with a 30 year dimensional class A fiberglass asphalt shingle. (Owners choice of color) (ANY AREA DEEMED TO NEED ROLL ROOFING MATERIAL WILL BE SELF ADHERING MODIFIED BITUMEN) CAP SHEET AND (BASE SHEET IF NEEDED) INSTALL PROPER METAL DRIP RAIL FOR THIS STYLE ROOFING.
- _____ Shingles must be 1st quality still in the wrapper. Seconds will not be accepted.
- _____ Install drip rail around perimeter of house. Shingles shall have ½” to 1 ½” overhang.
- _____ Install ridge vent or wind turbines, (minimum of two) as appropriate.
- _____ New roof shall be structurally sound and leak free.
- _____ Contractor shall warrant the roof to be completely leak free for one year.

Roof Total \$ _____

Heating and Air Conditioning

Replacement

- _____ Remove existing HVAC unit.
- _____ Install a new heating and air conditioning system. (Goodman, Nutone, or equivalent) gas split system.
- _____ The new unit shall be sufficient to properly heat and cool the entire house.
- _____ It shall be the contractors responsibility to ensure that the new unit is properly sized.
- _____ New unit shall be high efficiency. Minimum of 14 seer.
- _____ Modify existing duct work to ensure proper operation of new unit.
- _____ Repair any damaged duct work.
- _____ Add any duct work necessary to ensure proper heating and cooling in all areas of house.
- _____ Upon completion of this scope of work all ductwork shall be insulated metal duct. Short runs of flexible duct may be used for connecting to supply registers and boots.
- _____ Ensure that all ductwork is well supported and properly strapped in place.
- _____ Ensure that return grille is working properly and of adequate size.
- _____ Replace all supply registers and return grill.
- _____ Clean any existing ductwork that will be re-used.
- _____ Homeowner shall be-supplied with 12 additional filters and-informed on the Changing of filters and the frequency that they should be changed.
- _____ Install a new properly matched thermostat from a recognizable manufacturer.
- _____ A properly sized manufactured condensing unit pad must be used.
- _____ Existing pad may be re-used if it is not damaged and of adequate size.
- _____ Pad must be level.
- _____ Contractor must educate Homeowner on proper operation and maintenance of new unit.
- _____ Manufacturers consumer literature on the unit must be left with the Homeowner Along with warranty information on the unit.
- _____ The contractor shall include all items necessary to ensure the proper operation of this unit.
This includes all connections to the gas service, the electrical disconnect, and electrical service to the unit.

Heating and Air Conditioning Total \$ _____

Electrical

- _____ **Perform all electrical work per the local code and pay for all permits and fees.**
- _____ Install a new 200-amp service. This includes the rigid service mast, entrance head, and breaker-box with breakers. All are to be new, unused material.
- _____ NEW electrical panel is to be located inside of house. Panel must have at least (6) spare places.

- _____ Check all existing wiring, repair as needed, tighten connections and fixtures that are loose and replace those that are faulty.
- _____ Install a hard-wired carbon monoxide detector in a central location.
(A plug in detector that can be removed or unplugged is not acceptable.)
- _____ Install AC/DC tandem wired smoke detectors in a central location, one (1) in each sleeping room, on each additional story of the dwelling, including basements, but not including crawl spaces and uninhabitable attics.
- _____ Repair all collateral damage caused by this modification to finish quality. (THIS DOES NOT INCLUDE PAINT)

Electrical Total \$ _____

GRAND TOTAL \$ _____

BID FORM

**W.E. Caffee
Assistant Purchasing Agent
Birmingham, Alabama**

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the above specifications REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization/approval could result in a loss of payment for work performed outside the bid specifications.

Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.

Submitted below is my firm bid for the rehabilitation of a residence, located at

915 Airview St and in accordance with your invitation to bid dated

_____.

I the undersigned contractor, having inspected the property and familiarized myself with the requirements of the work write-up, specifications and plans, do understand the extent and character of the work to be done at:

915 Airview St

do propose to furnish all labor, material and equipment necessary to accomplish all of the work called for that is required by the work write-up, specifications and drawings (if any) for the rehabilitation of the property, for the sum of:

_____ Dollars (\$_____)

I will complete the work within _____ calendar days after receipt of purchase order and notice to proceed.

**SPECIFICATIONS FOR RESIDENTIAL
REHABILITATION PROJECT(S)
Work Write Up**

Property Owner: Paralee Hedgeman
Address: 3344 Jefferson Ave SW
City and State: Birmingham, AL. 35221
Phone: (205)400-4721
Case No: FY16-LTR012
Inspector RC

Roof

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code © Section 1501 for roof materials, application, installation, etc. and Section 309 for roof and ceiling framing, and all other codes that govern. A building permit is required if there is any wood to be replaced.

_____ Areas that are found to be spaced decked shall be covered with ½” exterior grade sheathing material after removing the existing decking. It is the contractors responsibility to ensure the framing and structure will support the additional load.

_____ Remove existing roofing materials down to bare decking.

_____ Check all roof trusses/rafters and repair/replace to ensure that new roof structure is flat and smooth without rises or depressions in roof system.

_____ Replace all rotten, broken, un-even, weak, or deteriorated decking and framing.

_____ Replaced/repared decking shall be level and ready to accept felt and shingles.

_____ Check all roof trusses for strength and stability before re-shingling house.

_____ Remove all unused elements, vents, etc., that are not operational and close them below roof level.

_____ Re-flash all valleys, vents, roof openings, and chimneys.

_____ Install new boots around all roof penetrations.

_____ Haul away debris immediately.

_____ Use a magnetic sweep around the perimeter of house and rake away any other debris.

_____ Cover with 30# asphalt impregnated felt.

_____ Prepare roof decking to accept a ridge vent.

_____ Re-roof with a 30 year dimensional class A fiberglass asphalt shingle. (Owners choice of color) (ANY AREA DEEMED TO NEED ROLL ROOFING MATERIAL WILL BE SELF ADHERING MODIFIED BITUMEN) CAP SHEET AND (BASE SHEET IF NEEDED) INSTALL PROPER METAL DRIP RAIL FOR THIS STYLE ROOFING.

_____ Shingles must be 1st quality still in the wrapper. Seconds will not be accepted.

_____ Install drip rail around perimeter of house. Shingles shall have ½” to 1 ½” overhang.

_____ Install ridge vent or wind turbines, (minimum of two) as appropriate.

_____ New roof shall be structurally sound and leak free.

_____ Contractor shall warrant the roof to be completely leak free for one year.

Roof Total \$ _____

Heating and Air Conditioning

(New) (HOUSE HAS GAS LINE BUT NO METER OWNER STATES SHE WILL HAVE GAS TURNED ON)

- _____ Install a new (GAS HEAT ONLY NO AIR) system.(Goodman, Nutone, or equivalent), g.
- _____ The new unit shall be sufficient to properly heat the entire house.
- _____ It shall be the contractors responsibility to ensure that the new unit is properly sized.
- _____ Install all duct work necessary to ensure proper heating in all areas of house.
- _____ Upon completion of this scope of work all ductwork shall be INSULATED metal duct. Short runs of flexible duct may be used for connecting to supply registers and boots.
- _____ Ensure that all ductwork is well supported and properly strapped in place.
- _____ Ensure that return grille is installed correctly, working properly, and of adequate size.
- _____ Install all new supply registers to each inhabitable room, including kitchen and bathrooms.
- _____ Homeowner shall be-supplied with 12 additional filters and informed on the Changing of filters and the frequency with which they should be changed.
- _____ Install a new properly matched thermostat from a recognizable manufacturer.
- _____ Contractor must educate homeowner on proper operation and maintenance of new unit.
- _____ Manufacturers consumer literature on the unit must be left with the Homeowner Along with warranty information on the unit.
- _____ The contractor shall include all items necessary to ensure the proper operation of this unit.
 These include all connections to the gas service, electrical disconnect, and electrical service to the unit.

Heating and Air Conditioning Total \$ _____

Electrical

- _____ **Perform all electrical work per the local code and pay for all permits and fees.**
- _____ Install a new 200-amp service. This includes the rigid service mast, entrance head, and breaker-box with breakers. All are to be new, unused material.
- _____ NEW electrical panel is to be located inside of house. Panel must have at least (6) spare places.
- _____ Check all existing wiring, repair as needed, tighten connections and fixtures that are loose and replace those that are faulty.
- _____ Install a hard-wired carbon monoxide detector in a central location.
 (A plug in detector that can be removed or unplugged is not acceptable.)

_____ Install AC/DC tandem wired smoke detectors in a central location, one (1) in each sleeping room, on each additional story of the dwelling, including basements, but not including crawl spaces and uninhabitable attics.

_____ Repair all collateral damage caused by this modification to finish quality. (THIS DOES NOT INCLUDE PAINT)

Electrical Total \$ _____

GRAND TOTAL \$ _____

BID FORM

**W.E. Caffee
Assistant Purchasing Agent
Birmingham, Alabama**

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the above specifications REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization/approval could result in a loss of payment for work performed outside the bid specifications.

Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.

Submitted below is my firm bid for the rehabilitation of a residence, located at
3344 Jefferson Ave SW and in accordance with your invitation to bid dated

_____.

I the undersigned contractor, having inspected the property and familiarized myself with the requirements of the work write-up, specifications and plans, do understand the extent and character of the work to be done at:

3344 Jefferson Ave SW

do propose to furnish all labor, material and equipment necessary to accomplish all of the work called for that is required by the work write-up, specifications and drawings (if any) for the rehabilitation of the property, for the sum of:

_____ Dollars (\$ _____)

I will complete the work within _____ calendar days after receipt of purchase order and notice to proceed.

**SPECIFICATIONS FOR RESIDENTIAL
REHABILITATION PROJECT(S)
Work Write Up**

Property Owner: Doris Whetstone
Address: 964 Airview St
City and State: Birmingham, AL. 35221
Phone: (205)925-1554
Case No: FY16-LTR-013
Inspector RC

Roof

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code © Section 1501 for roof materials, application, installation, etc. and Section 309 for roof and ceiling framing, and all other codes that govern. A building permit is required if there is any wood to be replaced.

- _____ Areas that are found to be spaced decked shall be covered with ½” exterior grade sheathing material after removing the existing decking. It is the contractors responsibility to ensure the framing and structure will support the additional load.
- _____ Remove existing roofing materials down to bare decking.
- _____ Check all roof trusses/rafters and repair/replace to ensure that new roof structure is flat and smooth without rises or depressions in roof system.
- _____ Replace all rotten, broken, un-even, weak, or deteriorated decking and framing.
- _____ Replaced/repared decking shall be level and ready to accept felt and shingles.
- _____ Check all roof trusses for strength and stability before re-shingling house.
- _____ Remove all unused elements, vents, etc., that are not operational and close them below roof level.
- _____ Re-flash all valleys, vents, roof openings, and chimneys.
- _____ Install new boots around all roof penetrations.
- _____ Haul away debris immediately.
- _____ Use a magnetic sweep around the perimeter of house and rake away any other debris.
- _____ Cover with 30# asphalt impregnated felt.
- _____ Prepare roof decking to accept a ridge vent.
- _____ Re-roof with a 30 year dimensional class A fiberglass asphalt shingle. (Owners choice of color) (ANY AREA DEEMED TO NEED ROLL ROOFING MATERIAL WILL BE SELF ADHERING MODIFIED BITUMEN) CAP SHEET AND (BASE SHEET IF NEEDED) INSTALL PROPER METAL DRIP RAIL FOR THIS STYLE ROOFING.
- _____ Shingles must be 1st quality still in the wrapper. Seconds will not be accepted.
- _____ Install drip rail around perimeter of house. Shingles shall have ½” to 1 ½” overhang.
- _____ Install ridge vent or wind turbines, (minimum of two) as appropriate.
- _____ New roof shall be structurally sound and leak free.
- _____ Contractor shall warrant the roof to be completely leak free for one year.

Roof Total \$ _____

Kitchen Repair

- _____ Remove existing appliances from the kitchen.
- _____ Remove the existing (sink base cabinet only)
- _____ Remove existing floor covering.
- _____ Replace all rotten, damaged or otherwise substandard flooring, subflooring, sills, floor framing, and floor supports.
- _____ New floor must be level as possible.
- _____ Install additional support piers and beams if necessary to stabilize and level floor system.
Piers must be on a masonry footing and of concrete masonry units or 4” steel column. All wooden components used in conjunction with the support piers and beams must be pressure treated lumber.
- _____ Cover floor with appropriate underlayment and adhesive per manufacturers specifications.
- _____ Install new sheet vinyl floor covering. The installed vinyl shall be equivalent to Mannington Commercial Resilient and have a minimum of a ten year warranty. No torn or patched vinyl will be accepted. Owners choice of color and pattern.
- _____ Install and finish new shoe mold around entire room. Shoe mold must be painted Or stained to match finish.
- _____ Install new(sink) base cabinet. (same size as existing) (Homeowners choice of color) Hardwood only no particle-board will be accepted.(Cabinet must have factory finish)
- _____ Install new double bowl stainless steel sink, new faucet with sprayer (Moen, Delta, or equivalent), new cut-offs, supply lines, and drain lines.

Kitchen Repair Total \$ _____

Electrical

- _____ **Perform all electrical work per the local code and pay for all permits and fees.**
- _____ Install a hard-wired carbon monoxide detector in a central location.
(A plug in detector that can be removed or unplugged is not acceptable.)
- _____ Install AC/DC tandem wired smoke detectors in a central location, one (1) in each sleeping room, on each additional story of the dwelling, including basements, but not including crawl spaces and uninhabitable attics.
- _____ Repair all collateral damage caused by this modification to finish quality. (THIS DOES NOT INCLUDE PAINT)

Electrical Total \$ _____

GRAND TOTAL \$ _____

BID FORM

**W.E. Caffee
Assistant Purchasing Agent
Birmingham, Alabama**

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the above specifications REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization/approval could result in a loss of payment for work performed outside the bid specifications.

Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.

Submitted below is my firm bid for the rehabilitation of a residence, located at

964 Airview St and in accordance with your invitation to bid dated

_____.

I the undersigned contractor, having inspected the property and familiarized myself with the requirements of the work write-up, specifications and plans, do understand the extent and character of the work to be done at:

964 Airview St

do propose to furnish all labor, material and equipment necessary to accomplish all of the work called for that is required by the work write-up, specifications and drawings (if any) for the rehabilitation of the property, for the sum of:

_____ Dollars (\$ _____)

I will complete the work within _____ calendar days after receipt of purchase order and notice to proceed.

**SPECIFICATIONS FOR RESIDENTIAL
REHABILITATION PROJECT(S)
Work Write Up**

Property Owner: Sandra Ross
Address: 5300 Gordon Ave
City and State: Birmingham, AL. 35221
Phone: (205)531-2737
Case No: FY16-LTR-014
Inspector RC

Roof

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code © Section 1501 for roof materials, application, installation, etc. and Section 309 for roof and ceiling framing, and all other codes that govern. A building permit is required if there is any wood to be replaced.

- _____ Areas that are found to be spaced decked shall be covered with ½” exterior grade sheathing material after removing the existing decking. It is the contractors responsibility to ensure the framing and structure will support the additional load.
- _____ Remove existing roofing materials down to bare decking.
- _____ Check all roof trusses/rafters and repair/replace to ensure that new roof structure is flat and smooth without rises or depressions in roof system.
- _____ Replace all rotten, broken, un-even, weak, or deteriorated decking and framing.
- _____ Replaced/repared decking shall be level and ready to accept felt and shingles.
- _____ Check all roof trusses for strength and stability before re-shingling house.
- _____ Remove all unused elements, vents, etc., that are not operational and close them below roof level.
- _____ Re-flash all valleys, vents, roof openings, and chimneys.
- _____ Install new boots around all roof penetrations.
- _____ Haul away debris immediately.
- _____ Use a magnetic sweep around the perimeter of house and rake away any other debris.
- _____ Cover with 30# asphalt impregnated felt.
- _____ Prepare roof decking to accept a ridge vent.
- _____ Re-roof with a 30 year dimensional class A fiberglass asphalt shingle. (Owners choice of color) (ANY AREA DEEMED TO NEED ROLL ROOFING MATERIAL WILL BE SELF ADHERING MODIFIED BITUMEN) CAP SHEET AND (BASE SHEET IF NEEDED) INSTALL PROPER METAL DRIP RAIL FOR THIS STYLE ROOFING.
- _____ Shingles must be 1st quality still in the wrapper. Seconds will not be accepted.
- _____ Install drip rail around perimeter of house. Shingles shall have ½” to 1 ½” overhang.
- _____ Install ridge vent or wind turbines, (minimum of two) as appropriate.
- _____ New roof shall be structurally sound and leak free.
- _____ Contractor shall warrant the roof to be completely leak free for one year.

Roof Total \$ _____

Heating and Air Conditioning

(New)

- _____ Install a new gas heating and air conditioning system. (Goodman, Nutone, or equivalent), gas-split system or package unit..
- _____ The new unit shall be sufficient to properly heat and cool the entire house.
- _____ It shall be the contractors responsibility to ensure that the new unit is properly sized.
- _____ New unit shall be high efficiency, minimum of 14 SEER.
- _____ Install all duct work necessary to ensure proper heating and cooling in all areas of house.
- _____ Upon completion of this scope of work all ductwork shall be insulated metal duct. Short runs of flexible duct may be used for connecting to supply registers and boots.
- _____ Ensure that all ductwork is well supported and properly strapped in place.
- _____ Ensure that return grille is installed correctly, working properly, and of adequate size.
- _____ Install all new supply registers to each inhabitable room, including kitchen and bathrooms.
- _____ Homeowner shall be-supplied with 12 additional filters and informed on the Changing of filters and the frequency with which they should be changed.
- _____ Install a new properly matched thermostat from a recognizable manufacturer.
- _____ A properly sized manufactured condensing unit pad must be used.
- _____ Pad must be level.
- _____ Contractor must educate homeowner on proper operation and maintenance of new unit.
- _____ Manufacturers consumer literature on the unit must be left with the Homeowner Along with warranty information on the unit.
- _____ The contractor shall include all items necessary to ensure the proper operation of this unit.
- _____ These include all connections to the gas service, electrical disconnect, and electrical service to the unit.

Heating and Air Conditioning Total \$ _____

Electrical

- _____ **Perform all electrical work per the local code and pay for all permits and fees.**
- _____ Install a new 200-amp service. This includes the rigid service mast, entrance head, and breaker-box with breakers (OUTSIDE ONLY HOUSE HAS A BREAKER PANEL ON INSIDE BUT MAY NEED 4 WIRE SUB FEED CABLE). All are to be new, unused material.
- _____ Check all existing wiring, repair as needed, tighten connections and fixtures that are loose and replace those that are faulty.

- _____ Install a hard-wired carbon monoxide detector in a central location.
(A plug in detector that can be removed or unplugged is not acceptable.)
- _____ Install AC/DC tandem wired smoke detectors in a central location, one (1) in each sleeping room, on each additional story of the dwelling, including basements, but not including crawl spaces and uninhabitable attics.
- _____ Repair all collateral damage caused by this modification to finish quality. (THIS DOES NOT INCLUDE PAINT)

Electrical Total \$ _____

GRAND TOTAL \$ _____

BID FORM

W.E. Caffee
Assistant Purchasing Agent
Birmingham, Alabama

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the above specifications REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization/approval could result in a loss of payment for work performed outside the bid specifications.

Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.

Submitted below is my firm bid for the rehabilitation of a residence, located at

5300 Gordon Ave and in accordance with your invitation to bid dated

_____.

I the undersigned contractor, having inspected the property and familiarized myself with the requirements of the work write-up, specifications and plans, do understand the extent and character of the work to be done at:

5300 Gordon Ave

do propose to furnish all labor, material and equipment necessary to accomplish all of the work called for that is required by the work write-up, specifications and drawings (if any) for the rehabilitation of the property, for the sum of:

_____ Dollars (\$ _____)

I will complete the work within _____ calendar days after receipt of purchase order and notice to proceed.

**SPECIFICATIONS FOR RESIDENTIAL
REHABILITATION PROJECT(S)
Work Write Up**

Property Owner: Anthony Hoyle
Address: 3128 Ash Ave SW
City and State: Birmingham, AL. 35221
Phone: (205)
Case No: FY16-LTR015
Inspector RC

Roof

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code © Section 1501 for roof materials, application, installation, etc. and Section 309 for roof and ceiling framing, and all other codes that govern. A building permit is required if there is any wood to be replaced.

_____ Areas that are found to be spaced decked shall be covered with ½” exterior grade sheathing material after removing the existing decking. It is the contractors responsibility to ensure the framing and structure will support the additional load.

_____ Remove existing roofing materials down to bare decking.

_____ Check all roof trusses/rafters and repair/replace to ensure that new roof structure is flat and smooth without rises or depressions in roof system.

_____ Replace all rotten, broken, un-even, weak, or deteriorated decking and framing.

_____ Replaced/repared decking shall be level and ready to accept felt and shingles.

_____ Check all roof trusses for strength and stability before re-shingling house.

_____ Remove all unused elements, vents, etc., that are not operational and close them below roof level.

_____ Re-flash all valleys, vents, roof openings, and chimneys.

_____ Install new boots around all roof penetrations.

_____ Haul away debris immediately.

_____ Use a magnetic sweep around the perimeter of house and rake away any other debris.

_____ Cover with 30# asphalt impregnated felt.

_____ Prepare roof decking to accept a ridge vent.

_____ Re-roof with a 30 year dimensional class A fiberglass asphalt shingle. (Owners choice of color) (ANY AREA DEEMED TO NEED ROLL ROOFING MATERIAL WILL BE SELF ADHERING MODIFIED BITUMEN) CAP SHEET AND (BASE SHEET IF NEEDED) INSTALL PROPER METAL DRIP RAIL FOR THIS STYLE ROOFING.

_____ Shingles must be 1st quality still in the wrapper. Seconds will not be accepted.

_____ Install drip rail around perimeter of house. Shingles shall have ½” to 1 ½” overhang.

_____ Install ridge vent or wind turbines, (minimum of two) as appropriate.

_____ New roof shall be structurally sound and leak free.

_____ Contractor shall warrant the roof to be completely leak free for one year.

Roof Total \$ _____

Heating and Air Conditioning

(New)

- _____ Install a new (HEAT PUMP) heating and air conditioning system.(Goodman, Nutone, or equivalent) split system or packaged unit.
- _____ The new unit shall be sufficient to properly heat and cool the entire house.
- _____ It shall be the contractors responsibility to ensure that the new unit is properly sized.
- _____ New unit shall be high efficiency, minimum of 14 SEER.
- _____ Install all duct work necessary to ensure proper heating and cooling in all areas of house.
- _____ Upon completion of this scope of work all ductwork shall be insulated metal duct. Short runs of flexible duct may be used for connecting to supply registers and boots.
- _____ Ensure that all ductwork is well supported and properly strapped in place.
- _____ Ensure that return grille is installed correctly, working properly, and of adequate size.
- _____ Install all new supply registers to each inhabitable room, including kitchen and bathrooms.
- _____ Homeowner shall be-supplied with 12 additional filters and informed on the Changing of filters and the frequency with which they should be changed.
- _____ Install a new properly matched thermostat from a recognizable manufacturer.
- _____ A properly sized manufactured condensing unit pad must be used.
- _____ Pad must be level.
- _____ Contractor must educate homeowner on proper operation and maintenance of new unit.
- _____ Manufacturers consumer literature on the unit must be left with the Homeowner Along with warranty information on the unit.
- _____ The contractor shall include all items necessary to ensure the proper operation of this unit.
- _____ These include all connections to the electrical disconnect, and electrical service to the unit.

Heating and Air Conditioning Total_ \$ _____

Electrical

- _____ **Perform all electrical work per the local code and pay for all permits and fees.**
- _____ Install a new 200-amp service. This includes the rigid service mast, entrance head, and breaker-box with breakers. All are to be new, unused material.
- _____ NEW electrical panel is to be located inside of house. Panel must have at least (6) spare places.
- _____ All exposed wires shall be in conduit.
- _____ Replace kitchen and bath light.

- _____ Replacement fixtures shall be 14" dome 2 bulb fixture minimum.
- _____ Check all existing wiring, repair as needed, tighten connections and fixtures that are loose and replace those that are faulty.
- _____ Install a hard-wired carbon monoxide detector in a central location.
(A plug in detector that can be removed or unplugged is not acceptable.)
- _____ Install AC/DC tandem wired smoke detectors in a central location, one (1) in each sleeping room, on each additional story of the dwelling, including basements, but not including crawl spaces and uninhabitable attics.
- _____ Repair all collateral damage caused by this modification to finish quality. (THIS DOES NOT INCLUDE PAINT)

Electrical Total \$ _____

GRAND TOTAL \$ _____

BID FORM

**W.E. Caffee
Assistant Purchasing Agent
Birmingham, Alabama**

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the above specifications REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization/approval could result in a loss of payment for work performed outside the bid specifications.

Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.

Submitted below is my firm bid for the rehabilitation of a residence, located at

3128 Ash Ave SW and in accordance with your invitation to bid dated

_____.

I the undersigned contractor, having inspected the property and familiarized myself with the requirements of the work write-up, specifications and plans, do understand the extent and character of the work to be done at:

3128 Ash Ave SW

do propose to furnish all labor, material and equipment necessary to accomplish all of the work called for that is required by the work write-up, specifications and drawings (if any) for the rehabilitation of the property, for the sum of:

_____ Dollars (\$_____)

I will complete the work within _____ calendar days after receipt of purchase order and notice to proceed.

**SPECIFICATIONS FOR RESIDENTIAL
REHABILITATION PROJECT(S)
Work Write Up**

Property Owner: Clifton Jordan
Address: 3317 47th St SW
City and State: Birmingham, AL. 35221
Phone: (205)215-7358
Case No: FY16-LTR016
Inspector RC

Roof

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code © Section 1501 for roof materials, application, installation, etc. and Section 309 for roof and ceiling framing, and all other codes that govern. A building permit is required if there is any wood to be replaced.

- _____ Areas that are found to be spaced decked shall be covered with ½” exterior grade sheathing material after removing the existing decking. It is the contractors responsibility to ensure the framing and structure will support the additional load.
- _____ Remove existing roofing materials down to bare decking.
- _____ Check all roof trusses/rafters and repair/replace to ensure that new roof structure is flat and smooth without rises or depressions in roof system.
- _____ Replace all rotten, broken, un-even, weak, or deteriorated decking and framing.
- _____ Replaced/repared decking shall be level and ready to accept felt and shingles.
- _____ Check all roof trusses for strength and stability before re-shingling house.
- _____ Remove all unused elements, vents, etc., that are not operational and close them below roof level.
- _____ Re-flash all valleys, vents, roof openings, and chimneys.
- _____ Install new boots around all roof penetrations.
- _____ Haul away debris immediately.
- _____ Use a magnetic sweep around the perimeter of house and rake away any other debris.
- _____ Cover with 30# asphalt impregnated felt.
- _____ Prepare roof decking to accept a ridge vent.
- _____ Re-roof with a 30 year dimensional class A fiberglass asphalt shingle. (Owners choice of color) (ANY AREA DEEMED TO NEED ROLL ROOFING MATERIAL WILL BE SELF ADHERING MODIFIED BITUMEN) CAP SHEET AND (BASE SHEET IF NEEDED) INSTALL PROPER METAL DRIP RAIL FOR THIS STYLE ROOFING.
- _____ Shingles must be 1st quality still in the wrapper. Seconds will not be accepted.
- _____ Install drip rail around perimeter of house. Shingles shall have ½” to 1 ½” overhang.
- _____ Install ridge vent or wind turbines, (minimum of two) as appropriate.
- _____ New roof shall be structurally sound and leak free.
- _____ Contractor shall warrant the roof to be completely leak free for one year.

Roof Total \$ _____

Heating and Air Conditioning

Replacement

- _____ Remove existing HVAC unit.
- _____ Install a new heating and air conditioning system. (Goodman, Nutone, or equivalent) gas package unit.
- _____ The new unit shall be sufficient to properly heat and cool the entire house.
- _____ It shall be the contractors responsibility to ensure that the new unit is properly sized.
- _____ New unit shall be high efficiency. Minimum of 14 seer.
- _____ Modify existing duct work to ensure proper operation of new unit.
- _____ Repair any damaged duct work.
- _____ Add any duct work necessary to ensure proper heating and cooling in all areas of house.
- _____ Upon completion of this scope of work all ductwork shall be insulated metal duct. Short runs of flexible duct may be used for connecting to supply registers and boots.
- _____ Ensure that all ductwork is well supported and properly strapped in place.
- _____ Ensure that return grille is working properly and of adequate size.
- _____ Replace all supply registers and return grill.
- _____ Clean any existing ductwork that will be re-used.
- _____ Homeowner shall be-supplied with 12 additional filters and-informed on the Changing of filters and the frequency that they should be changed.
- _____ Install a new properly matched thermostat from a recognizable manufacturer.
- _____ A properly sized manufactured condensing unit pad must be used.
- _____ Existing pad may be re-used if it is not damaged and of adequate size.
- _____ Pad must be level.
- _____ Contractor must educate Homeowner on proper operation and maintenance of new unit.
- _____ Manufacturers consumer literature on the unit must be left with the Homeowner Along with warranty information on the unit.
- _____ The contractor shall include all items necessary to ensure the proper operation of this unit.
This includes all connections to the gas service, the electrical disconnect, and electrical service to the unit.

Electrical

- _____ **Perform all electrical work per the local code and pay for all permits and fees.**
- _____ Install a new inside breaker panel (HAS NEW 125AMP OUTSIDE SERVICE)
- _____ NEW panel must have at least (6) spare places.
- _____ Check all existing wiring, repair as needed, tighten connections and fixtures that are loose and replace those that are faulty.
- _____ Install a hard-wired carbon monoxide detector in a central location.
(A plug in detector that can be removed or unplugged is not acceptable.)

_____ Install AC/DC tandem wired smoke detectors in a central location, one (1) in each sleeping room, on each additional story of the dwelling, including basements, but not including crawl spaces and uninhabitable attics.

_____ Repair all collateral damage caused by this modification to finish quality. (THIS DOES NOT INCLUDE PAINT)

Electrical Total \$ _____

GRAND TOTAL \$ _____

BID FORM

**W.E. Caffee
Assistant Purchasing Agent
Birmingham, Alabama**

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the above specifications REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization/approval could result in a loss of payment for work performed outside the bid specifications.

Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.

Submitted below is my firm bid for the rehabilitation of a residence, located at

3317 47th St SW and in accordance with your invitation to bid dated

_____.

I the undersigned contractor, having inspected the property and familiarized myself with the requirements of the work write-up, specifications and plans, do understand the extent and character of the work to be done at:

3317 47th St SW

do propose to furnish all labor, material and equipment necessary to accomplish all of the work called for that is required by the work write-up, specifications and drawings (if any) for the rehabilitation of the property, for the sum of:

_____ Dollars (\$_____)

I will complete the work within _____ calendar days after receipt of purchase order and notice to proceed.

**SPECIFICATIONS FOR RESIDENTIAL
REHABILITATION PROJECT(S)**

Work Write Up

Property Owner: Johnnie Mae Quates
Address: 4644 Hillman Dr SW
City and State: Birmingham, AL. 35221
Phone: (205)925-4562 540-5994
Case No: FY16-LTR017
Inspector RC

Roof

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code © Section 1501 for roof materials, application, installation, etc. and Section 309 for roof and ceiling framing, and all other codes that govern. A building permit is required if there is any wood to be replaced.

- _____ Areas that are found to be spaced decked shall be covered with ½” exterior grade sheathing material after removing the existing decking. It is the contractors responsibility to ensure the framing and structure will support the additional load.
- _____ Remove existing roofing materials down to bare decking.
- _____ Check all roof trusses/rafters and repair/replace to ensure that new roof structure is flat and smooth without rises or depressions in roof system.
- _____ Replace all rotten, broken, un-even, weak, or deteriorated decking and framing.
- _____ Replaced/repared decking shall be level and ready to accept felt and shingles.
- _____ Check all roof trusses for strength and stability before re-shingling house.
- _____ Remove all unused elements, vents, etc., that are not operational and close them below roof level.
- _____ Re-flash all valleys, vents, roof openings, and chimneys.
- _____ Install new boots around all roof penetrations.
- _____ Haul away debris immediately.
- _____ Use a magnetic sweep around the perimeter of house and rake away any other debris.
- _____ Cover with 30# asphalt impregnated felt.
- _____ Prepare roof decking to accept a ridge vent.
- _____ Re-roof with a 30 year dimensional class A fiberglass asphalt shingle. (Owners choice of color) (ANY AREA DEEMED TO NEED ROLL ROOFING MATERIAL WILL BE SELF ADHERING MODIFIED BITUMEN) CAP SHEET AND (BASE SHEET IF NEEDED) INSTALL PROPER METAL DRIP RAIL FOR THIS STYLE ROOFING.
- _____ Shingles must be 1st quality still in the wrapper. Seconds will not be accepted.
- _____ Install drip rail around perimeter of house. Shingles shall have ½” to 1 ½” overhang.
- _____ Install ridge vent or wind turbines, (minimum of two) as appropriate.
- _____ New roof shall be structurally sound and leak free.
- _____ Contractor shall warrant the roof to be completely leak free for one year.

Roof Total \$ _____

GRAND TOTAL \$ _____

BID FORM

**W.E. Caffee
Assistant Purchasing Agent
Birmingham, Alabama**

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the above specifications REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization/approval could result in a loss of payment for work performed outside the bid specifications.

Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.

Submitted below is my firm bid for the rehabilitation of a residence, located at

4644 Hillman Dr SW and in accordance with your invitation to bid dated

_____.

I the undersigned contractor, having inspected the property and familiarized myself with the requirements of the work write-up, specifications and plans, do understand the extent and character of the work to be done at:

4644 Hillman Dr SW

do propose to furnish all labor, material and equipment necessary to accomplish all of the work called for that is required by the work write-up, specifications and drawings (if any) for the rehabilitation of the property, for the sum of:

_____ Dollars (\$ _____)

I will complete the work within _____ calendar days after receipt of purchase order and notice to proceed.

**SPECIFICATIONS FOR RESIDENTIAL
REHABILITATION PROJECT(S)
Work Write Up**

Property Owner: Catherine Moore
Address: 3537 Ellis Ave
City and State: Birmingham, AL. 35221
Phone: (205)266-5095
Case No: FY16-LTR018
Inspector RC

Roof

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code © Section 1501 for roof materials, application, installation, etc. and Section 309 for roof and ceiling framing, and all other codes that govern. A building permit is required if there is any wood to be replaced.

- _____ Areas that are found to be spaced decked shall be covered with ½” exterior grade sheathing material after removing the existing decking. It is the contractors responsibility to ensure the framing and structure will support the additional load.
- _____ Remove existing roofing materials down to bare decking.
- _____ Check all roof trusses/rafters and repair/replace to ensure that new roof structure is flat and smooth without rises or depressions in roof system.
- _____ Replace all rotten, broken, un-even, weak, or deteriorated decking and framing.
- _____ Replaced/repared decking shall be level and ready to accept felt and shingles.
- _____ Check all roof trusses for strength and stability before re-shingling house.
- _____ Remove all unused elements, vents, etc., that are not operational and close them below roof level.
- _____ Re-flash all valleys, vents, roof openings, and chimneys.
- _____ Install new boots around all roof penetrations.
- _____ Haul away debris immediately.
- _____ Use a magnetic sweep around the perimeter of house and rake away any other debris.
- _____ Cover with 30# asphalt impregnated felt.
- _____ Prepare roof decking to accept a ridge vent.
- _____ Re-roof with a 30 year dimensional class A fiberglass asphalt shingle. (Owners choice of color) (ANY AREA DEEMED TO NEED ROLL ROOFING MATERIAL WILL BE SELF ADHERING MODIFIED BITUMEN) CAP SHEET AND (BASE SHEET IF NEEDED) INSTALL PROPER METAL DRIP RAIL FOR THIS STYLE ROOFING.
- _____ Shingles must be 1st quality still in the wrapper. Seconds will not be accepted.
- _____ Install drip rail around perimeter of house. Shingles shall have ½” to 1 ½” overhang.
- _____ Install ridge vent or wind turbines, (minimum of two) as appropriate.
- _____ New roof shall be structurally sound and leak free.
- _____ Contractor shall warrant the roof to be completely leak free for one year.

Roof Total \$ _____

Heating and Air Conditioning

Replacement

- _____ Remove existing HVAC unit.
- _____ Install a new heating and air conditioning system. (Goodman, Nutone, or equivalent) gas split system with cage..
- _____ The new unit shall be sufficient to properly heat and cool the entire house.
- _____ It shall be the contractors responsibility to ensure that the new unit is properly sized.
- _____ New unit shall be high efficiency. Minimum of 14 seer.
- _____ Modify existing duct work to ensure proper operation of new unit.
- _____ Repair any damaged duct work.
- _____ Add any duct work necessary to ensure proper heating and cooling in all areas of house.
- _____ Upon completion of this scope of work all ductwork shall be insulated metal duct. Short runs of flexible duct may be used for connecting to supply registers and boots.
- _____ Ensure that all ductwork is well supported and properly strapped in place.
- _____ Ensure that return grille is working properly and of adequate size.
- _____ Replace all supply registers and return grill.
- _____ Clean any existing ductwork that will be re-used.
- _____ Homeowner shall be-supplied with 12 additional filters and-informed on the Changing of filters and the frequency that they should be changed.
- _____ Install a new properly matched thermostat from a recognizable manufacturer.
- _____ A properly sized manufactured condensing unit pad must be used.
- _____ Existing pad may be re-used if it is not damaged and of adequate size.
- _____ Pad must be level.
- _____ Contractor must educate Homeowner on proper operation and maintenance of new unit.
- _____ Manufacturers consumer literature on the unit must be left with the Homeowner Along with warranty information on the unit.
- _____ The contractor shall include all items necessary to ensure the proper operation of this unit.
This includes all connections to the gas service, the electrical disconnect, and electrical service to the unit.

Heating and Air Conditioning Total \$ _____

GRAND TOTAL \$ _____

BID FORM

**W.E. Caffee
Assistant Purchasing Agent
Birmingham, Alabama**

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the above specifications REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization/approval could result in a loss of payment for work performed outside the bid specifications.

Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.

Submitted below is my firm bid for the rehabilitation of a residence, located at
3537 Ellis Ave and in accordance with your invitation to bid dated

_____.

I the undersigned contractor, having inspected the property and familiarized myself with the requirements of the work write-up, specifications and plans, do understand the extent and character of the work to be done at:

3537 Ellis Ave

do propose to furnish all labor, material and equipment necessary to accomplish all of the work called for that is required by the work write-up, specifications and drawings (if any) for the rehabilitation of the property, for the sum of:

_____ Dollars (\$ _____)

I will complete the work within _____ calendar days after receipt of purchase order and notice to proceed.

**SPECIFICATIONS FOR RESIDENTIAL
REHABILITATION PROJECT(S)
Work Write Up**

Property Owner: Regina Sharp
Address: 2508 Powerly Ave SW
City and State: Birmingham, AL. 35211
Phone: (205)370-7850
Case No: FY16-LTR019
Inspector RC

Roof

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code © Section 1501 for roof materials, application, installation, etc. and Section 309 for roof and ceiling framing, and all other codes that govern. A building permit is required if there is any wood to be replaced.

_____ Areas that are found to be spaced decked shall be covered with ½” exterior grade sheathing material after removing the existing decking. It is the contractors responsibility to ensure the framing and structure will support the additional load.

_____ Remove existing roofing materials down to bare decking.

_____ Check all roof trusses/rafters and repair/replace to ensure that new roof structure is flat and smooth without rises or depressions in roof system.

_____ Replace all rotten, broken, un-even, weak, or deteriorated decking and framing.

_____ Replaced/repared decking shall be level and ready to accept felt and shingles.

_____ Check all roof trusses for strength and stability before re-shingling house.

_____ Remove all unused elements, vents, etc., that are not operational and close them below roof level.

_____ Re-flash all valleys, vents, roof openings, and chimneys.

_____ Install new boots around all roof penetrations.

_____ Haul away debris immediately.

_____ Use a magnetic sweep around the perimeter of house and rake away any other debris.

_____ Cover with 30# asphalt impregnated felt.

_____ Prepare roof decking to accept a ridge vent.

_____ Re-roof with a 30 year dimensional class A fiberglass asphalt shingle. (Owners choice of color) (ANY AREA DEEMED TO NEED ROLL ROOFING MATERIAL WILL BE SELF ADHERING MODIFIED BITUMEN) CAP SHEET AND (BASE SHEET IF NEEDED) INSTALL PROPER METAL DRIP RAIL FOR THIS STYLE ROOFING.

_____ Shingles must be 1st quality still in the wrapper. Seconds will not be accepted.

_____ Install drip rail around perimeter of house. Shingles shall have ½” to 1 ½” overhang.

_____ Install ridge vent or wind turbines, (minimum of two) as appropriate.

_____ New roof shall be structurally sound and leak free.

_____ Contractor shall warrant the roof to be completely leak free for one year.

Roof Total \$ _____

Plumbing Repair

- _____ Contractor is to perform all plumbing work per local code, Pay for all permits and impact fees. All materials used shall be (PEX) or non ferrous metals and insulated properly. No plastics or CPVC accepted.
- _____ Repair drain on bath sink

Plumbing Repair Total \$ _____

Electrical

- _____ Perform all electrical work per the local code and pay for all permits and fees.
- _____ Install a new 200-amp (OUTSIDE) service. This includes the rigid service mast, entrance head, and breaker-box with breakers. All are to be new, unused material. NEW panel must have at least (6) spare places.
- _____ Check all existing wiring, repair as needed, tighten connections and fixtures that are loose and replace those that are faulty.
- _____ Install a hard-wired carbon monoxide detector in a central location. (A plug in detector that can be removed or unplugged is not acceptable.)
- _____ Install AC/DC tandem wired smoke detectors in a central location, one (1) in each sleeping room, on each additional story of the dwelling, including basements, but not including crawl spaces and uninhabitable attics.
- _____ Repair all collateral damage caused by this modification to finish quality. (THIS DOES NOT INCLUDE PAINT)

Electrical Total \$ _____

GRAND TOTAL \$ _____

BID FORM

**W.E. Caffee
Assistant Purchasing Agent
Birmingham, Alabama**

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the above specifications REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization/approval could result in a loss of payment for work performed outside the bid specifications.

Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.

Submitted below is my firm bid for the rehabilitation of a residence, located at
2508 Powderly Ave SW and in accordance with your invitation to bid dated

_____.

I the undersigned contractor, having inspected the property and familiarized myself with the requirements of the work write-up, specifications and plans, do understand the extent and character of the work to be done at:

2508 Powderly Ave SW

do propose to furnish all labor, material and equipment necessary to accomplish all of the work called for that is required by the work write-up, specifications and drawings (if any) for the rehabilitation of the property, for the sum of:

_____ Dollars (\$ _____)

I will complete the work within _____ calendar days after receipt of purchase order and notice to proceed.

**SPECIFICATIONS FOR RESIDENTIAL
REHABILITATION PROJECT(S)**

Work Write Up

Property Owner: Linda Jordan
Address: 3024 Goldcrest Dr SW
City and State: Birmingham, AL. 35221
Phone: (205)
Case No: FY16-LTR-020
Inspector RC

Roof

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code © Section 1501 for roof materials, application, installation, etc. and Section 309 for roof and ceiling framing, and all other codes that govern. A building permit is required if there is any wood to be replaced.

- _____ Areas that are found to be spaced decked shall be covered with ½” exterior grade sheathing material after removing the existing decking. It is the contractors responsibility to ensure the framing and structure will support the additional load.
- _____ Remove existing roofing materials down to bare decking.
- _____ Check all roof trusses/rafters and repair/replace to ensure that new roof structure is flat and smooth without rises or depressions in roof system.
- _____ Replace all rotten, broken, un-even, weak, or deteriorated decking and framing.
- _____ Replaced/repared decking shall be level and ready to accept felt and shingles.
- _____ Check all roof trusses for strength and stability before re-shingling house.
- _____ Remove all unused elements, vents, etc., that are not operational and close them below roof level.
- _____ Re-flash all valleys, vents, roof openings, and chimneys.
- _____ Install new boots around all roof penetrations.
- _____ Haul away debris immediately.
- _____ Use a magnetic sweep around the perimeter of house and rake away any other debris.
- _____ Cover with 30# asphalt impregnated felt.
- _____ Prepare roof decking to accept a ridge vent.
- _____ Re-roof with a 30 year dimensional class A fiberglass asphalt shingle. (Owners choice of color) (ANY AREA DEEMED TO NEED ROLL ROOFING MATERIAL WILL BE SELF ADHERING MODIFIED BITUMEN) CAP SHEET AND (BASE SHEET IF NEEDED) INSTALL PROPER METAL DRIP RAIL FOR THIS STYLE ROOFING.
- _____ Shingles must be 1st quality still in the wrapper. Seconds will not be accepted.
- _____ Install drip rail around perimeter of house. Shingles shall have ½” to 1 ½” overhang.
- _____ Install ridge vent or wind turbines, (minimum of two) as appropriate.
- _____ New roof shall be structurally sound and leak free.
- _____ Contractor shall warrant the roof to be completely leak free for one year.

Roof Total \$ _____

GRAND TOTAL \$ _____

BID FORM

**W.E. Caffee
Assistant Purchasing Agent
Birmingham, Alabama**

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the above specifications REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization/approval could result in a loss of payment for work performed outside the bid specifications.

Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.

Submitted below is my firm bid for the rehabilitation of a residence, located at

3024 Goldcrest Dr SW and in accordance with your invitation to bid dated

_____.

I the undersigned contractor, having inspected the property and familiarized myself with the requirements of the work write-up, specifications and plans, do understand the extent and character of the work to be done at:

3024 Goldcrest Dr SW

do propose to furnish all labor, material and equipment necessary to accomplish all of the work called for that is required by the work write-up, specifications and drawings (if any) for the rehabilitation of the property, for the sum of:

_____ Dollars (\$ _____)

I will complete the work within _____ calendar days after receipt of purchase order and notice to proceed.

**SPECIFICATIONS FOR RESIDENTIAL
REHABILITATION PROJECT(S)
Work Write Up**

Property Owner: Talmadge Owens
Address: 3625 Oak Ave SW
City and State: Birmingham, AL. 35221
Phone: (205)925-8210 400-4944
Case No: FY16-LTR021
Inspector RC

**Bathroom and Plumbing Modifications (REINSTALL OWNERS
SINK)**

**ALL WORK IS TO BE DONE TO ANSI SPECIFICATIONS WHERE
ACHIEVABLE**

- _____ **Contractor is to perform all plumbing work per local code, Pay for all permits and impact fees. All materials used shall be (PEX) or non ferrous metals and insulated properly. No plastics or CPVC accepted.**
- _____ Remove toilet, tub, and lavatory from bathroom.
- _____ Replace all rotten, damaged or otherwise substandard flooring, subflooring, sills, floor framing, and floor supports.
- _____ New floor must be level as possible.
- _____ Cover bathroom floor with appropriate underlayment and adhesive per Manufacturers specifications.
- _____ Install new sheet vinyl floor covering. **The installed vinyl shall be equivalent to Mannington Commercial Resilient and have a minimum of a ten year warranty.** No torn or patched vinyl will be accepted. Owners choice of color and pattern.
- _____ Install and finish new shoe mold around entire room. Shoe mold must be painted Or stained to match finish.
- _____ Install walk-in shower unit equipped with seat and towel bar. (Owner's choice of door inclusion.)
- _____ Install new ceramic tile around bottom of tub surround where tub was removed down to shower pan match as close as possible.
- _____ Install grab bars for tub access. (minimum of three) (2) in shower (1) by toilet)
- _____ Install ceramic tile surround utilizing spacers, thin-set cement mortar, epoxy-based grout for joints, and apply water-based latex sealant or silicone based sealant around entire bottom perimeter of surround.
- _____ Install ADA approved slide bar shower massage unit.
- _____ Install a good quality, chrome plated brass, lever style anti-scald shower valve and tub filler. (Moen, Delta, or equivalent)
- _____ Install new Handicap toilet with seat. (min. height 17 ½".) Toilet shall be equipped with an oversize flush valve. (American Standard, Kohler, Briggs, Toto)
- _____ Install new cutoff and supply line.
- _____ REINSTALL OWNERS SINK

- _____ Bath shall have a new vanity light, ceiling mounted light with fan (sealed globe), and GFI receptacle. Ceiling light and vanity light shall be switched separately.
- _____ Repair all collateral damage caused by this modification. (THIS DOES NOT INCLUDE PAINT)

Bathroom and Plumbing Total \$ _____

Electrical (HOUSE HAS ELECTRIC SMOKE DETECTORS)

- _____ **Perform all electrical work per the local code and pay for all permits and fees.**
- _____ Replace all switches, plugs, and plates with new ones.
- _____ Replace all electric smoke detectors with AC/DC smoke detectors (WILL NEED TANDEM WIRING BETWEEN THE SMOKE DETECTORS CONTRACTOR TO VERIFY LOCATION AND ADD TO MEET CODE)
- _____ Repair all collateral damage caused by this modification to finish quality. (THIS DOES NOT INCLUDE PAINT)

Electrical Total \$ _____

GRAND TOTAL \$ _____

BID FORM

**W.E. Caffee
Assistant Purchasing Agent
Birmingham, Alabama**

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the above specifications REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization/approval could result in a loss of payment for work performed outside the bid specifications.

Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.

Submitted below is my firm bid for the rehabilitation of a residence, located at

3625 Oak Ave SW W and in accordance with your invitation to bid dated

_____.

I the undersigned contractor, having inspected the property and familiarized myself with the requirements of the work write-up, specifications and plans, do understand the extent and character of the work to be done at:

3625 Oak Ave SW

do propose to furnish all labor, material and equipment necessary to accomplish all of the work called for that is required by the work write-up, specifications and drawings (if any) for the rehabilitation of the property, for the sum of:

_____ Dollars (\$ _____)

I will complete the work within _____ calendar days after receipt of purchase order and notice to proceed.

**SPECIFICATIONS FOR RESIDENTIAL
REHABILITATION PROJECT(S)
Work Write Up**

Property Owner: Susie Harris
Address: 5313 Gordon Ave
City and State: Birmingham, AL. 35221
Phone: (205) 434-3391
Case No: FY16-LTR022
Inspector RC

Plumbing Repair

_____ **Contractor is to perform all plumbing work per local code, Pay for all permits and impact fees. All materials used shall be (PEX) or non ferrous metals and insulated properly. No plastics or CPVC accepted.**
_____ Repair kitchen drain.

Plumbing Repair Total \$ _____

Bathroom and Plumbing Modifications

ALL WORK IS TO BE DONE TO ANSI SPECIFICATIONS WHERE ACHIEVABLE

_____ **Contractor is to perform all plumbing work per local code, Pay for all permits and impact fees. All materials used shall be (PEX) or non ferrous metals and insulated properly. No plastics or CPVC accepted.**
_____ Remove toilet and lavatory from bathroom.
_____ Replace all rotten, damaged or otherwise substandard flooring, subflooring, sills, floor framing, and floor supports.
_____ New floor must be level as possible.
_____ Cover bathroom floor with appropriate underlayment and adhesive per Manufacturers specifications.
_____ Install new sheet vinyl floor covering. **The installed vinyl shall be equivalent to Mannington Commercial Resilient and have a minimum of a ten year warranty.** No torn or patched vinyl will be accepted. Owners choice of color and pattern.
_____ Install and finish new shoe mold around entire room. Shoe mold must be painted Or stained to match finish.
_____ Reinstall owners toilet and sink.
_____ Repair all collateral damage caused by this modification. (THIS DOES NOT INCLUDE PAINT)

Bathroom and Plumbing Total \$ _____

Electrical

- _____ **Perform all electrical work per the local code and pay for all permits and fees.**
- _____ Replace (4) photocell activated flood light fixtures with like flood light fixtures and install LED BULBS
- _____ Replace kitchen light fixture with same style fixture and new bulbs.
- _____ Replace outside dusk to dawn light with same style light.
- _____ Repair all collateral damage caused by this modification to finish quality. (THIS DOES NOT INCLUDE PAINT)

Electrical Total \$ _____

GRAND TOTAL \$ _____

BID FORM

**W.E. Caffee
Assistant Purchasing Agent
Birmingham, Alabama**

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the above specifications REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization/approval could result in a loss of payment for work performed outside the bid specifications.

Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.

Submitted below is my firm bid for the rehabilitation of a residence, located at
5313 Gordon Ave and in accordance with your invitation to bid dated

_____.

I the undersigned contractor, having inspected the property and familiarized myself with the requirements of the work write-up, specifications and plans, do understand the extent and character of the work to be done at:

5313 Gordon Ave

do propose to furnish all labor, material and equipment necessary to accomplish all of the work called for that is required by the work write-up, specifications and drawings (if any) for the rehabilitation of the property, for the sum of:

_____ Dollars (\$ _____)

I will complete the work within _____ calendar days after receipt of purchase order and notice to proceed.

**SPECIFICATIONS FOR RESIDENTIAL
REHABILITATION PROJECT(S)**

Work Write Up

Property Owner: Brenda Freeman
Address: 1919 10th Pl Pratt
City and State: Birmingham, AL. 35214
Phone: (205) 798-6270
Case No: FY16-LTR-023
Inspector RC

Roof

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code © Section 1501 for roof materials, application, installation, etc. and Section 309 for roof and ceiling framing, and all other codes that govern. A building permit is required if there is any wood to be replaced.

- _____ Areas that are found to be spaced decked shall be covered with ½” exterior grade sheathing material after removing the existing decking. It is the contractors responsibility to ensure the framing and structure will support the additional load.
- _____ Remove existing roofing materials down to bare decking.
- _____ Check all roof trusses/rafters and repair/replace to ensure that new roof structure is flat and smooth without rises or depressions in roof system.
- _____ Replace all rotten, broken, un-even, weak, or deteriorated decking and framing.
- _____ Replaced/repared decking shall be level and ready to accept felt and shingles.
- _____ Check all roof trusses for strength and stability before re-shingling house.
- _____ Remove all unused elements, vents, etc., that are not operational and close them below roof level.
- _____ Re-flash all valleys, vents, roof openings, and chimneys.
- _____ Install new boots around all roof penetrations.
- _____ Haul away debris immediately.
- _____ Use a magnetic sweep around the perimeter of house and rake away any other debris.
- _____ Cover with 30# asphalt impregnated felt.
- _____ Prepare roof decking to accept a ridge vent.
- _____ Re-roof with a 30 year dimensional class A fiberglass asphalt shingle. (Owners choice of color) (ANY AREA DEEMED TO NEED ROLL ROOFING MATERIAL WILL BE SELF ADHERING MODIFIED BITUMEN) CAP SHEET AND (BASE SHEET IF NEEDED) INSTALL PROPER METAL DRIP RAIL FOR THIS STYLE ROOFING.
- _____ Shingles must be 1st quality still in the wrapper. Seconds will not be accepted.
- _____ Install drip rail around perimeter of house. Shingles shall have ½” to 1 ½” overhang.
- _____ Install ridge vent or wind turbines, (minimum of two) as appropriate.
- _____ New roof shall be structurally sound and leak free.
- _____ Contractor shall warrant the roof to be completely leak free for one year.

Roof Total \$ _____
GRAND TOTAL \$ _____

BID FORM

**W.E. Caffee
Assistant Purchasing Agent
Birmingham, Alabama**

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the above specifications REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization/approval could result in a loss of payment for work performed outside the bid specifications.

Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.

Submitted below is my firm bid for the rehabilitation of a residence, located at
1919 10th PI Pratt and in accordance with your invitation to bid dated

_____.

I the undersigned contractor, having inspected the property and familiarized myself with the requirements of the work write-up, specifications and plans, do understand the extent and character of the work to be done at:

1919 10th PI Pratt

do propose to furnish all labor, material and equipment necessary to accomplish all of the work called for that is required by the work write-up, specifications and drawings (if any) for the rehabilitation of the property, for the sum of:

_____ Dollars (\$ _____)

I will complete the work within _____ calendar days after receipt of purchase order and notice to proceed.

**SPECIFICATIONS FOR RESIDENTIAL
REHABILITATION PROJECT(S)
Work Write Up**

Property Owner: Linda Daniels
Address: 3224 Hemlock Ave SW
City and State: Birmingham, AL. 35221
Phone: (205)925-3079 641-3512
Case No: FY16-LTR-24
Inspector RC

Plumbing Repair

- _____ Contractor is to perform all plumbing work per local code, Pay for all permits and impact fees. All materials used shall be (PEX) or non ferrous metals and insulated properly. No plastics or CPVC accepted.
- _____ Replace washing machine drain to main drain.
- _____ Ensure that all drain lines are leak free and in proper working order. Replace any lines necessary to ensure proper operation and venting.

Plumbing Repair Total \$ _____

Heating and Air Conditioning

(New)

- _____ Install a new gas heating and air conditioning system.(Goodman, Nutone, or equivalent), gas-split system or packaged unit with cage..
- _____ The new unit shall be sufficient to properly heat and cool the entire house.
- _____ It shall be the contractors responsibility to ensure that the new unit is properly sized.
- _____ New unit shall be high efficiency, minimum of 14 SEER.
- _____ Install all duct work necessary to ensure proper heating and cooling in all areas of house.
- _____ Upon completion of this scope of work all ductwork shall be insulated metal duct. Short runs of flexible duct may be used for connecting to supply registers and boots.
- _____ Ensure that all ductwork is well supported and properly strapped in place.
- _____ Ensure that return grille is installed correctly, working properly, and of adequate size.
- _____ Install all new supply registers to each inhabitable room, including kitchen and bathrooms.
- _____ Homeowner shall be-supplied with 12 additional filters and informed on the Changing of filters and the frequency with which they should be changed.
- _____ Install a new properly matched thermostat from a recognizable manufacturer.

- _____ A properly sized manufactured condensing unit pad must be used.
 - _____ Pad must be level.
 - _____ Contractor must educate homeowner on proper operation and maintenance of new unit.
 - _____ Manufacturers consumer literature on the unit must be left with the Homeowner Along with warranty information on the unit.
 - _____ The contractor shall include all items necessary to ensure the proper operation of this unit.
- These include all connections to the gas service, electrical disconnect, and electrical service to the unit.

Heating and Air Conditioning Total \$ _____

Electrical

- _____ **Perform all electrical work per the local code and pay for all permits and fees.**
- _____ Install a new 200-amp service. This includes the rigid service mast, entrance head, and breaker-box with breakers. All are to be new, unused material.
- _____ Replace all switches, plugs, and plates with new ones.
- _____ Check all existing wiring, repair as needed, tighten connections and fixtures that are loose and replace those that are faulty.
- _____ Install a hard-wired carbon monoxide detector in a central location.
(A plug in detector that can be removed or unplugged is not acceptable.)
- _____ Install AC/DC tandem wired smoke detectors in a central location, one (1) in each sleeping room, on each additional story of the dwelling, including basements, but not including crawl spaces and uninhabitable attics.
- _____ Repair all collateral damage caused by this modification to finish quality. (THIS DOES NOT INCLUDE PAINT)

Electrical Total \$ _____

GRAND TOTAL \$ _____

BID FORM

**W.E. Caffee
Assistant Purchasing Agent
Birmingham, Alabama**

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the above specifications REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization/approval could result in a loss of payment for work performed outside the bid specifications.

Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.

Submitted below is my firm bid for the rehabilitation of a residence, located at
3224 Hemlock Ave SW and in accordance with your invitation to bid dated

_____.

I the undersigned contractor, having inspected the property and familiarized myself with the requirements of the work write-up, specifications and plans, do understand the extent and character of the work to be done at:

3224 Hemlock Ave SW

do propose to furnish all labor, material and equipment necessary to accomplish all of the work called for that is required by the work write-up, specifications and drawings (if any) for the rehabilitation of the property, for the sum of:

_____ Dollars (\$ _____)

I will complete the work within _____ calendar days after receipt of purchase order and notice to proceed.

**SPECIFICATIONS FOR RESIDENTIAL
REHABILITATION PROJECT(S)
Work Write Up**

Property Owner: Earnestine Johnson
Address: 3717 Howard Ave SW
City and State: Birmingham, AL. 35221
Phone: (205)925-7199 222-5717
Case No: FY16-LTR25
Inspector RC

Heating and Air Conditioning

(New)

- _____ Install a new electric heat pump and air conditioning system.(Goodman, Nutone, or equivalent), split system or packaged unit with cage..
- _____ The new unit shall be sufficient to properly heat and cool the entire house.
- _____ It shall be the contractors responsibility to ensure that the new unit is properly sized.
- _____ New unit shall be high efficiency, minimum of 14 SEER.
- _____ Install all duct work necessary to ensure proper heating and cooling in all areas of house.
- _____ Upon completion of this scope of work all ductwork shall be insulated metal duct. Short runs of flexible duct may be used for connecting to supply registers and boots.
- _____ Ensure that all ductwork is well supported and properly strapped in place.
- _____ Ensure that return grille is installed correctly, working properly, and of adequate size.
- _____ Install all new supply registers to each inhabitable room, including kitchen and bathrooms.
- _____ Homeowner shall be-supplied with 12 additional filters and informed on the Changing of filters and the frequency with which they should be changed.
- _____ Install a new properly matched thermostat from a recognizable manufacturer.
- _____ A properly sized manufactured condensing unit pad must be used.
- _____ Pad must be level.
- _____ Contractor must educate homeowner on proper operation and maintenance of new unit.
- _____ Manufacturers consumer literature on the unit must be left with the Homeowner Along with warranty information on the unit.
- _____ The contractor shall include all items necessary to ensure the proper operation of this unit.
These include all connections to the gas service, electrical disconnect, and electrical service to the unit.

Heating and Air Conditioning Total_ \$ _____

Electrical

- _____ **Perform all electrical work per the local code and pay for all permits and fees.**
- _____ Install a new 200-amp service. This includes the rigid service mast, entrance head, and breaker-box with breakers. All are to be new, unused material.
- _____ NEW electrical panel must have at least (6) spare places.
- _____ Check all existing wiring, repair as needed, tighten connections and fixtures that are loose and replace those that are faulty.
- _____ Install a hard-wired carbon monoxide detector in a central location.
(A plug in detector that can be removed or unplugged is not acceptable.)
- _____ Install AC/DC tandem wired smoke detectors in a central location, one (1) in each sleeping room, on each additional story of the dwelling, including basements, but not including crawl spaces and uninhabitable attics.
- _____ Repair all collateral damage caused by this modification to finish quality. (THIS DOES NOT INCLUDE PAINT)

Electrical Total \$ _____

Insulation

\$ _____ Blow attic insulation to R-30 value

Insulation Total \$ _____

GRAND TOTAL \$ _____

BID FORM

W.E. Caffee
Assistant Purchasing Agent
Birmingham, Alabama

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the above specifications REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization/approval could result in a loss of payment for work performed outside the bid specifications.

Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.

Submitted below is my firm bid for the rehabilitation of a residence, located at

3717 Howard Ave SW and in accordance with your invitation to bid dated

_____.

I the undersigned contractor, having inspected the property and familiarized myself with the requirements of the work write-up, specifications and plans, do understand the extent and character of the work to be done at:

3717 Howard Ave SW

do propose to furnish all labor, material and equipment necessary to accomplish all of the work called for that is required by the work write-up, specifications and drawings (if any) for the rehabilitation of the property, for the sum of:

_____ Dollars (\$_____)

I will complete the work within _____ calendar days after receipt of purchase order and notice to proceed.

**BID FORM cont'd
Signature Page**

I hereby certify that we do not discriminate in employment of our personnel against any persons on account of race, creed, color, sex, or national origins, and acknowledges and agrees that the City encourages minority - and women - owned business participation to the maximum extent possible. This policy includes Historically Underutilized Business Enterprises such as architectural firms, engineering firms, investment banking firms, other professional service providers, and construction contractors as part of the City's business, economic and community revitalization programs.

EXCEPTIONS TO SPECIFICATIONS:

Date of Bid

Company

Name (Print Legibly or Type)

Street Address

Signature

City State Zip

Title

Post Office Box

E-Mail Address

City State Zip

Tax ID Number

Terms of Payment

Telephone Number

As Stated In Bid Document
Completion Date

Fax Number

E Mail Address

Bidder acknowledges receipt of _____ addendum (addenda) to this bid package (16-45) (0, 1, 2, 3, etc.)

INDICATE THE FOLLOWING ADDRESSES IF DIFFERENT FROM ABOVE:

1. **BID AWARD NOTICE ADDRESS**
2. **PURCHASE ORDER ADDRESS**
3. **REMITTANCE ADDRESS (AND NAME IF DIFFERENT THAN ABOVE)**

Return original bid in sealed envelope. Authorized signature of bidder **must be in ink.**

ATTACHMENT A

AFFIDAVIT AND WARRANTY:

The bidder warrants that the bid submitted is not made in collusion with any other bidders, or in the interest of or on behalf of an undisclosed party; that the bidder has not, directly or indirectly, induced any other bidder to put in a sham bid or to refrain from making a bid; and that bidder has not paid or agreed to pay to any party, either directly or indirectly, any money or other thing of value for assistance or aid rendered to or to be rendered in attempting to procure the bid for the privileges provided in this invitation. All the information contained in the bid may be relied upon by the City of Birmingham in awarding rehabilitation of houses under the critical repair grant program, and everything contained herein is warranted by the bidder to be true.

NAME OF BIDDER: _____
BY: _____
ITS: _____
DATE: _____

Witness